

TEM Asbestos (air) Count Sheet

Client Name:	NYC BOE	Volume (liters):	1952
Lab Group #:	7446	Filter Type / Filter Area:	MCE 385 mm ²
Lab Sample #:	9	Grid Opening Size:	0.01124
Client Sample #:	09	Area Examined:	0.04496 mm ²
GRID BOX:	1045	Magnification:	20,000
GRID ID:	28F	Accelerating Voltage:	100 KeV
# Grid Openings:	4	Analysis Date:	4/17/02

Analysis Performed By: RP

ROMAN PEYSAKHOV

GO.		Structure No	Structure Type				Length		ID of Structure N or ✓				EOS (Nonadb Elements)
No	Coord		F	B	C	M	>=05 μ <5 μ	>=5 μ	Chrys	Amphibole	Nonasb	Ambig/ND	
20	102	NSD											
21	252												
22	342												
23	402												
24													
25													
26													
27													
28													
29													
30													
31													
32													
33													
34													
35													
36													
37													
38													
39													
40													
41													
42													
43													
44													
45													
46													
47													
48													
49													
50													

Struct = > 0.5 μ > 5:1 Aspect Ratio

✓ = Positive diffraction pattern properties conforming to laboratory identification criteria observed

✓ = EDS spectrum conforming to laboratory identification criteria observed

F = Single Fiber

B = Bundle (<3 fibers <1 fiber diameter apart)

C = Cluster (>3 Intersections)

M = Matrix

NSD = No Structures Detected

Grid acceptance:

<50% undissolved filter, overlapped or folded
 <10% particulate coverage >50% coverage at
 least 20 unfolded or overlapped grid squares <5%
 holes or opaque areas

AMPHIBOLES

Amosite
 Crocidolite
 Anthophyllite
 Tremolite
 Actinolite

Totals

	F	B	C	M	>5 μ
Chrysotile					
Amphibole					
Ambiguous					
Non-Asbestos					
Non-Identified					