

User: Huhn, William
 Westchester Dept. of Labs & Research
 Date: 11/01/2001 Time: 14:54:56

Sample: AD26393
 Analysis: \$B1524 Volatile Organic Compounds-Blank
 Units: ug
 Started: 10/31/01 00:00 Ended: 10/31/01 00:00 Analyst: BH
 Result source: m:\instruments\206\rrfiles\1031b1.rr
 Page: 1

	Component Name	Viol	Result	Qualifier	MDL
1	Surr_1,2-DICHLOROETHANE-		6.3		.5
2	Surr_4-BROMOFLUOROBENZE		4.9		.5
3	Dichlorodifluoromethane		< MDL		.5
4	Chloromethane		< MDL		.5
5	Vinyl chloride		< MDL		.5
6	Bromomethane		< MDL		.5
7	Chloroethane		< MDL		.5
8	Trichlorofluoromethane		< MDL		.5
9	1,1-Dichloroethene		< MDL		.5
10	Methylene Chloride		< MDL		.5
11	Methyl tert-butyl ether (MTBE)		< MDL		1.0
12	trans-1,2-dichloroethene		< MDL		.5
13	1,1-dichloroethane		< MDL		.5
14	2-butanone (MEK)		< MDL		2.0
15	2,2-dichloropropane		< MDL		.5
16	cis-1,2-dichloroethene		< MDL		.5
17	Chloroform		< MDL		.5
18	Bromochloromethane		< MDL		.5
19	1,2-dichloroethane		< MDL		.5
20	Surr_TOLUENE-D8		5.3		.5
21	1,1,1- trichloroethane		< MDL		.5
22	1,1-dichloropropene		< MDL		.5
23	Carbon tetrachloride		< MDL		.5
24	Benzene		< MDL		.5
25	Trichloroethene		< MDL		.5
26	1,2-dichloropropane		< MDL		.5
27	Dibromomethane		< MDL		.5
28	Bromodichloromethane		< MDL		.5
29	Methy iso-butyl ketone (MIBK)		< MDL		1.0
30	cis-1,3-dichloropropene		< MDL		.5
31	Toluene		< MDL		.5
32	trans-1,3-dichloropropene		< MDL		.5
33	1,1,2-trichloroethane		< MDL		.5
34	Tetrachloroethene		< MDL		.5
35	1,3-dichloropropane		< MDL		.5
36	Dibromochloromethane		< MDL		2.0
37	Chlorobenzene		< MDL		.5
38	1,1,1,2-tetrachloroethane		< MDL		.5
39	Ethylbenzene		< MDL		.5
40	P & M-xylene		< MDL		.5
41	O-xylene		< MDL		.5
42	Styrene		< MDL		.5
43	1,1,2,2-tetrachloroethane		< MDL		.5
44	Bromoform		< MDL		2.0
45	Isopropylbenzene		< MDL		.5
46	1,2,3-trichloropropane		< MDL		.5
47	N-propylbenzene		< MDL		.5
48	Bromobenzene		< MDL		.5

User: Huhn, William
Westchester Dept. of Labs & Research
Date: 11/01/2001 Time: 14:54:56

Sample: AD26393
Analysis: \$B1524 Volatile Organic Compounds-Blank
Units: ug
Started: 10/31/01 00:00 Ended: 10/31/01 00:00 Analyst: BH
Result source: m:\instruments\206\rrfiles\1031b1.rr
Page: 2

	Component Name	Viol	Result	Qualifier	MDL
49	1,3,5-trimethylbenzene		< MDL		.5
50	2-chlorotoluene		< MDL		.5
51	4-chlorotoluene		< MDL		.5
52	TERT-butylbenzene		< MDL		.5
53	1,2,4-trimethylbenzene		< MDL		.5
54	SEC-butylbenzene		< MDL		.5
55	P-isopropyltoluene		< MDL		.5
56	1,3-dichlorobenzene		< MDL		.5
57	1,4-dichlorobenzene		< MDL		.5
58	N-butylbenzene		< MDL		.5
59	1,2-dichlorobenzene		< MDL		.5
60	1,2,4-trichlorobenzene		< MDL		.5
61	Hexachlobutadiene		< MDL		.5
62	Naphthalene		< MDL		.5
63	1,2,3-trichlorobenzene		< MDL		.5

Quantitation Report

(Not Reviewed)

Data File : C:\HPCHEM\1\DATA\01OCT31\1031B1.D
 Acq On : 31 Oct 2001 10:32 am
 Sample : 1b
 Misc :
 MS Integration Params: LSCINT.P
 Quant Time: Oct 31 11:11 2001

Vial: 1
 Operator:
 Inst : GC/MS Ins
 Multiplr: 1.00

Quant Results File: HP102901.RES

Quant Method : C:\HPCHEM\1\METHODS\HP102901.M (RTE Integrator)
 Title : VOCs BY EPA METHOD 524
 Last Update : Tue Oct 30 15:08:10 2001
 Response via : Initial Calibration
 DataAcq Meth : HP102901

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-DIFLUOROBENZENE	14.37	114	743260	5.00	ug/L	-0.03
22) CHLOROBENZENE-D5	20.95	117	709200	5.00	ug/L	-0.03
50) 1,4-DICHLOROBENZENE-D4	26.11	152	331471	5.00	ug/L	-0.03
System Monitoring Compounds						
2) 1,2-DICHLOROETHANE-D4	13.59	65	281714	6.28	ug/L	-0.03
Spiked Amount 5.000			Recovery	=	125.60%	✓
3) 4-BROMOFLUOROBENZENE	23.54	174	253310	4.85	ug/L	-0.03
Spiked Amount 5.000			Recovery	=	97.00%	✓
23) TOLUENE-D8	17.68	98	1002291	5.31	ug/L	-0.03
Spiked Amount 5.000			Recovery	=	106.20%	✓
Target Compounds						
19) CHLOROFORM <i>u9</i>	12.09	83	25217	0.48	ug/L	Qvalue 98

 (#) = qualifier out of range (m) = manual integration
 1031B1.D HP102901.M Tue Nov 13 11:31:48 2001

Page 1

Quantitation Report

Data File : C:\HPCHEM\1\DATA\01OCT31\1031B1.D
 Acq On : 31 Oct 2001 10:32 am
 Sample : lb
 Misc :
 MS Integration Params: LSCINT.P
 Quant Time: Oct 31 11:11 2001

Vial: 1
 Operator:
 Inst : GC/MS Ins
 Multiplr: 1.00

Quant Results File: HP102901.RES

Method : C:\HPCHEM\1\METHODS\HP102901.M (RTE Integrator)
 Title : VOCs BY EPA METHOD 524
 Last Update : Tue Oct 30 15:08:10 2001
 Response via : Initial Calibration

