

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D

Acq On : 27 Feb 2002 11:01 pm

Sample : GC SCAN 2/4 B

Misc :

MS Integration Params: BENZO.P

Quant Time: Mar 01 08:48:38 2002

Vial: 17

Operator: McLean

Inst : Instrumen

Multiplr: 1.00

Quant Results File: 5080202.RES

Quant Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Mon Feb 25 19:17:14 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	9.58	150	1710247	20.00	ug/L	0.00
10) Naphthalene-d8	13.05	136	4545377	20.00	ug/L	0.00
17) Acenaphthene-d10	18.17	164	2496696	20.00	ug/L	0.00
29) Phenanthrene-d10	22.53	188	3794959	20.00	ug/L	0.00
38) Chrysene-d12	30.35	240	3475497	20.00	ug/L	0.00
44) Perylene-d12	34.22	264	2410144	20.00	ug/L	0.00

System Monitoring Compounds

37) 2,4-ddd surr	27.47	235	99196	1.65	ug/L	0.00
Spiked Amount	5.000		Recovery	=	33.00%	

Target Compounds

					Qvalue
2) N-nitroso-dimethyl amine	0.00	74	0	N.D.	
3) bis(2-chloroethyl) ether	0.00	93	0	N.D.	
4) 1,3 - Dichlorobenze	0.00	146	0	N.D.	
5) 1,4 - Dichlorobenzene	0.00	146	0	N.D.	
6) 1,2 - Dichlorobenzene	0.00	146	0	N.D.	
7) 2,2 ' - oxybis (1-Chloropr	0.00	45	0	N.D.	
8) N-Nitroso-di-n-propylamine	0.00	70	0	N.D.	
9) Hexachloroethane	0.00	117	0	N.D.	
11) Nitrobenzene	0.00	77	0	N.D.	
12) Isophorone	0.00	82	0	N.D.	
13) bis(2-Chloroethoxy) methan	0.00	93	0	N.D.	
14) 1,2,4-Trichlorobenzene	0.00	180	0	N.D.	
15) Naphthalene	0.00	128	0	N.D.	
16) Hexachlorobutadiene	0.00	225	0	N.D.	
18) Hexachlorocyclopentadiene	0.00	237	0	N.D.	
19) 2-chloronaphthalene	0.00	162	0	N.D.	
20) Dimethylphthalate	0.00	163	0	N.D.	
21) 2,6-Dinitrotoluene	0.00	165	0	N.D. d	
22) Acenaphthylene	0.00	152	0	N.D.	
23) Acenaphthene	0.00	153	0	N.D.	
24) 2,4-Dinitrotoluene	0.00	165	0	N.D.	
25) Diethylphthalate	0.00	149	0	N.D.	
26) 4-Chlorophenyl-phenyl ethe	0.00	204	0	N.D.	
27) Fluorene	0.00	166	0	N.D.	
28) Azobenzen/ 1,2-Diphenylhyd	0.00	77	0	N.D.	
30) N-Nitrosodiphenylamine	0.00	169	0	N.D.	
31) 4-Bromophenyl-phenyl ether	0.00	248	0	N.D.	
32) Hexachlorobenzene	0.00	284	0	N.D.	
33) Phenanthrene	0.00	178	0	N.D.	
34) Anthracene	0.00	178	0	N.D.	
35) Di-n-butylphthalate	0.00	149	0	N.D.	
36) Fluoranthene	0.00	202	0	N.D.	
39) Pyrene	0.00	202	0	N.D.	
40) Butylbenzylphthalate	0.00	149	0	N.D.	
41) Benzo (a) anthracene	0.00	228	0	N.D. d	
42) Bis (2-ethylhexyl) phthala	0.00	149	0	N.D.	
43) Chrysene	30.35	228	9161	0.04	ug/L 49
45) Di-n-Octylphthalate	0.00	149	0	N.D.	
46) Benzo (b) fluoranthene	0.00	252	0	N.D.	

(#)=qualifier out of range (m)=manual integration

0204LBK.D 5080202.M Fri Mar 01 08:49:01 2002

Page 1

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D Vial: 17
Acq On : 27 Feb 2002 11:01 pm Operator: McLean
Sample : GC SCAN 2/4 B Inst : Instrumen
Misc : Multiplr: 1.00
MS Integration Params: BENZO.P
Quant Time: Mar 01 08:48:38 2002 Quant Results File: 5080202.RES

Quant Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)
Title : Quantitation For Method 508gcscan
Last Update : Mon Feb 25 19:17:14 2002
Response via : Initial Calibration
DataAcq Meth : 508SCAN

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47) Benzo (k) fluoranthene	0.00	252	0	N.D.		
48) Benzo (a) pyrene	0.00	252	0	N.D.	d	
49) Indeno (1,2,3-cd) pyrene	0.00	276	0	N.D.		
50) Dibenz (a,h) anthracene	0.00	278	0	N.D.		
51) Benzo (g,h,i) perylene	0.00	276	0	N.D.		

(#) = qualifier out of range (m) = manual integration
0204LBK.D 5080202.M Fri Mar 01 08:49:01 2002

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D

Acq On : 27 Feb 2002 11:01 pm

Sample : GC SCAN 2/4 B

Misc :

MS Integration Params: BENZO.P

Quant Time: Mar 1 8:48 2002

Vial: 17

Operator: McLean

Inst : Instrumen

Multiplr: 1.00


Quant Results File: 5080202.RES

Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Mon Feb 25 19:17:14 2002

Response via : Initial Calibration



Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D

Acq On : 27 Feb 2002 11:01 pm

Sample : GC SCAN 2/4 B

Misc :

MS Integration Params: BENZO.P

Quant Time: Mar 01 08:48:38 2002

Vial: 17

Operator: McLean

Inst : Instrumen

Multiplr: 1.00

Quant Results File: 5080202.RES

Quant Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Mon Feb 25 19:17:14 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	9.58	150	1710247	20.00	ug/L	0.00
10) Naphthalene-d8	13.05	136	4545377	20.00	ug/L	0.00
17) Acenaphthene-d10	18.17	164	2496696	20.00	ug/L	0.00
29) Phenanthrene-d10	22.53	188	3794959	20.00	ug/L	0.00
38) Chrysene-d12	30.35	240	3475497	20.00	ug/L	0.00
44) Perylene-d12	34.22	264	2410144	20.00	ug/L	0.00

System Monitoring Compounds

37) 2,4-ddd surr	27.47	235	99196	1.65	ug/L	0.00
Spiked Amount	5.000		Recovery	=	33.00%	

Target Compounds

						Qvalue
2) N-nitroso-dimethyl amine	0.00	74	0	N.D.		
3) bis(2-chloroethyl) ether	0.00	93	0	N.D.		
4) 1,3 - Dichlorobenze	0.00	146	0	N.D.		
5) 1,4 - Dichlorobenzene	0.00	146	0	N.D.		
6) 1,2 - Dichlorobenzene	0.00	146	0	N.D.		
7) 2,2 ' - oxybis (1-Chloropr	0.00	45	0	N.D.		
8) N-Nitroso-di-n-propylamine	0.00	70	0	N.D.		
9) Hexachloroethane	0.00	117	0	N.D.		
11) Nitrobenzene	0.00	77	0	N.D.		
12) Isophorone	0.00	82	0	N.D.		
13) bis(2-Chloroethoxy) methan	0.00	93	0	N.D.		
14) 1,2,4-Trichlorobenzene	0.00	180	0	N.D.		
15) Naphthalene	0.00	128	0	N.D.		
16) Hexachlorobutadiene	0.00	225	0	N.D.		
18) Hexachlorocyclopentadiene	0.00	237	0	N.D.		
19) 2-chloronaphthalene	0.00	162	0	N.D.		
20) Dimethylphthalate	0.00	163	0	N.D.		
21) 2,6-Dinitrotoluene	0.00	165	0	N.D. d		
22) Acenaphthylene	0.00	152	0	N.D.		
23) Acenaphthene	0.00	153	0	N.D.		
24) 2,4-Dinitrotoluene	0.00	165	0	N.D.		
25) Diethylphthalate	0.00	149	0	N.D.		
26) 4-Chlorophenyl-phenyl ethe	0.00	204	0	N.D.		
27) Fluorene	0.00	166	0	N.D.		
28) Azobenzen/ 1,2-Diphenylhyd	0.00	77	0	N.D.		
30) N-Nitrosodiphenylamine	0.00	169	0	N.D.		
31) 4-Bromophenyl-phenyl ether	0.00	248	0	N.D.		
32) Hexachlorobenzene	0.00	284	0	N.D.		
33) Phenanthrene	0.00	178	0	N.D.		
34) Anthracene	0.00	178	0	N.D.		
35) Di-n-butylphthalate	0.00	149	0	N.D.		
36) Fluoranthene	0.00	202	0	N.D.		
39) Pyrene	0.00	202	0	N.D.		
40) Butylbenzylphthalate	0.00	149	0	N.D.		
41) Benzo (a) anthracene	0.00	228	0	N.D. d		
42) Bis (2-ethylhexyl) phthala	0.00	149	0	N.D.		
43) Chrysene	30.35	228	9161	0.04	ug/L	49
45) Di-n-Octylphthalate	0.00	149	0	N.D.		
46) Benzo (b) fluoranthene	0.00	252	0	N.D.		

(#) = qualifier out of range (m) = manual integration

0204LBK.D 5080202.M Fri Mar 01 08:49:10 2002

Quantitation Report

(QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D

Acq On : 27 Feb 2002 11:01 pm

Sample : GC SCAN 2/4 B

Misc :

MS Integration Params: BENZO.P

Quant Time: Mar 01 08:48:38 2002

Vial: 17

Operator: McLean

Inst : Instrumen

Multiplr: 1.00

Quant Results File: 5080202.RES

Quant Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Mon Feb 25 19:17:14 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47) Benzo (k) fluoranthene	0.00	252	0	N.D.		
48) Benzo (a) pyrene	0.00	252	0	N.D.	d	
49) Indeno (1,2,3-cd) pyrene	0.00	276	0	N.D.		
50) Dibenz (a,h) anthracene	0.00	278	0	N.D.		
51) Benzo (g,h,i) perylene	0.00	276	0	N.D.		

(#) = qualifier out of range (m) = manual integration

0204LBK.D 5080202.M

Fri Mar 01 08:49:10 2002


Page 2

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D
 Acq On : 27 Feb 2002 11:01 pm
 Sample : GC SCAN 2/4 B
 Misc :
 MS Integration Params: BENZO.P
 Quant Time: Mar 1 8:48 2002

Vial: 17
 Operator: McLean
 Inst : Instrumen
 Multiplr: 1.00

Quant Results File: 5080202.RES

Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)
 Title : Quantitation For Method 508gcscan
 Last Update : Mon Feb 25 19:17:14 2002
 Response via : Initial Calibration



LSC Area Percent Report

Data File : C:\MSDCHEM\1\DATA\022702\0204LBK.D
 Acq On : 27 Feb 2002 11:01 pm
 Sample : GC SCAN 2/4 B
 Misc :
 MS Integration Params: LSCINT.P

Vial: 17
 Operator: McLean
 Inst : Instrumen
 Multiplr: 1.00

Method : C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)
 Title : Quantitation For Method 508gcscan
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 1 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5




Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	9.579	711	717	736	rBV	2837369	7165671	68.55%	12.766%
2	13.053	1094	1100	1113	rBV	5019135	9736351	93.15%	17.346%
3	18.169	1658	1664	1686	rBV	5333249	10318190	98.71%	18.383%
4	22.532	2138	2145	2158	rBV2	4777300	10452727	100.00%	18.622%
5	27.457	2684	2688	2700	rVB	264571	492647	4.71%	0.878%
6	30.341	2999	3006	3019	rBV2	4106298	10136908	96.98%	18.060%
7	34.223	3426	3434	3452	rBV2	3216023	7827179	74.88%	13.945%

Sum of corrected areas: 56129673

LSC Report - Integrated Chromatogram

File : C:\MSDCHEM\1\DATA\022702\0204LBK.D
 Operator : McLean
 Acquired : 27 Feb 2002 11:01 pm using AcqMethod 508SCAN
 Instrument : Instrumen
 Sample Name: GC SCAN 2/4 B
 Misc Info :
 Vial Number: 17
 Quant File :5080202.RES (RTE Integrator)



Tentatively Identified Compound (LSC) summary

Operator ID: McLean Date Acquired: 27 Feb 2002 11:01 pm
 Data File: C:\MSDCHEM\1\DATA\022702\0204LBK.D
 Name: GC SCAN 2/4 B
 Misc:
 Method: C:\MSDCHEM\1\5973N\5080202.M (RTE Integrator)
 Title: Quantitation For Method 508gcscan
 Library Searched: C:\DATABASE\WILEY7N.L

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc