


User: Bohlk, Ted
 Westchester Dept. of Labs & Research
 Date: 11/13/2001 Time: 14:51:47

Sample: AD24398
 Analysis: \$LP525 Organic Extractables
 Units: ug
 Started: 10/30/01 14:50 Ended: 10/30/01 14:50 Analyst: TB
 Page: 1


	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN <i>#</i>		39
3	DDT		5.7

→ flag

Chromatogram Plot File: E:\DFTB1030 Date: Oct-31-1991 00:29:56
Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 5034055



Chromatogram Plot File: E:\DFTB1030 Date: Oct-31-1991 00:29:56
Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN
Scan No: 1100 Retention Time: 18:20 RIC: 33447 Mass Range: 47 - 86
Plotted: 1100 to 1120 Range: 1 to 1859 100% = 5034055
9.64%



Mass List

File: E:\DFTB1030 Date: Oct-31-1991 00:29:56

Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN

Scan No: 1108 Retention Time: 18:28 RIC: 5034055 Mass Range: 47 - 444

Peaks: 156 Mass of Base Peak: 442 Int: 930376 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	5,107	0.55	85	3,763	0.40	127	168,279	18.09
49	15,322	1.65	86	8,602	0.92	128	13,172	1.42
50	101,881	10.95	87	2,956	0.32	129	69,086	7.43
51	316,666	34.04	91	6,451	0.69	130	7,526	0.81
52	12,096	1.30	92	4,301	0.46	131	1,881	0.20
55	3,494	0.38	93	34,139	3.67	134	2,956	0.32
56	6,182	0.66	98	31,451	3.38	135	6,720	0.72
57	14,247	1.53	99	12,903	1.39	136	2,956	0.32
61	5,107	0.55	101	6,182	0.66	137	3,494	0.38
62	4,032	0.43	103	5,107	0.55	141	12,365	1.33
63	8,333	0.90	104	6,720	0.72	142	4,569	0.49
68	4,838	0.52	105	4,032	0.43	147	5,107	0.55
69	200,537	21.55	106	2,688	0.29	148	14,516	1.56
73	3,763	0.40	107	74,731	8.03	153	3,763	0.40
74	37,903	4.07	108	9,677	1.04	154	2,956	0.32
75	34,139	3.67	110	115,322	12.40	155	6,182	0.66
76	10,752	1.16	111	12,903	1.39	156	8,870	0.95
77	219,892	23.63	112	2,956	0.32	158	3,225	0.35
78	11,827	1.27	116	5,376	0.58	160	5,107	0.55
79	29,569	3.18	117	88,440	9.51	161	4,569	0.49
80	15,053	1.62	118	5,107	0.55	165	4,032	0.43
81	14,516	1.56	122	5,913	0.64	166	4,569	0.49
82	2,419	0.26	123	7,258	0.78	167	23,387	2.51
83	2,419	0.26	124	5,107	0.55	168	9,139	0.98
84	5,376	0.58	125	3,225	0.35	172	2,688	0.29

Mass List

File: E:\DFTB1030 Date: Oct-31-1991 00:29:56

Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN

Scan No: 1108 Retention Time: 18:28 RIC: 5034055 Mass Range: 47 - 444

Peaks: 156 Mass of Base Peak: 442 Int: 930376 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
174	4,032	0.43	221	7,526	0.81	296	32,258	3.47
175	7,795	0.84	222	3,494	0.38	297	6,989	0.75
177	3,494	0.38	223	4,838	0.52	303	5,645	0.61
179	10,752	1.16	224	47,043	5.06	304	2,688	0.29
180	6,989	0.75	225	13,440	1.44	315	5,913	0.64
181	3,494	0.38	227	21,505	2.31	316	2,688	0.29
185	8,064	0.87	228	2,956	0.32	321	2,419	0.26
186	59,139	6.36	229	4,032	0.43	323	15,322	1.65
187	13,172	1.42	234	2,419	0.26	324	4,032	0.43
188	2,956	0.32	240	1,612	0.17	328	2,419	0.26
189	3,763	0.40	244	33,333	3.58	334	11,021	1.18
192	3,494	0.38	245	5,376	0.58	335	5,913	0.64
196	9,139	0.98	246	9,677	1.04	346	3,225	0.35
198	485,483	52.18	255	328,225	35.28	352	5,107	0.55
199	29,568	3.18	256	38,172	4.10	353	4,301	0.46
203	3,225	0.35	258	15,591	1.68	354	10,483	1.13
204	12,096	1.30	259	2,956	0.32	365	38,440	4.13
205	19,892	2.14	265	5,376	0.58	366	5,376	0.58
206	85,483	9.19	273	11,021	1.18	372	7,526	0.81
207	13,978	1.50	274	37,096	3.99	373	4,032	0.43
208	4,032	0.43	275	164,784	17.71	383	2,419	0.26
211	3,225	0.35	276	23,118	2.48	402	4,032	0.43
216	3,494	0.38	277	12,365	1.33	403	5,645	0.61
217	22,849	2.46	278	3,763	0.40	421	4,569	0.49
218	3,225	0.35	293	5,107	0.55	422	7,258	0.78

✓ 1978

Mass List

File: E:\DFTB1030 Date: Oct-31-1991 00:29:56

Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN

Scan No: 1108 Retention Time: 18:28 RIC: 5034055 Mass Range: 47 - 444

Peaks: 156 Mass of Base Peak: 442 Int: 930376 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
174	4,032	0.43	221	7,526	0.81	296	32,258	3.47
175	7,795	0.84	222	3,494	0.38	297	6,989	0.75
177	3,494	0.38	223	4,838	0.52	303	5,645	0.61
179	10,752	1.16	224	47,043	5.06	304	2,688	0.29
180	6,989	0.75	225	13,440	1.44	315	5,913	0.64
181	3,494	0.38	227	21,505	2.31	316	2,688	0.29
185	8,064	0.87	228	2,956	0.32	321	2,419	0.26
186	59,139	6.36	229	4,032	0.43	323	15,322	1.65
187	13,172	1.42	234	2,419	0.26	324	4,032	0.43
188	2,956	0.32	240	1,612	0.17	328	2,419	0.26
189	3,763	0.40	244	33,333	3.58	334	11,021	1.18
192	3,494	0.38	245	5,376	0.58	335	5,913	0.64
196	9,139	0.98	246	9,677	1.04	346	3,225	0.35
198	485,483	52.18	255	328,225	35.28	352	5,107	0.55
199	29,569	3.18	256	38,172	4.10	353	4,301	0.46
203	3,225	0.35	258	15,591	1.68	354	10,483	1.13
204	12,096	1.30	259	2,956	0.32	365	38,440	4.13
205	19,892	2.14	265	5,376	0.58	366	5,376	0.58
206	85,483	9.19	273	11,021	1.18	372	7,526	0.81
207	13,978	1.50	274	37,096	3.99	373	4,032	0.43
208	4,032	0.43	275	164,784	17.71	383	2,419	0.26
211	3,225	0.35	276	23,118	2.48	402	4,032	0.43
216	3,494	0.38	277	12,365	1.33	403	5,645	0.61
217	22,849	2.46	278	3,763	0.40	421	4,569	0.49
218	3,225	0.35	293	5,107	0.55	422	7,258	0.78

Mass List

File: E:\DFTB1030 Date: Oct-31-1991 00:29:56


Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN

Scan No: 1108 Retention Time: 18:28 RIC: 5034055 Mass Range: 47 - 444


Peaks: 156 Mass of Base Peak: 442 Int: 930376 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
185	8,064	0.87	228	2,956	0.32	321	2,419	0.26
186	59,139	6.36	229	4,032	0.43	323	15,322	1.65
187	13,172	1.42	234	2,419	0.26	324	4,032	0.43
188	2,956	0.32	240	1,612	0.17	328	2,419	0.26
189	3,763	0.40	244	33,333	3.58	334	11,021	1.18
192	3,494	0.38	245	5,376	0.58	335	5,913	0.64
196	9,139	0.98	246	9,677	1.04	346	3,225	0.35
198	485,483	52.18	255	328,225	35.28	352	5,107	0.55
199	29,569	3.18	256	38,172	4.10	353	4,301	0.46
203	3,225	0.35	258	15,591	1.68	354	10,483	1.13
204	12,096	1.30	259	2,956	0.32	365	38,440	4.13
205	19,892	2.14	265	5,376	0.58	366	5,376	0.58
206	85,483	9.19	273	11,021	1.18	372	7,526	0.81
207	13,978	1.50	274	37,096	3.99	373	4,032	0.43
208	4,032	0.43	275	164,784	17.71	383	2,419	0.26
211	3,225	0.35	276	23,118	2.48	402	4,032	0.43
216	3,494	0.38	277	12,365	1.33	403	5,645	0.61
217	22,849	2.46	278	3,763	0.40	421	4,569	0.49
218	3,225	0.35	293	5,107	0.55	422	7,258	0.78
221	7,526	0.81	296	32,258	3.47	423	44,354	4.77
222	3,494	0.38	297	6,989	0.75	424	10,215	1.10
223	4,838	0.52	303	5,645	0.61	441	113,709	12.22
224	47,043	5.06	304	2,688	0.29	442	930,376	100.00
225	13,440	1.44	315	5,913	0.64	443	156,451	16.82
227	21,505	2.31	316	2,688	0.29	444	9,677	1.04


Chromatogram Plot File: E:\DFTB1030 Date: Oct-31-1991 00:29:56
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN
 Scan No: 1289 Retention Time: 21:29 RIC: 30481 Mass Range: 47 - 207
 Plotted: 1269 to 1289 Range: 1 to 1859 100% = 5034055




Chromatogram Plot File: E:\DFTB1030 Date: Oct-31-1991 00:29:56
Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN
Scan No: 1311 Retention Time: 21:51 RIC: 31147 Mass Range: 47 - 281
Plotted: 1291 to 1311 Range: 1 to 1859 100% = 5034055




Chromatogram Plot File: E:\DFTB1030 Date: Oct-31-1991 00:29:56
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DFTPP/ENDRIN
 Scan No: 1377 Retention Time: 22:57 RIC: 28987 Mass Range: 47 - 207
 Plotted: 1357 to 1377 Range: 1 to 1859 100% = 5034055




Chromatogram Plot File: E:\DDTB1030 Date: Oct-31-1991 01:04:18
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DDT
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1859 Range: 1 to 1859 100% = 4156609



Chromatogram Plot File: E:\DDTB1030 Date: Oct-31-1991 01:04:18
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DDT
 Scan No: 1267 Retention Time: 21:07 RIC: 27389 Mass Range: 47 - 207
 Plotted: 1247 to 1267 Range: 1 to 1859 100% = 4156609



Chromatogram Plot File: E:\DDTB1030 Date: Oct-31-1991 01:04:18
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DDT
 Scan No: 1300 Retention Time: 21:40 RIC: 31286 Mass Range: 47 - 235
 Plotted: 1280 to 1300 Range: 1 to 1859 100% = 4156609



Chromatogram Plot File: E:\DDTB1030 Date: Oct-31-1991 01:04:18
 Comment: BOHLK; METHOD 525; INST 204; 10/30/01; DDT
 Scan No: 1333 Retention Time: 22:13 RIC: 28682 Mass Range: 47 - 207
 Plotted: 1313 to 1333 Range: 1 to 1859 100% = 4156609

