


User: Bohlk, Ted
 Westchester Dept. of Labs & Research
 Date: 11/30/2001 Time: 14:58:21

Sample: AD25262
 Analysis: \$LP525 Organic Extractables
 Units: ug
 Started: 11/10/01 14:54 Ended: 11/10/01 14:54 Analyst: TB
 Page: 1


	Component Name	Viol	Result
1	DFTPP		passed
2	ENDRIN *		28
3	DDT		4

→ flag

Chromatogram Plot File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 4382737



Chromatogram Plot File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN
Scan No: 1080 Retention Time: 18:00 RIC: 33363 Mass Range: 47 - 86
Plotted: 1080 to 1120 Range: 1 to 1859 100% = 4382737
9.55%



Mass List

File: E:\DFTA1110 Date: Nov-10-1991 15:21:19

Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN

Scan No: 1105 Retention Time: 18:25 RIC: 4382737 Mass Range: 47 - 444

Peaks: 170 Mass of Base Peak: 442 Int: 781250 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	4,017	0.51	82	3,571	0.46	125	2,232	0.29
48	1,785	0.23	84	5,133	0.66	127	138,169	17.69
49	16,741	2.14	85	3,571	0.46	128	10,044	1.29
50	92,857	11.89	86	10,491	1.34	129	62,946	8.06
51	266,294	34.09	91	4,241	0.54	130	5,357	0.69
52	10,937	1.40	92	4,464	0.57	132	1,785	0.23
55	3,125	0.40	93	28,125	3.60	134	2,901	0.37
56	5,133	0.66	98	26,339	3.37	135	6,026	0.77
57	11,607	1.49	99	14,285	1.83	136	2,678	0.34
60	1,785	0.23	101	4,910	0.63	137	3,348	0.43
61	3,348	0.43	103	5,357	0.69	141	8,928	1.14
62	3,348	0.43	104	6,026	0.77	142	3,348	0.43
63	7,142	0.91	105	4,687	0.60	143	2,232	0.29
65	2,455	0.31	106	2,008	0.26	145	1,339	0.17
68	2,678	0.34	107	56,919	7.29	146	4,241	0.54
69	184,151	23.57	108	8,035	1.03	147	6,250	0.80
73	6,919	0.89	110	118,526	15.17	148	12,723	1.63
74	27,008	3.46	111	14,062	1.80	149	2,232	0.29
75	28,125	3.60	116	4,241	0.54	153	3,571	0.46
76	10,044	1.29	117	71,651	9.17	154	2,232	0.29
77	200,669	25.69	118	6,026	0.77	155	5,133	0.66
78	12,053	1.54	120	1,562	0.20	156	6,250	0.80
79	23,214	2.97	122	6,026	0.77	158	2,232	0.29
80	10,937	1.40	123	6,919	0.89	159	1,562	0.20
81	11,383	1.46	124	2,901	0.37	161	3,348	0.43

Mass List File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN
 Scan No: 1105 Retention Time: 18:25 RIC: 4382737 Mass Range: 47 - 444
 # Peaks: 170 Mass of Base Peak: 442 Int: 781250 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	4,017	0.51	82	3,571	0.46	125	2,232	0.29
48	1,785	0.23	84	5,133	0.66	127	138,169	17.69
49	16,741	2.14	85	3,571	0.46	128	10,044	1.29
50	92,857	11.89	86	10,491	1.34	129	62,946	8.06
51	266,294	34.09	91	4,241	0.54	130	5,357	0.69
52	10,937	1.40	92	4,464	0.57	132	1,785	0.23
55	3,125	0.40	93	28,125	3.60	134	2,901	0.37
56	5,133	0.66	98	26,339	3.37	135	6,026	0.77
57	11,607	1.49	99	14,285	1.83	136	2,678	0.34
60	1,785	0.23	101	4,910	0.63	137	3,348	0.43
61	3,348	0.43	103	5,357	0.69	141	8,928	1.14
62	3,348	0.43	104	6,026	0.77	142	3,348	0.43
63	7,142	0.91	105	4,687	0.60	143	2,232	0.29
65	2,455	0.31	106	2,008	0.26	145	1,339	0.17
68	2,678	0.34	107	56,919	7.29	146	4,241	0.54
69	184,151	23.57	108	8,035	1.03	147	6,250	0.80
73	6,919	0.89	110	118,526	15.17	148	12,723	1.63
74	27,008	3.46	111	14,062	1.80	149	2,232	0.29
75	28,125	3.60	116	4,241	0.54	153	3,571	0.46
76	10,044	1.29	117	71,651	9.17	154	2,232	0.29
77	200,669	25.69	118	6,026	0.77	155	5,133	0.66
78	12,053	1.54	120	1,562	0.20	156	6,250	0.80
79	23,214	2.97	122	6,026	0.77	158	2,232	0.29
80	10,937	1.40	123	6,919	0.89	159	1,562	0.20
81	11,383	1.46	124	2,901	0.37	161	3,348	0.43

Mass List

File: E:\DFTA1110 Date: Nov-10-1991 15:21:19

Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN

Scan No: 1105 Retention Time: 18:25 RIC: 4382737 Mass Range: 47 - 444

Peaks: 170 Mass of Base Peak: 442 Int: 781250 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
161	3,348	0.43	206	66,741	8.54	259	2,901	0.37
165	4,241	0.54	207	10,491	1.34	265	4,910	0.63
166	3,348	0.43	208	4,464	0.57	273	5,580	0.71
167	23,660	3.03	210	2,008	0.26	274	31,473	4.03
168	10,267	1.31	211	3,348	0.43	275	141,741	18.14
173	2,901	0.37	217	18,750	2.40	276	16,741	2.14
174	3,125	0.40	218	2,678	0.34	277	12,946	1.66
175	7,366	0.94	221	8,035	1.03	278	2,232	0.29
177	3,348	0.43	222	2,232	0.29	285	3,348	0.43
179	10,044	1.29	223	4,017	0.51	293	3,794	0.49
180	6,026	0.77	224	36,830	4.71	296	31,026	3.97
181	2,455	0.31	225	11,607	1.49	297	4,241	0.54
185	6,473	0.83	227	17,410	2.23	303	3,125	0.40
186	55,133	7.06	228	2,678	0.34	304	2,455	0.31
187	10,267	1.31	229	2,678	0.34	314	2,678	0.34
189	2,901	0.37	244	28,571	3.66	315	4,910	0.63
192	3,125	0.40	245	4,241	0.54	316	2,455	0.31
193	3,571	0.46	246	10,044	1.29	321	2,232	0.29
196	6,919	0.89	247	3,348	0.43	323	15,178	1.94
197	4,017	0.51	249	2,678	0.34	324	3,348	0.43
198	418,526	53.57	254	2,008	0.26	332	1,562	0.20
199	22,544	2.89	255	271,875	34.80	333	2,232	0.29
203	3,348	0.43	256	35,267	4.51	334	11,607	1.49
204	8,705	1.11	257	3,125	0.40	335	4,687	0.60
205	17,410	2.23	258	12,500	1.60	346	3,794	0.49

Mass List

File: E:\DFTA1110 Date: Nov-10-1991 15:21:19

Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN

Scan No: 1105 Retention Time: 18:25 RIC: 4382737 Mass Range: 47 - 444

Peaks: 170 Mass of Base Peak: 442 Int: 781250 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
161	3,348	0.43	206	66,741	8.54	259	2,901	0.37
165	4,241	0.54	207	10,491	1.34	265	4,910	0.63
166	3,348	0.43	208	4,464	0.57	273	5,580	0.71
167	23,660	3.03	210	2,008	0.26	274	31,473	4.03
168	10,267	1.31	211	3,348	0.43	275	141,741	18.14
173	2,901	0.37	217	18,750	2.40	276	16,741	2.14
174	3,125	0.40	218	2,678	0.34	277	12,946	1.66
175	7,366	0.94	221	8,035	1.03	278	2,232	0.29
177	3,348	0.43	222	2,232	0.29	285	3,348	0.43
179	10,044	1.29	223	4,017	0.51	293	3,794	0.49
180	6,026	0.77	224	36,830	4.71	296	31,026	3.97
181	2,455	0.31	225	11,607	1.49	297	4,241	0.54
185	6,473	0.83	227	17,410	2.23	303	3,125	0.40
186	55,133	7.06	228	2,678	0.34	304	2,455	0.31
187	10,267	1.31	229	2,678	0.34	314	2,678	0.34
189	2,901	0.37	244	28,571	3.66	315	4,910	0.63
192	3,125	0.40	245	4,241	0.54	316	2,455	0.31
193	3,571	0.46	246	10,044	1.29	321	2,232	0.29
196	6,919	0.89	247	3,348	0.43	323	15,178	1.94
197	4,017	0.51	249	2,678	0.34	324	3,348	0.43
198	418,526	53.57	254	2,008	0.26	332	1,562	0.20
199	22,544	2.89	255	271,875	34.80	333	2,232	0.29
203	3,348	0.43	256	35,267	4.51	334	11,607	1.49
204	8,705	1.11	257	3,125	0.40	335	4,687	0.60
205	17,410	2.23	258	12,500	1.60	346	3,794	0.49

Mass List

File: E:\DFTA1110 Date: Nov-10-1991 15:21:19


Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN

Scan No: 1105 Retention Time: 18:25 RIC: 4382737 Mass Range: 47 - 444

Peaks: 170 Mass of Base Peak: 442 Int: 781250 Threshold: 0 %


Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
199	22,544	2.89	255	271,875	34.80	333	2,232	0.29
203	3,348	0.43	256	35,267	4.51	334	11,607	1.49
204	8,705	1.11	257	3,125	0.40	335	4,687	0.60
205	17,410	2.23	258	12,500	1.60	346	3,794	0.49
206	66,741	8.54	259	2,901	0.37	352	4,687	0.60
207	10,491	1.34	265	4,910	0.63	353	4,241	0.54
208	4,464	0.57	273	5,580	0.71	354	9,821	1.26
210	2,008	0.26	274	31,473	4.03	355	2,678	0.34
211	3,348	0.43	275	141,741	18.14	365	32,142	4.11
217	18,750	2.40	276	16,741	2.14	366	2,678	0.34
218	2,678	0.34	277	12,946	1.66	372	8,705	1.11
221	8,035	1.03	278	2,232	0.29	373	3,571	0.46
222	2,232	0.29	285	3,348	0.43	383	3,125	0.40
223	4,017	0.51	293	3,794	0.49	392	1,562	0.20
224	36,830	4.71	296	31,026	3.97	402	2,901	0.37
225	11,607	1.49	297	4,241	0.54	403	4,464	0.57
227	17,410	2.23	303	3,125	0.40	404	2,901	0.37
228	2,678	0.34	304	2,455	0.31	421	3,571	0.46
229	2,678	0.34	314	2,678	0.34	422	5,580	0.71
244	28,571	3.66	315	4,910	0.63	423	38,839	4.97
245	4,241	0.54	316	2,455	0.31	424	7,366	0.94
246	10,044	1.29	321	2,232	0.29	441	107,812	13.80
247	3,348	0.43	323	15,178	1.94	442	781,250	100.00
249	2,678	0.34	324	3,348	0.43	443	145,982	18.69
254	2,008	0.26	332	1,562	0.20	444	11,383	1.46

Chromatogram Plot File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN
Scan No: 1280 Retention Time: 21:20 RIC: 36020 Mass Range: 47 - 355
Plotted: 1260 to 1280 Range: 1 to 1859 100% = 4382737




Breakdown = 28.2 %


Chromatogram Plot File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DFTPP/ENDRIN
Scan No: 1302 Retention Time: 21:42 RIC: 50658 Mass Range: 45 - 429
Plotted: 1282 to 1302 Range: 1 to 1859 100% = 4382737




Chromatogram Plot File: E:\DFTA1110 Date: Nov-10-1991 15:21:19
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DF1PP/ENDRIN
 Scan No: 1367 Retention Time: 22:47 RIC: 31324 Mass Range: 47 - 281
 Plotted: 1347 to 1367 Range: 1 to 1859 100% = 4382737




Chromatogram Plot File: E:\DDTA1110 Date: Nov-10-1991 15:55:46
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DDT
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1859 Range: 1 to 1859 100% = 5514753




Chromatogram Plot File: E:\DDTA1110 Date: Nov-10-1991 15:55:46
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DDT
 Scan No: 1259 Retention Time: 20:59 RIC: 33679 Mass Range: 47 - 207
 Plotted: 1239 to 1259 Range: 1 to 1859 100% = 5514753



Chromatogram Plot File: E:\DDTA1110 Date: Nov-10-1991 15:55:46
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DDT
 Scan No: 1292 Retention Time: 21:32 RIC: 42040 Mass Range: 47 - 237
 Plotted: 1272 to 1292 Range: 1 to 1859 100% = 5514753
 3.14%



Chromatogram Plot File: E:\DDTA1110 Date: Nov-10-1991 15:55:46
 Comment: BOHLK; METHOD 525; INST 204; 11/10/01; DDT
 Scan No: 1324 Retention Time: 22:04 RIC: 45878 Mass Range: 45 - 281
 Plotted: 1304 to 1324 Range: 1 to 1859 100% = 5514753



Breakdown = 3.8%