


User: Bohlk, Ted
Westchester Dept. of Labs & Research
Date: 12/03/2001 Time: 09:09:57

Sample: AD25665
Analysis: \$LP525 Organic Extractables
Units: ug
Started: 11/14/01 09:05 Ended: 11/14/01 09:05 Analyst: TB
Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN	DSPEC	46
3	DDT		3

Chromatogram Plot File: E:\DFTA1114 Date: Nov-14-1991 17:38:02
Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 6316956



Chromatogram Plot

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN


Scan No: 1080 Retention Time: 18:00 RIC: 32645 Mass Range: 47 - 149

Plotted: 1080 to 1120

Range: 1 to 1860

100% = 6316956

9.40%



Chromatogram Plot

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN


Scan No: 1080 Retention Time: 18:00 RIC: 32645 Mass Range: 47 - 149

Plotted: 1080 to 1120

Range: 1 to 1860

100% = 6316956

9.40%



Mass List

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 6316956 Mass Range: 48 - 444

Peaks: 153 Mass of Base Peak: 442 Int: 1068840 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
48	2,898	0.27	86	11,594	1.08	129	93,478	0.75
49	20,289	1.90	87	3,985	0.37	130	7,971	0.75
50	130,797	12.24	91	5,434	0.51	135	9,057	0.85
51	429,347	40.17	92	3,985	0.37	136	3,985	0.37
52	17,753	1.66	93	39,130	3.66	137	6,159	0.58
55	6,521	0.61	94	3,623	0.34	141	14,855	1.39
56	14,492	1.36	98	35,869	3.36	142	6,521	0.61
57	20,289	1.90	99	18,840	1.76	147	9,057	0.85
58	1,811	0.17	100	2,898	0.27	148	20,652	1.93
61	5,072	0.47	101	7,246	0.68	149	4,347	0.41
62	5,797	0.54	103	7,608	0.71	152	3,260	0.31
63	11,594	1.08	104	9,420	0.88	153	5,072	0.47
68	7,246	0.68	105	6,884	0.64	154	4,710	0.44
69	297,101	27.80	107	85,507	8.00	155	9,420	0.88
73	3,985	0.37	108	13,405	1.25	156	7,246	0.68
74	39,130	3.66	110	147,463	13.80	160	6,159	0.58
75	40,942	3.83	111	22,826	2.14	161	4,347	0.41
76	18,840	1.76	112	3,260	0.31	165	7,971	0.75
77	290,217	27.15	117	107,971	10.10	166	5,072	0.47
78	15,579	1.46	118	6,159	0.58	167	35,507	3.32
79	40,579	3.80	122	7,246	0.68	168	12,318	1.15
80	21,376	2.00	123	6,159	0.58	169	3,623	0.34
81	17,028	1.59	125	3,985	0.37	173	6,521	0.61
82	3,623	0.34	127	189,855	17.76	174	6,159	0.58
84	3,623	0.34	128	20,289	1.90	175	8,333	0.78

Mass List

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 6316956 Mass Range: 48 - 444

Peaks: 153 Mass of Base Peak: 442 Int: 1068840 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
175	8,333	0.78	225	17,391	1.63	314	3,260	0.31
177	5,072	0.47	227	34,057	3.19	315	7,971	0.75
179	13,043	1.22	228	6,159	0.58	316	3,623	0.34
180	9,420	0.88	229	3,985	0.37	323	18,840	1.76
181	5,072	0.47	235	3,260	0.31	324	3,260	0.31
185	11,594	1.08	244	39,492	3.69	327	4,710	0.44
186	81,884	7.66	245	5,072	0.47	334	14,130	1.32
187	20,652	1.93	246	13,043	1.22	335	7,608	0.71
189	5,072	0.47	255	418,840	39.19	341	3,260	0.31
193	5,797	0.54	256	50,000	4.68	346	6,159	0.58
196	8,695	0.81	257	3,985	0.37	352	6,159	0.58
197	5,434	0.51	258	21,376	2.00	353	7,971	0.75
198	593,840	55.56	259	3,260	0.31	354	10,869	1.02
199	41,666	3.90	265	9,782	0.92	365	47,101	4.41
204	15,942	1.49	273	10,144	0.95	366	3,985	0.37
205	25,362	2.37	274	47,101	4.41	372	11,594	1.08
206	110,869	10.37	275	206,159	19.29	373	5,072	0.47
207	14,855	1.39	276	22,463	2.10	384	2,898	0.27
208	5,434	0.51	277	18,840	1.76	402	3,623	0.34
211	4,710	0.44	285	4,347	0.41	403	7,246	0.68
217	26,449	2.47	293	5,797	0.54	404	2,536	0.24
218	3,985	0.37	296	40,217	3.76	421	8,333	0.78
221	10,144	0.95	297	6,521	0.61	422	7,608	0.71
223	4,710	0.44	303	4,347	0.41	423	54,347	5.08
224	65,579	6.14	310	2,536	0.24	424	10,507	0.98

Mass List

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 6316956 Mass Range: 48 - 444

Peaks: 153 Mass of Base Peak: 442 Int: 1068840 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
175	8,333	0.78	225	17,391	1.63	314	3,260	0.31
177	5,072	0.47	227	34,057	3.19	315	7,971	0.75
179	13,043	1.22	228	6,159	0.58	316	3,623	0.34
180	9,420	0.88	229	3,985	0.37	323	18,840	1.76
181	5,072	0.47	235	3,260	0.31	324	3,260	0.31
185	11,594	1.08	244	39,492	3.69	327	4,710	0.44
186	81,884	7.66	245	5,072	0.47	334	14,130	1.32
187	20,652	1.93	246	13,043	1.22	335	7,608	0.71
189	5,072	0.47	255	418,840	39.19	341	3,260	0.31
193	5,797	0.54	256	50,000	4.68	346	6,159	0.58
196	8,695	0.81	257	3,985	0.37	352	6,159	0.58
197	5,434	0.51	258	21,376	2.00	353	7,971	0.75
198	593,840	55.56	259	3,260	0.31	354	10,869	1.02
199	41,666	3.90	265	9,782	0.92	365	47,101	4.41
204	15,942	1.49	273	10,144	0.95	366	3,985	0.37
205	25,362	2.37	274	47,101	4.41	372	11,594	1.08
206	110,869	10.37	275	206,159	19.29	373	5,072	0.47
207	14,855	1.39	276	22,463	2.10	384	2,898	0.27
208	5,434	0.51	277	18,840	1.76	402	3,623	0.34
211	4,710	0.44	285	4,347	0.41	403	7,246	0.68
217	26,449	2.47	293	5,797	0.54	404	2,536	0.24
218	3,985	0.37	296	40,217	3.76	421	8,333	0.78
221	10,144	0.95	297	6,521	0.61	422	7,608	0.71
223	4,710	0.44	303	4,347	0.41	423	54,347	5.08
224	65,579	6.14	310	2,536	0.24	424	10,507	0.98

Mass List

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 6316956 Mass Range: 40 - 444

Peaks: 153 Mass of Base Peak: 442 Int: 1068840 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
181	5,072	0.47	235	3,260	0.31	324	3,260	0.31
185	11,594	1.08	244	39,492	3.69	327	4,710	0.44
186	81,884	7.66	245	5,072	0.47	334	14,130	1.32
187	20,652	1.93	246	13,043	1.22	335	7,608	0.71
189	5,072	0.47	255	418,840	39.19	341	3,260	0.31
193	5,797	0.54	256	50,000	4.68	346	6,159	0.58
196	8,695	0.81	257	3,985	0.37	352	6,159	0.58
197	5,434	0.51	258	21,376	2.00	353	7,971	0.75
198	593,840	55.56	259	3,260	0.31	354	10,869	1.02
199	41,666	3.90	265	9,782	0.92	365	47,101	4.41
204	15,942	1.49	273	10,144	0.95	366	3,985	0.37
205	25,362	2.37	274	47,101	4.41	372	11,594	1.08
206	110,869	10.37	275	206,159	19.29	373	5,072	0.47
207	14,855	1.39	276	22,463	2.10	384	2,898	0.27
208	5,434	0.51	277	18,840	1.76	402	3,623	0.34
211	4,710	0.44	285	4,347	0.41	403	7,246	0.68
217	26,449	2.47	293	5,797	0.54	404	2,536	0.24
218	3,985	0.37	296	40,217	3.76	421	8,333	0.78
221	10,144	0.95	297	6,521	0.61	422	7,608	0.71
223	4,710	0.44	303	4,347	0.41	423	54,347	5.08
224	65,579	6.14	310	2,536	0.24	424	10,507	0.98
225	17,391	1.63	314	3,260	0.31	441	150,000	14.03
227	34,057	3.19	315	7,971	0.75	442	1,068,840	100.00
228	6,159	0.58	316	3,623	0.34	443	184,057	17.22
229	3,985	0.37	323	18,840	1.76	444	19,565	1.83

Chromatogram Plot

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02


Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1280 Retention Time: 21:20 RIC: 27638 Mass Range: 47 - 281

Plotted: 1260 to 1280

Range: 1 to 1860

100% = 6316956



Chromatogram Plot

File: E:\DFTA1114 Date: Nov-14-1991 17:38:02


Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1302 Retention Time: 21:42 RIC: 32708 Mass Range: 47 - 355


Plotted: 1282 to 1302

Range: 1 to 1860

100% = 6316956



Chromatogram Plot File: E:\DFTA1114 Date: Nov-14-1991 17:38:02
 Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN
 Scan No: 1367 Retention Time: 22:47 RIC: 27189 Mass Range: 47 - 281
 Plotted: 1347 to 1367 Range: 1 to 1860 100% = 6316956



Chromatogram Plot

File: E:\DDTA1114

Date: Nov-14-1991 18:12:37

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0

Plotted: 1 to 1860

Range: 1 to 1860

100% = 6254094



Chromatogram Plot

File: E:\DDTA1114

Date: Nov-14-1991 18:12:37

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT

Scan No: 1259

Retention Time: 20:59

RIC: 27981


Mass Range: 47 - 207

Plotted: 1239 to 1259


Range: 1 to 1860

100% = 6254094


0.93%



Chromatogram Plot File: E:\DDTA1114 Date: Nov-14-1991 18:12:37
Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT
Scan No: 1292 Retention Time: 21:32 RIC: 32047 Mass Range: 47 - 235
Plotted: 1272 to 1292 Range: 1 to 1860 100% = 6254094



Chromatogram Plot File: E:\DDTA1114 Date: Nov-14-1991 18:12:37
Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT
Scan No: 1324 Retention Time: 22:04 RIC: 34731 Mass Range: 47 - 281
Plotted: 1304 to 1324 Range: 1 to 1860 100% = 6254094



Chromatogram Plot

File: E:\DFTB1114

Date: Nov-15-1991 03:23:39

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0


Plotted: 1 to 1859

Range: 1 to 1859

100% = 5952078



Chromatogram Plot File: E:\DFTB1114 Date: Nov-15-1991 03:23:39
 Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN
 Scan No: 1080 Retention Time: 18:00 RIC: 40417 Mass Range: 47 - 86
 Plotted: 1080 to 1120 Range: 1 to 1859 100% = 5952078
 9.32%



Mass List

File: E:\DFTB1114 Date: Nov-15-1991 03:23:39

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 5952078 Mass Range: 47 - 445

Peaks: 168 Mass of Base Peak: 442 Int: 1022222 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	3,086	0.30	83	4,012	0.39	122	8,333	0.82
49	26,543	2.60	84	4,320	0.42	123	9,259	0.91
50	124,691	12.20	85	5,864	0.57	124	4,320	0.42
51	362,345	35.45	86	10,185	1.00	125	2,777	0.27
52	13,271	1.30	91	5,246	0.51	127	177,777	17.39
55	4,320	0.42	92	4,629	0.45	128	12,962	1.27
56	7,098	0.69	93	40,740	3.99	129	81,481	7.97
57	17,901	1.75	94	3,086	0.30	130	6,172	0.60
61	4,012	0.39	97	1,851	0.18	134	3,086	0.30
62	5,555	0.54	98	33,950	3.32	135	7,407	0.72
63	11,111	1.09	99	18,209	1.78	137	4,012	0.39
65	3,703	0.36	101	8,641	0.85	141	13,808	1.36
68	6,481	0.63	103	6,790	0.66	142	4,012	0.39
69	267,283	26.15	104	9,259	0.91	143	3,395	0.33
70	3,086	0.30	105	8,333	0.82	147	6,790	0.66
73	4,938	0.48	106	4,012	0.39	148	15,740	1.54
74	44,753	4.38	107	81,790	8.00	152	2,160	0.21
75	39,506	3.86	108	10,802	1.06	154	3,086	0.30
76	17,283	1.69	109	3,395	0.33	155	6,481	0.63
77	273,148	26.72	110	152,160	14.89	156	8,950	0.88
78	19,444	1.90	111	21,913	2.14	158	3,703	0.36
79	33,333	3.26	112	3,086	0.30	160	4,629	0.45
80	14,197	1.39	116	6,481	0.63	161	4,629	0.45
81	18,518	1.81	117	101,234	9.90	165	6,790	0.66
82	4,629	0.45	118	8,333	0.82	166	7,407	0.72

Mass List

File: E:\DFTB1114 Date: Nov-15-1991 03:23:39

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 5952078 Mass Range: 47 - 445

Peaks: 168 Mass of Base Peak: 442 Int: 1022222 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
167	33,950	3.32	209	3,395	0.33	257	4,629	0.45
168	11,111	1.09	211	3,395	0.33	258	16,358	1.60
173	3,086	0.30	217	29,629	2.90	259	5,246	0.51
174	5,555	0.54	218	3,086	0.30	265	4,629	0.45
175	10,185	1.00	221	7,407	0.72	273	10,493	1.03
177	6,172	0.60	223	3,703	0.36	274	43,518	4.26
179	13,888	1.36	224	55,555	5.43	275	195,679	19.14
180	6,481	0.63	225	16,975	1.66	276	23,456	2.29
181	4,320	0.42	226	2,777	0.27	277	19,753	1.93
184	2,469	0.24	227	25,308	2.48	285	2,777	0.27
185	7,407	0.72	228	4,012	0.39	293	4,629	0.45
186	67,592	6.61	229	4,320	0.42	296	42,901	4.20
187	17,283	1.69	230	2,469	0.24	297	5,246	0.51
189	4,629	0.45	231	3,086	0.30	303	6,481	0.63
192	3,703	0.36	233	2,777	0.27	315	5,864	0.57
193	5,555	0.54	234	3,703	0.36	316	6,790	0.66
196	7,098	0.69	237	2,160	0.21	323	19,135	1.87
197	5,864	0.57	243	3,703	0.36	324	4,012	0.39
198	554,629	54.26	244	34,876	3.41	334	14,814	1.45
199	32,098	3.14	245	4,938	0.48	335	4,938	0.48
204	14,506	1.42	246	10,185	1.00	346	4,012	0.39
205	21,604	2.11	249	2,160	0.21	352	6,172	0.60
206	100,617	9.84	254	4,012	0.39	353	5,555	0.54
207	14,506	1.42	255	383,333	37.50	354	14,506	1.42
208	4,320	0.42	256	49,691	4.86	355	4,012	0.39

Mass List

File: E:\DFTB1114 Date: Nov-15-1991 03:23:39

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 5952078 Mass Range: 47 - 445

Peaks: 168 Mass of Base Peak: 442 Int: 1022222 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
198	554,629	54.26	244	34,876	3.41	334	14,814	1.45
199	32,098	3.14	245	4,938	0.48	335	4,938	0.48
204	14,506	1.42	246	10,185	1.00	346	4,012	0.39
205	21,604	2.11	249	2,160	0.21	352	6,172	0.60
206	100,617	9.84	254	4,012	0.39	353	5,555	0.54
207	14,506	1.42	255	383,333	37.50	354	14,506	1.42
208	4,320	0.42	256	49,691	4.86	355	4,012	0.39
209	3,395	0.33	257	4,629	0.45	365	45,370	4.44
211	3,395	0.33	258	16,358	1.60	366	7,098	0.69
217	29,629	2.90	259	5,246	0.51	371	3,086	0.30
218	3,086	0.30	265	4,629	0.45	372	15,432	1.51
221	7,407	0.72	273	10,493	1.03	373	5,246	0.51
223	3,703	0.36	274	43,518	4.26	383	3,395	0.33
224	55,555	5.43	275	195,679	19.14	402	5,555	0.54
225	16,975	1.66	276	23,456	2.29	403	8,333	0.82
226	2,777	0.27	277	19,753	1.93	404	2,469	0.24
227	25,308	2.48	285	2,777	0.27	421	5,864	0.57
228	4,012	0.39	293	4,629	0.45	422	5,864	0.57
229	4,320	0.42	296	42,901	4.20	423	53,703	5.25
230	2,469	0.24	297	5,246	0.51	424	9,259	0.91
231	3,086	0.30	303	6,481	0.63	441	153,395	15.01
233	2,777	0.27	315	5,864	0.57	442	1,022,222	100.00
234	3,703	0.36	316	6,790	0.66	443	188,888	18.48
237	2,160	0.21	323	19,135	1.87	444	16,049	1.57
243	3,703	0.36	324	4,012	0.39	445	2,160	0.21

Chromatogram Plot

File: E:\DFTB1114 Date: Nov-15-1991 03:23:39


Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN

Scan No: 1280 Retention Time: 21:20 RIC: 40602 Mass Range: 47 - 281


Plotted: 1260 to 1280

Range: 1 to 1859


100% = 5952078




Chromatogram Plot File: E:\DFTB1114 Date: Nov-15-1991 03:23:39
Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN
Scan No: 1302 Retention Time: 21:42 RIC: 45401 Mass Range: 45 - 355
Plotted: 1282 to 1302 Range: 1 to 1859 100% = 5952078



Chromatogram Plot File: E:\DFTB1114 Date: Nov-15-1991 03:23:39
 Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DFTPP/ENDRIN
 Scan No: 1367 Retention Time: 22:47 RIC: 41694 Mass Range: 45 - 281
 Plotted: 1347 to 1367 Range: 1 to 1859 100% = 5952078



Chromatogram Plot File: E:\DDTB1114 Date: Nov-15-1991 03:58:06
Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 5659959



Chromatogram Plot

File: E:\DDTB1114

Date: Nov-15-1991 03:58:06

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT

Scan No: 1259

Retention Time: 20:59

RIC: 34222


Mass Range: 47 - 207

Plotted: 1239 to 1259

Range: 1 to 1859

100% = 5659959

2.02%



Chromatogram Plot

File: E:\DDTB1114

Date: Nov-15-1991 03:58:06

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT

Scan No: 1292

Retention Time: 21:32


RIC: 40254

Mass Range: 47 - 237

Plotted: 1272 to 1292

Range: 1 to 1859

100% = 5659959



Chromatogram Plot

File: E:\DDTB1114

Date: Nov-15-1991 03:58:06

Comment: BOHLK; METHOD 525; INST 204; 11/14/01; DDT

Scan No: 1324

Retention Time: 22:04

RIC: 47022

Mass Range: 45 - 281

Plotted: 1304 to 1324

Range: 1 to 1859

100% = 5659959

