


User: Bohlk, Ted
 Westchester Dept. of Labs & Research
 Date: 12/13/2001 Time: 17:53:38


Sample: AD26078
 Analysis: \$LP525 Organic Extractables
 Units: ug
 Started: 11/17/01 17:51 Ended: 11/17/01 17:51 Analyst: TB
 Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN	USPEC	38
3	DDT		3.7

Chromatogram Plot File: C:\DFTA1117 Date: Nov-17-1991 16:14:25
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 7106266



Chromatogram Plot File: C:\DFTA1117 Date: Nov-17-1991 16:14:25
 Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
 Scan No: 1080 Retention Time: 18:00 RIC: 36656 Mass Range: 47 - 86
 Plotted: 1080 to 1120 Range: 1 to 1859 100% = 7106266
 9.52%



Mass List

File: C:\DFTA1117 Date: Nov-17-1991 16:14:25

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7106266 Mass Range: 49 - 444

Peaks: 168 Mass of Base Peak: 442 Int: 1227985 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
49	20,149	1.64	83	4,477	0.36	124	3,731	0.30
50	149,253	12.15	84	5,597	0.46	125	3,731	0.30
51	435,820	35.49	85	4,104	0.33	127	223,800	18.23
52	18,656	1.52	86	11,940	0.97	128	17,164	1.40
55	5,223	0.43	87	4,104	0.33	129	91,791	7.47
56	10,074	0.82	91	6,343	0.52	130	7,089	0.58
57	15,298	1.25	92	4,850	0.39	134	3,731	0.30
60	3,358	0.27	93	47,388	3.86	135	10,074	0.82
61	6,343	0.52	98	40,671	3.31	137	6,343	0.52
62	5,970	0.49	99	18,283	1.49	141	13,432	1.09
63	10,447	0.85	101	8,955	0.73	142	4,477	0.36
65	5,223	0.43	103	5,970	0.49	146	4,477	0.36
67	2,611	0.21	104	11,567	0.94	147	8,208	0.67
68	8,582	0.70	105	8,208	0.67	148	19,029	1.55
69	305,597	24.89	106	2,985	0.24	149	5,223	0.43
73	6,343	0.52	107	105,223	8.57	150	2,611	0.21
74	48,507	3.95	108	13,432	1.09	153	5,223	0.43
75	42,910	3.49	110	183,582	14.95	154	4,477	0.36
76	13,059	1.06	111	22,761	1.85	155	11,194	0.91
77	308,955	25.16	112	4,104	0.33	156	10,447	0.85
78	17,164	1.40	116	5,597	0.46	158	4,477	0.36
79	42,910	3.49	117	120,895	9.84	160	6,343	0.52
80	22,388	1.82	118	6,716	0.55	161	8,208	0.67
81	25,746	2.10	122	9,701	0.79	162	3,731	0.30
82	3,731	0.30	123	9,701	0.79	165	6,716	0.55

Mass List

File: C:\DFTA1117 Date: Nov-17-1991 16:14:25

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7106266 Mass Range: 49 - 444

Peaks: 168 Mass of Base Peak: 442 Int: 1227985 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
166	5,223	0.43	206	116,417	9.48	259	3,358	0.27
167	35,820	2.92	207	18,656	1.52	265	11,567	0.94
168	15,298	1.25	208	5,970	0.49	266	1,865	0.15
169	4,477	0.36	211	5,597	0.46	273	14,179	1.15
174	4,104	0.33	217	34,328	2.80	274	47,761	3.89
175	11,194	0.91	218	4,104	0.33	275	227,611	18.54
176	3,731	0.30	221	10,447	0.85	276	31,716	2.58
177	6,343	0.52	222	8,582	0.70	277	23,134	1.88
178	2,611	0.21	223	8,208	0.67	284	3,358	0.27
179	20,522	1.67	224	63,059	5.14	293	6,343	0.52
180	13,432	1.09	225	23,507	1.91	294	2,238	0.18
184	2,985	0.24	227	29,104	2.37	296	50,000	4.07
185	14,925	1.22	229	5,223	0.43	297	5,597	0.46
186	85,074	6.93	230	2,985	0.24	303	7,462	0.61
187	20,522	1.67	231	3,731	0.30	314	4,477	0.36
188	2,611	0.21	243	4,104	0.33	315	6,343	0.52
189	7,462	0.61	244	47,014	3.83	316	5,597	0.46
192	5,223	0.43	245	6,343	0.52	323	25,000	2.04
193	7,089	0.58	246	13,432	1.09	324	5,970	0.49
196	11,194	0.91	247	3,358	0.27	327	5,970	0.49
197	6,343	0.52	254	4,477	0.36	328	2,238	0.18
198	676,865	55.12	255	458,208	37.31	334	14,179	1.15
199	41,044	3.34	256	61,194	4.98	335	5,223	0.43
204	16,417	1.34	257	4,104	0.33	352	8,955	0.73
205	27,238	2.22	258	25,373	2.07	353	6,716	0.55

Mass List

File: C:\DFTA1117 Date: Nov-17-1991 16:14:25

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7106266 Mass Range: 49 - 444

Peaks: 168 Mass of Base Peak: 442 Int: 1227985 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
166	5,223	0.43	206	116,417	9.48	259	3,358	0.27
167	35,820	2.92	207	18,656	1.52	265	11,567	0.94
168	15,298	1.25	208	5,970	0.49	266	1,865	0.15
169	4,477	0.36	211	5,597	0.46	273	14,179	1.15
174	4,104	0.33	217	34,328	2.80	274	47,761	3.89
175	11,194	0.91	218	4,104	0.33	275	227,611	18.54
176	3,731	0.30	221	10,447	0.85	276	31,716	2.58
177	6,343	0.52	222	8,582	0.70	277	23,134	1.88
178	2,611	0.21	223	8,208	0.67	284	3,358	0.27
179	20,522	1.67	224	63,059	5.14	293	6,343	0.52
180	13,432	1.09	225	23,507	1.91	294	2,238	0.18
184	2,985	0.24	227	29,104	2.37	296	50,000	4.07
185	14,925	1.22	229	5,223	0.43	297	5,597	0.46
186	85,074	6.93	230	2,985	0.24	303	7,462	0.61
187	20,522	1.67	231	3,731	0.30	314	4,477	0.36
188	2,611	0.21	243	4,104	0.33	315	6,343	0.52
189	7,462	0.61	244	47,014	3.83	316	5,597	0.46
192	5,223	0.43	245	6,343	0.52	323	25,000	2.04
193	7,089	0.58	246	13,432	1.09	324	5,970	0.49
196	11,194	0.91	247	3,358	0.27	327	5,970	0.49
197	6,343	0.52	254	4,477	0.36	328	2,238	0.18
198	676,865	55.12	255	458,208	37.31	334	14,179	1.15
199	41,044	3.34	256	61,194	4.98	335	5,223	0.43
204	16,417	1.34	257	4,104	0.33	352	8,955	0.73
205	27,238	2.22	258	25,373	2.07	353	6,716	0.55

Mass List

File: C:\DFTA1117 Date: Nov-17-1991 16:14:25


Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7106266 Mass Range: 49 - 444


Peaks: 168 Mass of Base Peak: 442 Int: 1227985 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
193	7,089	0.58	246	13,432	1.09	324	5,970	0.49
196	11,194	0.91	247	3,358	0.27	327	5,970	0.49
197	6,343	0.52	254	4,477	0.36	328	2,238	0.18
198	676,865	55.12	255	458,208	37.31	334	14,179	1.15
199	41,044	3.34	256	61,194	4.98	335	5,223	0.43
204	16,417	1.34	257	4,104	0.33	352	8,955	0.73
205	27,238	2.22	258	25,373	2.07	353	6,716	0.55
206	116,417	9.48	259	3,358	0.27	354	13,805	1.12
207	18,656	1.52	265	11,567	0.94	364	3,731	0.30
208	5,970	0.49	266	1,865	0.15	365	53,731	4.38
211	5,597	0.46	273	14,179	1.15	366	8,955	0.73
217	34,328	2.80	274	47,761	3.89	372	14,552	1.19
218	4,104	0.33	275	227,611	18.54	373	5,970	0.49
221	10,447	0.85	276	31,716	2.58	374	3,358	0.27
222	8,582	0.70	277	23,134	1.88	402	7,462	0.61
223	8,208	0.67	284	3,358	0.27	403	6,716	0.55
224	63,059	5.14	293	6,343	0.52	404	4,104	0.33
225	23,507	1.91	294	2,238	0.18	421	5,970	0.49
227	29,104	2.37	296	50,000	4.07	422	5,970	0.49
229	5,223	0.43	297	5,597	0.46	423	61,567	5.01
230	2,985	0.24	303	7,462	0.61	424	12,686	1.03
231	3,731	0.30	314	4,477	0.36	441	190,298	15.50
243	4,104	0.33	315	6,343	0.52	442	1,227,985	100.00
244	47,014	3.83	316	5,597	0.46	443	229,850	18.72
245	6,343	0.52	323	25,000	2.04	444	20,149	1.64


Chromatogram Plot File: C:\DFTA1117 Date: Nov-17-1991 16:14:25
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1280 Retention Time: 21:20 RIC: 34141 Mass Range: 47 - 281
Plotted: 1260 to 1280 Range: 1 to 1859 100% = 7106266




Chromatogram Plot File: C:\DFTA1117 Date: Nov-17-1991 16:14:25
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1302 Retention Time: 21:42 RIC: 38850 Mass Range: 45 - 281
Plotted: 1272 to 1302 Range: 1 to 1859 100% = 7106266



Chromatogram Plot File: C:\DFTA1117 Date: Nov-17-1991 16:14:25
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1367 Retention Time: 22:47 RIC: 36370 Mass Range: 47 - 281
Plotted: 1337 to 1367 Range: 1 to 1859 100% = 7106266



Chromatogram Plot File: C:\DDTA1117 Date: Nov-17-1991 16:53:09
 Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1860 Range: 1 to 1860 100% = 4653463



Chromatogram Plot

File: C:\DDTA1117

Date: Nov-17-1991 16:53:09

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT

Scan No: 1259

Retention Time: 20:59

RIC: 31809


Mass Range: 47 - 207

Plotted: 1229 to 1259

Range: 1 to 1860

100% = 4653463

2.60%



Chromatogram Plot

File: C:\DDTA1117

Date: Nov-17-1991 16:53:09

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT

Scan No: 1292

Retention Time: 21:32

RIC: 39344


Mass Range: 47 - 281

Plotted: 1262 to 1292


Range: 1 to 1860

100% = 4653463


3.64%




Chromatogram Plot File: C:\DDTA1117 Date: Nov-17-1991 16:53:09
 Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
 Scan No: 1314 Retention Time: 21:54 RIC: 51549 Mass Range: 47 - 281
 Plotted: 1302 to 1314 Range: 1 to 1860 100% = 4653463



Chromatogram Plot File: F:\DFTB1117 Date: Nov-18-1991 04:20:58
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 7671650



Chromatogram Plot File: F:\DFTB1117 Date: Nov-18-1991 04:20:58
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1080 Retention Time: 18:00 RIC: 43242 Mass Range: 47 - 149
Plotted: 1080 to 1120 Range: 1 to 1860 100% = 7671650
9.09%



Mass List

File: F:\DFTB1117 Date: Nov-18-1991 04:20:58

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7671650 Mass Range: 47 - 445

Peaks: 165 Mass of Base Peak: 442 Int: 1380737 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	3,278	0.24	84	9,836	0.71	124	3,688	0.27
49	27,049	1.96	85	6,147	0.45	127	240,163	17.39
50	154,508	11.19	86	14,754	1.07	128	18,032	1.31
51	493,442	35.74	87	4,500	0.33	129	108,196	7.84
52	23,360	1.69	91	7,786	0.56	130	10,655	0.77
55	10,245	0.74	92	6,147	0.45	134	7,377	0.53
56	17,622	1.28	93	42,213	3.06	135	10,655	0.77
57	22,540	1.63	94	3,688	0.27	136	4,508	0.33
61	7,786	0.56	98	54,508	3.95	137	4,098	0.30
62	8,196	0.59	99	19,262	1.40	141	19,672	1.42
63	13,114	0.95	100	4,098	0.30	142	6,967	0.50
65	3,688	0.27	101	9,016	0.65	146	5,737	0.42
68	7,786	0.56	103	4,918	0.36	147	8,196	0.59
69	346,311	25.08	104	11,065	0.80	148	21,721	1.57
73	6,147	0.45	105	7,786	0.56	149	6,147	0.45
74	49,590	3.59	106	4,098	0.30	151	4,508	0.33
75	51,639	3.74	107	109,836	7.95	153	6,147	0.45
76	20,901	1.51	108	14,754	1.07	154	4,508	0.33
77	349,590	25.32	110	190,983	13.83	155	9,016	0.65
78	17,622	1.28	111	24,590	1.78	156	13,114	0.95
79	39,754	2.88	116	6,147	0.45	159	2,459	0.18
80	17,622	1.28	117	120,901	8.76	161	6,967	0.50
81	20,081	1.45	118	8,606	0.62	165	6,967	0.50
82	7,377	0.53	122	9,426	0.68	166	7,377	0.53
83	4,918	0.36	123	13,524	0.98	167	32,377	2.34

Mass List

File: F:\DFTB1117 Date: Nov-18-1991 04:20:58

Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7671650 Mass Range: 47 - 445

Peaks: 165 Mass of Base Peak: 442 Int: 1380737 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
168	14,754	1.07	217	35,655	2.58	276	28,278	2.05
174	4,508	0.33	218	4,508	0.33	277	22,540	1.63
175	13,114	0.95	221	14,344	1.04	285	3,688	0.27
176	4,098	0.30	223	7,377	0.53	293	7,377	0.53
177	6,967	0.50	224	68,442	4.96	296	52,868	3.83
179	17,622	1.28	225	20,491	1.48	297	7,786	0.56
180	13,934	1.01	227	32,786	2.37	303	7,377	0.53
185	9,836	0.71	229	6,147	0.45	314	4,508	0.33
186	94,672	6.86	230	3,688	0.27	315	9,836	0.71
187	25,000	1.81	237	4,918	0.36	316	4,918	0.36
189	6,967	0.50	238	2,459	0.18	321	2,459	0.18
192	5,737	0.42	241	2,459	0.18	323	27,049	1.96
193	10,655	0.77	242	3,278	0.24	324	4,918	0.36
196	13,524	0.98	244	45,081	3.26	327	3,688	0.27
197	9,836	0.71	245	7,377	0.53	334	16,393	1.19
198	697,540	50.52	246	12,704	0.92	335	8,196	0.59
199	34,016	2.46	249	3,688	0.27	341	4,098	0.30
203	5,737	0.42	255	463,114	33.54	346	4,918	0.36
204	22,131	1.60	256	63,114	4.57	352	5,737	0.42
205	25,409	1.84	257	5,327	0.39	353	9,426	0.68
206	134,016	9.71	258	20,491	1.48	354	16,803	1.22
207	15,983	1.16	265	6,557	0.47	355	4,098	0.30
208	7,377	0.53	273	17,622	1.28	365	56,967	4.13
211	7,377	0.53	274	56,147	4.07	366	8,196	0.59
215	2,459	0.18	275	239,344	17.33	371	4,098	0.30

Mass List

File: F:\DFTB1117 Date: Nov-18-1991 04:20:58


Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN

Scan No: 1101 Retention Time: 18:21 RIC: 7671650 Mass Range: 47 - 445


Peaks: 165 Mass of Base Peak: 442 Int: 1380737 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
198	697,540	50.52	246	12,704	0.92	335	8,196	0.59
199	34,016	2.46	249	3,688	0.27	341	4,098	0.30
203	5,737	0.42	255	463,114	33.54	346	4,918	0.36
204	22,131	1.60	256	63,114	4.57	352	5,737	0.42
205	25,409	1.84	257	5,327	0.39	353	9,426	0.68
206	134,016	9.71	258	20,491	1.48	354	16,803	1.22
207	15,983	1.16	265	6,557	0.47	355	4,098	0.30
208	7,377	0.53	273	17,622	1.28	365	56,967	4.13
211	7,377	0.53	274	56,147	4.07	366	8,196	0.59
215	2,459	0.18	275	239,344	17.33	371	4,098	0.30
217	35,655	2.58	276	28,278	2.05	372	19,262	1.40
218	4,508	0.33	277	22,540	1.63	373	8,606	0.62
221	14,344	1.04	285	3,688	0.27	383	4,508	0.33
223	7,377	0.53	293	7,377	0.53	402	7,377	0.53
224	68,442	4.96	296	52,868	3.83	403	8,196	0.59
225	20,491	1.48	297	7,786	0.56	404	4,918	0.36
227	32,786	2.37	303	7,377	0.53	421	6,147	0.45
229	6,147	0.45	314	4,508	0.33	422	9,836	0.71
230	3,688	0.27	315	9,836	0.71	423	71,721	5.19
237	4,918	0.36	316	4,918	0.36	424	12,295	0.89
238	2,459	0.18	321	2,459	0.18	441	195,901	14.19
241	2,459	0.18	323	27,049	1.96	442	1,380,737	100.00
242	3,278	0.24	324	4,918	0.36	443	238,934	17.30
244	45,081	3.26	327	3,688	0.27	444	22,131	1.60
245	7,377	0.53	334	16,393	1.19	445	2,459	0.18


Chromatogram Plot File: F:\DFTB1117 Date: Nov-18-1991 04:20:58
 Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
 Scan No: 1280 Retention Time: 21:20 RIC: 44223 Mass Range: 45 - 281
 Plotted: 1250 to 1280 Range: 1 to 1860 100% = 7671650




Chromatogram Plot File: F:\DFTB1117 Date: Nov-18-1991 04:20:58
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1302 Retention Time: 21:42 RIC: 46207 Mass Range: 45 - 281
Plotted: 1272 to 1302 Range: 1 to 1860 100% = 7671650




Chromatogram Plot File: F:\DFTB1117 Date: Nov-18-1991 04:20:58
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DFTPP/ENDRIN
Scan No: 1367 Retention Time: 22:47 RIC: 41512 Mass Range: 45 - 281
Plotted: 1337 to 1367 Range: 1 to 1860 100% = 7671650




Chromatogram Plot File: F:\DDTB1117 Date: Nov-18-1991 04:55:20
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 4890303



Chromatogram Plot File: F:\DDTB1117 Date: Nov-18-1991 04:55:20
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
Scan No: 1259 Retention Time: 20:59 RIC: 32890 Mass Range: 47 - 207
Plotted: 1229 to 1259 Range: 1 to 1859 100% = 4890303



Chromatogram Plot File: F:\DDTB1117 Date: Nov-18-1991 04:55:20
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
Scan No: 1292 Retention Time: 21:32 RIC: 42793 Mass Range: 47 - 237
Plotted: 1262 to 1292 Range: 1 to 1859 100% = 4890303



Chromatogram Plot File: F:\DDTB1117 Date: Nov-18-1991 04:55:20
Comment: BOHLK; METHOD 525; INST 204; 11/17/01; DDT
Scan No: 1324 Retention Time: 22:04 RIC: 47203 Mass Range: 45 - 281
Plotted: 1300 to 1324 Range: 1 to 1859 100% = 4890303

