

User: Fakhouri, Morgan
 Westchester Dept. of Labs & Research
 Date: 03/20/2002 Time: 15:41:21

Sample: AE05902
 Analysis: \$B1GCMS Blank for GCMS Scan
 Units: ug
 Started: 3/20/02 15:30 Ended: 3/20/02 15:30 Analyst: MF
 Result source: manual entry
 Page: 1

	Component Name	Viol	Result	Qualifier	MDL
1	n-Nitrosodimethylamine		< MDL		2.0
2	bis(2-Chloroethyl)ether		< MDL		2.0
3	1,3-Dichlorobenzene		< MDL		2.0
4	1,4-Dichlorobenzene		< MDL		2.0
5	1,2-Dichlorobenzene		< MDL		2.0
6	2,2'-oxybis(1-Chloropropane)		< MDL		2.0
7	n-Nitrosodi-n-propylamine		< MDL		2.0
8	Hexachloroethane		< MDL		2.0
9	Nitrobenzene		< MDL		2.0
10	Isophorone		< MDL		2.0
11	bis(2-Chloroethoxy)methane		< MDL		2.0
12	1,2,4-Trichlorobenzene		< MDL		2.0
13	Naphthalene		< MDL		2.0
14	Hexachlorobutadiene		< MDL		2.0
15	2-Chloronaphthalene		< MDL		2.0
16	Dimethylphthalate		< MDL		2.0
17	2,6-Dinitrotoluene		< MDL		2.0
18	Acenaphthylene		< MDL		2.0
19	Acenaphthene		< MDL		2.0
20	2,4-Dinitrotoluene		< MDL		2.0
21	Diethylphthalate		< MDL		2.0
22	4-Chlorophenylphenylether		< MDL		2.0
23	Fluorene		< MDL		2.0
24	Azobenzene/1,2-Diphenylhydraz		< MDL		2.0
25	n-Nitrosodiphenylamine		< MDL		2.0
26	4-Bromophenylphenylether		< MDL		2.0
27	Hexachlorobenzene		< MDL		2.0
28	Phenanthrene		< MDL		2.0
29	Anthracene		< MDL		2.0
30	Di-n-butylphthalate		< MDL		2.0
31	Fluoranthene		< MDL		2.0
32	Pyrene		< MDL		2.0
33	Butylbenzylphthalate		< MDL		2.0
34	Benzo(a)anthracene		< MDL		2.0
35	bis(2-Ethylhexyl)phthalate		< MDL		2.0
36	Chrysene		< MDL		2.0
37	Di-n-octylphthalate		< MDL		2.0
38	Benzo(b)fluoranthene		< MDL		2.0
39	Benzo(k)fluoranthene		< MDL		2.0
40	Benzo(a)pyrene		< MDL		2.0
41	Indeno(1,2,3-cd)pyrene		< MDL		2.0
42	Dibenz(a,h)anthracene		< MDL		2.0
43	Benzo(g,h,i)perylene		< MDL		2.0

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\031702\314LB.D

Vial: 19

Acq On : 18 Mar 2002 1:07 am

Operator: McLean

Sample : 3/14/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Mar 20 10:54:16 2002

Quant Results File: 5080302.RES

Quant Method : C:\MSDCHEM\1\5973N\5080302.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Thu Mar 14 13:02:27 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	9.54	150	1572809	20.00	ug/L	0.00
10) Naphthalene-d8	13.03	136	4286779	20.00	ug/L	0.00
17) Acenaphthene-d10	18.13	164	2383608	20.00	ug/L	0.00
29) Phenanthrene-d10	22.50	188	3700104	20.00	ug/L	0.00
38) Chrysene-d12	30.31	240	3442352	20.00	ug/L	-0.02
44) Perylene-d12	34.18	264	1984966	20.00	ug/L	0.00

System Monitoring Compounds

37) 2,4-ddd surr	27.43	235	267236	6.05	ug/L	0.00
Spiked Amount	5.000		Recovery	=	121.00%	

Target Compounds

					Qvalue
2) N-nitroso-dimethyl amine	0.00	74	0	N.D.	
3) bis(2-chloroethyl) ether	0.00	93	0	N.D.	
4) 1,3 - Dichlorobenze	0.00	146	0	N.D.	
5) 1,4 - Dichlorobenzene	0.00	146	0	N.D.	
6) 1,2 - Dichlorobenzene	0.00	146	0	N.D.	
7) 2,2 ' - oxybis (1-Chloropr	0.00	45	0	N.D.	
8) N-Nitroso-di-n-propylamine	0.00	70	0	N.D.	
9) Hexachloroethane	0.00	117	0	N.D.	
11) Nitrobenzene	0.00	77	0	N.D.	
12) Isophorone	0.00	82	0	N.D.	
13) bis(2-Chloroethoxy) methan	0.00	93	0	N.D.	
14) 1,2,4-Trichlorobenzene	0.00	180	0	N.D.	
15) Naphthalene	0.00	128	0	N.D.	
16) Hexachlorobutadiene	0.00	225	0	N.D.	
18) Hexachlorocyclopentadiene	0.00	237	0	N.D.	
19) 2-chloronaphthalene	0.00	162	0	N.D.	
20) Dimethylphthalate	0.00	163	0	N.D.	
21) 2,6-Dinitrotoluene	0.00	165	0	N.D.	d
22) Acenaphthylene	0.00	152	0	N.D.	
23) Acenaphthene	0.00	153	0	N.D.	
24) 2,4-Dinitrotoluene	0.00	165	0	N.D.	
25) Diethylphthalate	0.00	149	0	N.D.	
26) 4-Chlorophenyl-phenyl ethe	0.00	204	0	N.D.	
27) Fluorene	0.00	166	0	N.D.	
28) Azobenzen/ 1,2-Diphenylhyd	0.00	77	0	N.D.	
30) N-Nitrosodiphenylamine	0.00	169	0	N.D.	
31) 4-Bromophenyl-phenyl ether	0.00	248	0	N.D.	
32) Hexachlorobenzene	0.00	284	0	N.D.	
33) Phenanthrene	0.00	178	0	N.D.	
34) Anthracene	0.00	178	0	N.D.	
35) Di-n-butylphthalate	24.65	149	25290	0.13	ug/L 93
36) Fluoranthene	0.00	202	0	N.D.	
39) Pyrene	0.00	202	0	N.D.	
40) Butylbenzylphthalate	0.00	149	0	N.D.	
41) Benzo (a) anthracene	0.00	228	0	N.D.	d
42) Bis (2-ethylhexyl) phthala	0.00	149	0	N.D.	d
43) Chrysene	0.00	228	0	N.D.	d
45) Di-n-Octylphthalate	0.00	149	0	N.D.	
46) Benzo (b) fluoranthene	0.00	252	0	N.D.	

(#)= qualifier out of range (m) = manual integration

314LB.D 5080302.M Wed Mar 20 10:55:44 2002

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\031702\314LB.D Vial: 19
Acq On : 18 Mar 2002 1:07 am Operator: McLean
Sample : 3/14/02 Inst : Instrumen
Misc : Multiplr: 1.00
MS Integration Params: BENZO.P
Quant Time: Mar 20 10:54:16 2002 Quant Results File: 5080302.RES

Quant Method : C:\MSDCHEM\1\5973N\5080302.M (RTE Integrator)
Title : Quantitation For Method 508gcscan
Last Update : Thu Mar 14 13:02:27 2002
Response via : Initial Calibration
DataAcq Meth : 508SCAN

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47) Benzo (k) fluoranthene	0.00	252	0	N.D.		
48) Benzo (a) pyrene	0.00	252	0	N.D.	d	
49) Indeno (1,2,3-cd) pyrene	0.00	276	0	N.D.		
50) Dibenz (a,h) anthracene	0.00	278	0	N.D.		
51) Benzo (g,h,i) perylene	0.00	276	0	N.D.	d	

(#) = qualifier out of range (m) = manual integration
314LB.D 5080302.M Wed Mar 20 10:55:44 2002


Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\031702\314LB.D
 Acq On : 18 Mar 2002 1:07 am
 Sample : 3/14/02
 Misc :
 MS Integration Params: BENZO.P
 Quant Time: Mar 20 10:55 2002

Vial: 19
 Operator: McLean
 Inst : Instrumen
 Multiplr: 1.00

Quant Results File: 5080302.RES

Method : C:\MSDCHEM\1\5973N\5080302.M (RTE Integrator)
 Title : Quantitation For Method 508gcscan
 Last Update : Thu Mar 14 13:02:27 2002
 Response via : Initial Calibration



LSC Area Percent Report

Data File : C:\MSDCHEM\1\DATA\031702\314LB.D

Acq On : 18 Mar 2002 1:07 am

Sample : 3/14/02

Misc :

MS Integration Params: LSCINT.P

Vial: 19

Operator: McLean

Inst : Instrumen

Multiplr: 1.00

Method : C:\MSDCHEM\1\5973N\5080302.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5




Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	9.543	708	713	735	rBV	2379253	6498027	64.26%	12.109%
2	13.026	1091	1097	1113	rBV	4365128	9089828	89.89%	16.938%
3	18.133	1654	1660	1674	rBV	4941659	9836468	97.27%	18.330%
4	22.496	2135	2141	2155	rBV2	4672411	10112076	100.00%	18.843%
5	22.650	2155	2158	2169	rVB2	35583	120290	1.19%	0.224%
6	27.430	2680	2685	2698	rBV	717081	1392656	13.77%	2.595%
7	30.305	2995	3002	3028	rBV2	4147006	10091381	99.80%	18.805%
8	34.178	3422	3429	3445	rBV	2542090	6523549	64.51%	12.156%

Sum of corrected areas: 53664275

LSC Report - Integrated Chromatogram

File : C:\MSDCHEM\1\DATA\031702\314LB.D
 Operator : McLean
 Acquired : 18 Mar 2002 1:07 am using AcqMethod 508SCAN
 Instrument : Instrumen
 Sample Name: 3/14/02
 Misc Info :
 Vial Number: 19
 Quant File :5080302.RES (RTE Integrator)



Operator ID: McLean Date Acquired: 18 Mar 2002 1:07 am
 Data File: C:\MSDCHEM\1\DATA\031702\314LB.D
 Name: 3/14/02
 Misc:
 Method: C:\MSDCHEM\1\5973N\5080302.M (RTE Integrator)
 Title: Quantitation For Method 508gcscan
 Library Searched: C:\DATABASE\WILEY7N.L

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
