

Method 508 mod.

Date Extracted 1/15/02

Page 29

REF GCMS - 16993

Lab #	Description	Sample vol/wt	Drip rate ml/min	Surr add	Spk add	IS add	Final vol.	T.V. pos.	pH	Count
LB		500ml		1ml			1ml	10A		
REF					√.5ml			10B		
1002 n.								3B		
1047.								6A		
1044.								4B		
1045.								4A		
1046.								5A		
1004 n.								3A		
845.	re-ext.							6B		
843.								7A		
840.								7B		
839.								8A		
838.								8B		
Remarks										
* Mistakenly re-extracted, see originals 1/11/02										
drip rate must be between 5-15 ml/min for liq-liq extractors										
Extraction type - <u>Sep 8</u> Solv. lot# <u>V39466</u> NaCl lot# <u>V11599</u> Na2SO4 lot# <u>V39466</u>										
STANDARD	INT STD LOG#									
CALIBRATION	<u>HP013002</u>									
REF SPIKE	<u>91759</u>									
MDL/MDRF										
Q. CHECK										
INT. STD.	<u>B111520 112</u>									
SURROGATE	<u>GCMS 010302</u>									
LPC										
ENDRIN/DDT										

Analyst CH/DM
Revision 4/12/01

Verified by

Reviewed by DN
Date 3/14/02

Method 508 MOD.

Date Extracted 2-27-02

Page 111

[illegible]

Analyst A.D.
revision 4/12/01

Verified by _____

Reviewed by _____
Date _____

NYC DEX
Discount \$71.25

AEO 1002

1004

1044

1045

1046

1047

only low ref 1st time

