

Method 525Date Extracted 11/28/01

Page _____

Lab #	Description	Sample vol/wt	Drip rate ml/min	Surr add	Spk add	IS add	Final vol.	T.V. pos.	pH	Count	Coct #
	LB	1L		✓				6A	<2		723901
	MDL ¹	↓		↓	✓			6B	↓		↓
	Ref	↓		↓	✓			7A	↓		↓
	23322	↓		↓				7B	↓		↓
	MDL ²	↓		↓				8A	↓		↓
	MDL ³	↓		↓				8B	↓		↓
	MDL ⁴	↓		↓				6A	↓		↓
	MDL ⁵	↓		↓				6B	↓		↓
	MDL ⁶	↓		↓				7A	↓		↓
	MDL ⁷	↓		↓				7B	↓		↓
	MDL ⁸	↓		↓				8A	↓		↓
Remarks											
Sodium Sulfite											
* Study											
drip rate must be between 5-15 ml/min for liq-liq extractors											
drip rate -											
Extraction type -		Solv. lot# <u>V43E07</u>		NaCl lot#		Na2SO4 lot# <u>V39H00</u>					
STANDARD	INT STD LOG#										
CALIBRATION											
REF/SPIKE	<u>20820/20830/20840</u>										
MDL/MDRF	<u>" " 1/20850</u>										
Q. CHECK											
INT. STD.	<u>21190</u>										
SURROGATE	<u>20890</u>										
LPC											
ENDRIN/DDT											

Analyst D. Pithrevision 4/12/01D.G.W.

Verified by _____

Reviewed by DNDate 12/19/11