

User: Fakhouri, Morgan
 Westchester Dept. of Labs & Research
 Date: 12/18/2001 Time: 15:22:32

Sample: AD26251
 Analysis: \$LP525 Organic Extractables
 Units: ug
 Started: 12/18/01 15:20 Ended: 12/18/01 15:20 Analyst: MF
 Page: 1

	Component Name	Viol	Result
1	DFTPP		passed
2			
3	DDT		3.3

Chromatogram Plot

File: E:\DFTA1120

Date: Nov-20-1991 18:46:54

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0

Plotted: 1 to 1860

Range: 1 to 1860

100% = 4872523



Chromatogram Plot

File: E:\DFTA1120

Date: Nov-20-1991 18:46:54


Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1080 Retention Time: 18:00 RIC: 27916 Mass Range: 47 - 86

Plotted: 1080 to 1120

Range: 1 to 1860

100% = 4872523



Mass List

File: E:\DFTA1120 Date: Nov-20-1991 18:46:54

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1103 Retention Time: 18:23 RIC: 4872523 Mass Range: 47 - 444

Peaks: 192 Mass of Base Peak: 442 Int: 732738 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	1,587	0.22	83	2,380	0.32	123	5,753	0.79
49	17,658	2.41	84	3,968	0.54	124	4,365	0.60
50	113,888	15.54	85	2,579	0.35	125	1,785	0.24
51	311,904	42.57	86	7,341	1.00	127	165,476	22.58
52	12,103	1.65	87	2,380	0.32	128	12,698	1.73
53	1,785	0.24	88	1,785	0.24	129	87,500	11.94
55	4,960	0.68	91	6,150	0.84	130	4,166	0.57
56	6,349	0.87	92	3,571	0.49	131	1,388	0.19
57	13,293	1.81	93	33,730	4.60	132	1,984	0.27
60	2,579	0.35	94	1,984	0.27	133	1,190	0.16
61	5,555	0.76	98	35,515	4.85	134	2,976	0.41
62	3,968	0.54	99	15,873	2.17	135	6,746	0.92
63	7,539	1.03	101	8,928	1.22	136	6,349	0.87
68	3,769	0.51	103	4,365	0.60	137	4,166	0.57
69	224,007	30.57	104	5,158	0.70	139	2,777	0.38
70	1,587	0.22	105	2,579	0.35	141	17,063	2.33
73	5,952	0.81	106	1,984	0.27	142	2,976	0.41
74	34,722	4.74	107	88,095	12.02	143	1,785	0.24
75	28,769	3.93	108	2,380	0.32	144	1,190	0.16
76	12,896	1.76	110	130,555	17.82	146	5,555	0.76
77	214,682	29.30	111	14,484	1.98	147	6,349	0.87
78	12,301	1.68	116	5,357	0.73	148	20,634	2.82
79	34,126	4.66	117	84,920	11.59	149	2,777	0.38
80	13,690	1.87	118	3,373	0.46	150	1,785	0.24
81	14,285	1.95	122	4,761	0.65	153	5,753	0.79

Mass List

File: E:\DFTA1120 Date: Nov-20-1991 18:46:54

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1103 Retention Time: 18:23 RIC: 4872523 Mass Range: 47 - 444

Peaks: 192 Mass of Base Peak: 442 Int: 732738 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
154	2,777	0.38	192	1,984	0.27	230	1,785	0.24
155	4,563	0.62	193	4,365	0.60	231	1,984	0.27
156	8,134	1.11	196	7,539	1.03	235	2,182	0.30
158	1,785	0.24	197	3,571	0.49	237	3,373	0.46
160	4,365	0.60	198	497,023	67.83	239	1,785	0.24
161	2,777	0.38	199	30,555	4.17	241	1,984	0.27
165	3,769	0.51	200	1,587	0.22	242	1,388	0.19
166	3,968	0.54	204	14,087	1.92	243	2,976	0.41
167	27,380	3.74	205	19,642	2.68	244	32,142	4.39
168	6,547	0.89	206	99,007	13.51	245	3,571	0.49
170	2,182	0.30	207	9,325	1.27	246	8,134	1.11
173	2,579	0.35	210	1,785	0.24	254	2,976	0.41
175	12,103	1.65	211	2,579	0.35	255	295,039	40.27
176	2,182	0.30	215	1,984	0.27	256	45,238	6.17
177	2,380	0.32	217	27,380	3.74	257	1,785	0.24
179	10,317	1.41	218	3,571	0.49	258	17,857	2.44
180	5,753	0.79	220	2,380	0.32	259	1,785	0.24
181	2,976	0.41	221	7,738	1.06	264	1,190	0.16
185	5,555	0.76	222	2,182	0.30	265	5,952	0.81
186	61,904	8.45	223	8,730	1.19	272	1,984	0.27
187	17,063	2.33	224	46,825	6.39	273	9,126	1.25
188	1,984	0.27	225	14,682	2.00	274	37,896	5.17
189	3,373	0.46	227	20,238	2.76	275	148,214	20.23
190	1,388	0.19	228	5,158	0.70	276	18,452	2.52
191	2,777	0.38	229	1,785	0.24	277	17,261	2.36

Mass List

File: E:\DFTA1120 Date: Nov-20-1991 18:46:54

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1103 Retention Time: 18:23 RIC: 4872523 Mass Range: 47 - 444

Peaks: 192 Mass of Base Peak: 442 Int: 732738 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
154	2,777	0.38	192	1,984	0.27	230	1,785	0.24
155	4,563	0.62	193	4,365	0.60	231	1,984	0.27
156	8,134	1.11	196	7,539	1.03	235	2,182	0.30
158	1,785	0.24	197	3,571	0.49	237	3,373	0.46
160	4,365	0.60	198	497,023	67.83	239	1,785	0.24
161	2,777	0.38	199	30,555	4.17	241	1,984	0.27
165	3,769	0.51	200	1,587	0.22	242	1,388	0.19
166	3,968	0.54	204	14,087	1.92	243	2,976	0.41
167	27,380	3.74	205	19,642	2.68	244	32,142	4.39
168	6,547	0.89	206	99,007	13.51	245	3,571	0.49
170	2,182	0.30	207	9,325	1.27	246	8,134	1.11
173	2,579	0.35	210	1,785	0.24	254	2,976	0.41
175	12,103	1.65	211	2,579	0.35	255	295,039	40.27
176	2,182	0.30	215	1,984	0.27	256	45,238	6.17
177	2,380	0.32	217	27,380	3.74	257	1,785	0.24
179	10,317	1.41	218	3,571	0.49	258	17,857	2.44
180	5,753	0.79	220	2,380	0.32	259	1,785	0.24
181	2,976	0.41	221	7,738	1.06	264	1,190	0.16
185	5,555	0.76	222	2,182	0.30	265	5,952	0.81
186	61,904	8.45	223	8,730	1.19	272	1,984	0.27
187	17,063	2.33	224	46,825	6.39	273	9,126	1.25
188	1,984	0.27	225	14,682	2.00	274	37,896	5.17
189	3,373	0.46	227	20,238	2.76	275	148,214	20.23
190	1,388	0.19	228	5,158	0.70	276	18,452	2.52
191	2,777	0.38	229	1,785	0.24	277	17,261	2.36

Mass List

File: E:\DFTA1120

Date: Nov-20-1991 18:46:54

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1103 Retention Time: 18:23 RIC: 4872523 Mass Range: 47 - 444

Peaks: 192 Mass of Base Peak: 442 Int: 732738 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
221	7,738	1.06	264	1,190	0.16	341	1,785	0.24
222	2,182	0.30	265	5,952	0.81	342	2,182	0.30
223	8,730	1.19	272	1,984	0.27	352	6,547	0.89
224	46,825	6.39	273	9,126	1.25	353	5,158	0.70
225	14,682	2.00	274	37,896	5.17	354	10,714	1.46
227	20,238	2.76	275	148,214	20.23	355	1,984	0.27
228	5,158	0.70	276	18,452	2.52	365	23,611	3.22
229	1,785	0.24	277	17,261	2.36	366	7,936	1.08
230	1,785	0.24	278	1,984	0.27	372	7,738	1.06
231	1,984	0.27	285	1,785	0.24	373	4,166	0.57
235	2,182	0.30	293	3,968	0.54	383	1,388	0.19
237	3,373	0.46	295	1,190	0.16	384	1,587	0.22
239	1,785	0.24	296	34,920	4.77	391	1,587	0.22
241	1,984	0.27	297	4,563	0.62	402	4,960	0.68
242	1,388	0.19	303	2,777	0.38	403	8,928	1.22
243	2,976	0.41	314	3,571	0.49	404	2,976	0.41
244	32,142	4.39	315	3,571	0.49	421	6,349	0.87
245	3,571	0.49	316	3,373	0.46	422	4,960	0.68
246	8,134	1.11	320	1,785	0.24	423	42,658	5.82
254	2,976	0.41	323	13,095	1.79	424	2,976	0.41
255	295,039	40.27	324	1,388	0.19	440	2,182	0.30
256	45,238	6.17	328	1,190	0.16	441	103,968	14.19
257	1,785	0.24	329	1,785	0.24	442	732,738	100.00
258	17,857	2.44	334	6,150	0.84	443	128,769	17.57
259	1,785	0.24	335	3,174	0.43	444	8,730	1.19

Chromatogram Plot

File: E:\DFTA1120

Date: Nov-20-1991 18:46:54


Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1280 Retention Time: 21:20 RIC: 28608 Mass Range: 47 - 281


Plotted: 1260 to 1280

Range: 1 to 1860

100% = 4872523



Chromatogram Plot File: E:\DFTA1120 Date: Nov-20-1991 18:46:54
Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN
Scan No: 1302 Retention Time: 21:42 RIC: 27111 Mass Range: 47 - 281
Plotted: 1272 to 1302 Range: 1 to 1860 100% = 4872523



Chromatogram Plot

File: E:\DFTA1120 Date: Nov-20-1991 18:46:54


Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1367 Retention Time: 22:47 RIC: 27746 Mass Range: 47 - 281

Plotted: 1347 to 1367

Range: 1 to 1860

100% = 4872523



Chromatogram Plot

File: E:\DDTA1120

Date: Nov-20-1991 19:24:28

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0

Plotted: 1 to 1860

Range: 1 to 1860

100% = 4590054



Chromatogram Plot

File: E:\DDTA1120

Date: Nov-20-1991 19:24:28

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT


Scan No: 1259 Retention Time: 20:59 RIC: 22518 Mass Range: 47 - 207

Plotted: 1239 to 1259

Range: 1 to 1860

100% = 4590054

1.33%



Chromatogram Plot

File: E:\DDTA1120

Date: Nov-20-1991 19:24:28

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1292

Retention Time: 21:32

RIC: 27569


Mass Range: 47 - 237

Plotted: 1272 to 1292

Range: 1 to 1860

100% = 4590054

2.20%



Chromatogram Plot

File: E:\DDTA1120

Date: Nov-20-1991 19:24:28

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1324

Retention Time: 22:04


RIC: 34133

Mass Range: 47 - 355


Plotted: 1304 to 1324

Range: 1 to 1860

100% = 4590054



Chromatogram Plot File: E:\DFTB1120 Date: Nov-21-1991 07:27:45
Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 5056153



Chromatogram Plot

File: E:\DFTB1120

Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN


Scan No: 1080 Retention Time: 18:00 RIC: 24624 Mass Range: 47 - 86

Plotted: 1080 to 1120

Range: 1 to 1859

100% = 5056153

9.73%



Mass List

File: E:\DFTB1120 Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1102 Retention Time: 18:22 RIC: 5056153 Mass Range: 45 - 444

Peaks: 197 Mass of Base Peak: 442 Int: 754233 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
45	2,217	0.29	83	3,830	0.51	115	1,411	0.19
47	1,612	0.21	84	5,443	0.72	116	5,443	0.72
49	13,709	1.82	85	3,629	0.48	117	96,572	12.80
50	117,540	15.58	86	10,080	1.34	118	5,443	0.72
51	349,193	46.30	87	2,419	0.32	122	8,266	1.10
52	13,306	1.76	88	1,411	0.19	123	5,241	0.69
55	8,467	1.12	91	4,838	0.64	124	5,040	0.67
56	6,653	0.88	92	3,830	0.51	125	3,024	0.40
57	16,733	2.22	93	47,177	6.25	126	5,040	0.67
61	3,629	0.48	95	1,612	0.21	127	181,250	24.03
62	4,435	0.59	96	3,629	0.48	128	16,733	2.22
63	8,467	1.12	98	32,459	4.30	129	69,354	9.20
65	3,427	0.45	99	11,895	1.58	130	5,040	0.67
68	3,225	0.43	100	3,427	0.45	131	1,411	0.19
69	207,661	27.53	101	5,241	0.69	132	2,016	0.27
71	1,612	0.21	102	2,217	0.29	134	1,814	0.24
74	37,903	5.03	103	3,024	0.40	135	6,048	0.80
75	36,290	4.81	104	12,298	1.63	136	2,620	0.35
76	9,072	1.20	105	8,266	1.10	137	3,629	0.48
77	222,379	29.48	107	84,072	11.15	140	2,217	0.29
78	12,500	1.66	108	10,483	1.39	141	15,322	2.03
79	30,040	3.98	109	1,612	0.21	142	3,024	0.40
80	14,112	1.87	110	122,379	16.23	143	3,427	0.45
81	16,532	2.19	111	20,967	2.78	146	1,612	0.21
82	2,419	0.32	112	1,814	0.24	147	4,435	0.59

Mass List

File: E:\DFTB1120 Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1102 Retention Time: 18:22 RIC: 5056153 Mass Range: 45 - 444

Peaks: 197 Mass of Base Peak: 442 Int: 754233 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
148	17,540	2.33	181	4,233	0.56	216	2,822	0.37
149	1,612	0.21	184	2,419	0.32	217	15,725	2.08
151	2,016	0.27	185	8,870	1.18	218	2,822	0.37
153	5,241	0.69	186	72,983	9.68	221	9,879	1.31
154	2,217	0.29	187	15,725	2.08	222	2,822	0.37
155	6,250	0.83	188	1,411	0.19	223	4,838	0.64
156	13,306	1.76	189	3,427	0.45	224	45,967	6.09
157	2,016	0.27	190	2,016	0.27	225	16,129	2.14
159	2,217	0.29	192	4,637	0.61	227	28,427	3.77
160	2,419	0.32	193	6,653	0.88	228	6,048	0.80
161	4,637	0.61	194	1,814	0.24	229	3,830	0.51
164	1,209	0.16	196	7,661	1.02	230	3,629	0.48
165	4,233	0.56	197	3,830	0.51	235	2,016	0.27
166	4,032	0.53	198	491,935	65.22	236	2,419	0.32
167	23,991	3.18	199	25,000	3.31	237	1,814	0.24
168	7,862	1.04	200	1,411	0.19	239	1,814	0.24
169	2,822	0.37	201	1,411	0.19	243	3,024	0.40
173	4,233	0.56	204	12,500	1.66	244	30,040	3.98
174	4,032	0.53	205	18,548	2.46	245	5,846	0.78
175	4,435	0.59	206	97,782	12.96	246	6,250	0.83
176	2,016	0.27	207	9,274	1.23	247	2,620	0.35
177	4,435	0.59	208	4,032	0.53	255	314,919	41.75
178	2,419	0.32	209	2,822	0.37	256	39,717	5.27
179	10,887	1.44	211	4,838	0.64	257	3,427	0.45
180	5,443	0.72	215	1,612	0.21	258	14,919	1.98

Mass List

File: E:\DFTB1120

Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1102

Retention Time: 18:22

RIC: 5056153

Mass Range: 45 - 444

Peaks: 197

Mass of Base Peak: 442

Int: 754233

Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
148	17,540	2.33	181	4,233	0.56	216	2,822	0.37
149	1,612	0.21	184	2,419	0.32	217	15,725	2.08
151	2,016	0.27	185	8,870	1.18	218	2,822	0.37
153	5,241	0.69	186	72,983	9.68	221	9,879	1.31
154	2,217	0.29	187	15,725	2.08	222	2,822	0.37
155	6,250	0.83	188	1,411	0.19	223	4,838	0.64
156	13,306	1.76	189	3,427	0.45	224	45,967	6.09
157	2,016	0.27	190	2,016	0.27	225	16,129	2.14
159	2,217	0.29	192	4,637	0.61	227	28,427	3.77
160	2,419	0.32	193	6,653	0.88	228	6,048	0.80
161	4,637	0.61	194	1,814	0.24	229	3,830	0.51
164	1,209	0.16	196	7,661	1.02	230	3,629	0.48
165	4,233	0.56	197	3,830	0.51	235	2,016	0.27
166	4,032	0.53	198	491,935	65.22	236	2,419	0.32
167	23,991	3.18	199	25,000	3.31	237	1,814	0.24
168	7,862	1.04	200	1,411	0.19	239	1,814	0.24
169	2,822	0.37	201	1,411	0.19	243	3,024	0.40
173	4,233	0.56	204	12,500	1.66	244	30,040	3.98
174	4,032	0.53	205	18,548	2.46	245	5,846	0.78
175	4,435	0.59	206	97,782	12.96	246	6,250	0.83
176	2,016	0.27	207	9,274	1.23	247	2,620	0.35
177	4,435	0.59	208	4,032	0.53	255	314,919	41.75
178	2,419	0.32	209	2,822	0.37	256	39,717	5.27
179	10,887	1.44	211	4,838	0.64	257	3,427	0.45
180	5,443	0.72	215	1,612	0.21	258	14,919	1.98

Mass List

File: E:\DFTB1120 Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1102 Retention Time: 18:22 RIC: 5056153 Mass Range: 45 - 444

Peaks: 197 Mass of Base Peak: 442 Int: 754233 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
209	2,822	0.37	256	39,717	5.27	334	13,104	1.74
211	4,838	0.64	257	3,427	0.45	335	4,838	0.64
215	1,612	0.21	258	14,919	1.98	346	4,233	0.56
216	2,822	0.37	265	6,451	0.86	352	3,830	0.51
217	15,725	2.08	273	9,475	1.26	353	3,225	0.43
218	2,822	0.37	274	40,322	5.35	354	10,080	1.34
221	9,879	1.31	275	177,217	23.50	365	32,661	4.33
222	2,822	0.37	276	22,177	2.94	366	8,467	1.12
223	4,838	0.64	277	12,701	1.68	372	1,814	0.24
224	45,967	6.09	283	1,612	0.21	383	3,427	0.45
225	16,129	2.14	285	2,217	0.29	390	2,217	0.29
227	28,427	3.77	293	3,427	0.45	400	1,612	0.21
228	6,048	0.80	296	37,903	5.03	401	3,427	0.45
229	3,830	0.51	297	4,637	0.61	402	2,217	0.29
230	3,629	0.48	303	4,435	0.59	403	7,459	0.99
235	2,016	0.27	304	2,217	0.29	404	3,225	0.43
236	2,419	0.32	314	2,217	0.29	405	1,411	0.19
237	1,814	0.24	315	2,822	0.37	421	5,443	0.72
239	1,814	0.24	316	1,814	0.24	422	4,637	0.61
243	3,024	0.40	322	2,419	0.32	423	35,483	4.70
244	30,040	3.98	323	18,951	2.51	424	7,056	0.94
245	5,846	0.78	324	4,637	0.61	441	98,387	13.04
246	6,250	0.83	327	2,419	0.32	442	754,233	100.00
247	2,620	0.35	328	2,822	0.37	443	142,137	18.85
255	314,919	41.75	332	1,612	0.21	444	10,282	1.36

Chromatogram Plot

File: E:\DDTB1120

Date: Nov-21-1991 08:02:13

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0

Plotted: 1 to 1860

Range: 1 to 1860

100% = 3187825



Chromatogram Plot

File: E:\DFTB1120

Date: Nov-21-1991 07:27:45


Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1275 Retention Time: 21:15 RIC: 24986 Mass Range: 47 - 281

Plotted: 1260 to 1275

Range: 1 to 1859

100% = 5056153



Chromatogram Plot

File: E:\DFTB1120

Date: Nov-21-1991 07:27:45


Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1302 Retention Time: 21:42 RIC: 25530 Mass Range: 47 - 207

Plotted: 1282 to 1302

Range: 1 to 1859

100% = 5056153



Chromatogram Plot

File: E:\DFTB1120

Date: Nov-21-1991 07:27:45

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DFTPP/ENDRIN

Scan No: 1367

Retention Time: 22:47


RIC: 23599

Mass Range: 47 - 207


Plotted: 1347 to 1367

Range: 1 to 1859

100% = 5056153



Chromatogram Plot File: E:\DDTB1120 Date: Nov-21-1991 08:02:13
Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 3187825



Chromatogram Plot

File: E:\DDTB1120

Date: Nov-21-1991 08:02:13

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1259

Retention Time: 20:59

RIC: 21931


Mass Range: 47 - 207

Plotted: 1239 to 1259

Range: 1 to 1860

100% = 3187825

7.49%



Chromatogram Plot

File: E:\DDTB1120

Date: Nov-21-1991 08:02:13

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1292

Retention Time: 21:32

RIC: 24680


Mass Range: 47 - 237

Plotted: 1262 to 1292

Range: 1 to 1860

100% = 3187825

3.83%



Chromatogram Plot

File: E:\DDTB1120

Date: Nov-21-1991 08:02:13

Comment: BOHLK; METHOD 525; INST 204; 11/20/01; DDT

Scan No: 1324

Retention Time: 22:04

RIC: 77920

Mass Range: 47 - 430

Plotted: 1304 to 1324

Range: 1 to 1860

100% = 3187825

