

User: Vinci, David L
 Westchester Dept. of Labs & Research
 Date: 04/18/2002 Time: 11:32:04

Sample: AE06090
 Analysis: \$GCMS GCMS Scan For Unknowns
 Units: ug
 Started: 4/18/2002 11:31 Ended: 4/18/2002 11:31 Analyst: DLV
 Page: 1

	Component Name	Viol	Result	MDL
1	Other unknown compounds			
2	Surr_2,4-DDD		128	5.0

Comments for Sample AE06090 - Analysis \$GCMS

Westchester Dept. of Labs & Research

User: Vinci, David L

Date: 04-18-2002 Time: 11:32:08

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\040402B\6090.D

Vial: 13

Acq On : 5 Apr 2002 5:18 am

Operator: Bohlk

Sample : SAMPLE 6090 3/15/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 05 06:43:00 2002

Quant Results File: 5080402.RES

Quant Method : C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Fri Apr 05 05:56:22 2002

Response via : Initial Calibration

DataAcq Meth: 508SCAN

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	9.46	152	1088887	20.00	ug/L	-0.01
10) Naphthalene-d8	12.94	136	4867422	20.00	ug/L	0.00
17) Acenaphthene-d10	18.05	164	2764301	20.00	ug/L	0.00
29) Phenanthrene-d10	22.41	188	3958155	20.00	ug/L	-0.01
38) Chrysene-d12	30.23	240	2954595	20.00	ug/L	-0.02
44) Perylene-d12	34.11	264	1729533	20.00	ug/L	-0.01

System Monitoring Compounds

37) 2,4-DDD (SURR)	27.36	235	251804	6.41	ug/L	0.00
Spiked Amount	5.000		Recovery	= 128.20%		

Target Compounds

					Qvalue
2) N-nitroso-dimethyl amine	0.00	74	0	N.D.	d
3) bis(2-chloroethyl) ether	0.00	93	0	N.D.	
4) 1,3 - Dichlorobenze	0.00	146	0	N.D.	
5) 1,4 - Dichlorobenzene	0.00	146	0	N.D.	
6) 1,2 - Dichlorobenzene	0.00	146	0	N.D.	
7) 2,2' - oxybis (1-Chloropr	0.00	45	0	N.D.	
8) N-Nitroso-di-n-propylamine	0.00	70	0	N.D.	
9) Hexachloroethane	0.00	117	0	N.D.	
11) Nitrobenzene	0.00	77	0	N.D.	
12) Isophorone	0.00	82	0	N.D.	
13) bis(2-Chloroethoxy) methan	0.00	93	0	N.D.	
14) 1,2,4-Trichlorobenzene	0.00	180	0	N.D.	
15) Naphthalene	0.00	128	0	N.D.	
16) Hexachlorobutadiene	0.00	225	0	N.D.	
18) Hexachlorocyclopentadiene	0.00	237	0	N.D.	
19) 2-chloronaphthalene	0.00	162	0	N.D.	
20) Dimethylphthalate	0.00	163	0	N.D.	
21) 2,6-Dinitrotoluene	0.00	165	0	N.D.	d
22) Acenaphthylene	0.00	152	0	N.D.	
23) Acenaphthene	0.00	153	0	N.D.	
24) 2,4-Dinitrotoluene	0.00	165	0	N.D.	
25) Diethylphthalate	0.00	149	0	N.D.	
26) 4-Chlorophenyl-phenyl ethe	0.00	204	0	N.D.	
27) Fluorene	0.00	166	0	N.D.	
28) Azobenzen/ 1,2-Diphenylhyd	0.00	77	0	N.D.	
30) N-Nitrosodiphenylamine	0.00	169	0	N.D.	
31) 4-Bromophenyl-phenyl ether	0.00	248	0	N.D.	
32) Hexachlorobenzene	0.00	284	0	N.D.	
33) Phenanthrene	0.00	178	0	N.D.	
34) Anthracene	0.00	178	0	N.D.	
35) Di-n-butylphthalate	24.57	149	7162	0.04	ug/L 76
36) Fluoranthene	0.00	202	0	N.D.	
39) Pyrene	0.00	202	0	N.D.	
40) Butylbenzylphthalate	0.00	149	0	N.D.	
41) Benzo (a) antracene	0.00	228	0	N.D.	d
42) Bis (2-ethylhexyl) phthala	30.86	149	4172	0.04	ug/L 78
43) Chrysene	0.00	228	0	N.D.	d
45) Di-n-Octylphthalate	0.00	149	0	N.D.	
46) Benzo (b) fluoranthene	0.00	252	0	N.D.	

(#) = qualifier out of range (m) = manual integration

6090.D 5080402.M Fri Apr 05 06:45:37 2002

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\040402B\6090.D

Vial: 13

Acq On : 5 Apr 2002 5:18 am

Operator: Bohlk

Sample : SAMPLE 6090 3/15/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 05 06:43:00 2002

Quant Results File: 5080402.RES

Quant Method : C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Fri Apr 05 05:56:22 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
47) Benzo (k) fluoranthene	0.00	252	0	N.D.		
48) Benzo (a) pyrene	0.00	252	0	N.D.	d	
49) Indeno (1,2,3-cd) pyrene	0.00	276	0	N.D.		
50) Dibenz (a,h) anthracene	0.00	278	0	N.D.		
51) Benzo (g,h,i) perylene	0.00	276	0	N.D.		

(#) = qualifier out of range (m) = manual integration

6090.D 5080402.M Fri Apr 05 06:45:37 2002

Data File : C:\MSDCHEM\1\DATA\040402B\6090.D

Vial: 13

Acq On : 5 Apr 2002 5:18 am

Operator: Bohlk

Sample : SAMPLE 6090 3/15/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 5 6:44 2002


Quant Results File: 5080402.RES

Method : C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Fri Apr 05 05:56:22 2002

Response via : Initial Calibration



LSC Area Percent Report

Data File : C:\MSDCHEM\1\DATA\040402B\6090.D

Acq On : 5 Apr 2002 5:18 am

Sample : SAMPLE 6090 3/15/02

Misc :

MS Integration Params: LSCINT.P

Vial: 13

Operator: Bohlk

Inst : Instrumen

Multiplr: 1.00

Method : C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5




Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	9.460	1079	1086	1114	rBV	2894689	7421823	61.87%	12.311%
2	11.975	1507	1514	1524	rBV	376013	671925	5.60%	1.115%
3	12.938	1669	1678	1701	rBV	5103636	10785417	89.91%	17.891%
4	18.050	2538	2548	2573	rBV	5952592	11995231	100.00%	19.898%
5	22.410	3280	3290	3311	rBV2	5205214	11601379	96.72%	19.244%
6	27.351	4122	4131	4143	rBV	793671	1498860	12.50%	2.486%
7	30.230	4610	4621	4645	rBV2	3991843	9594992	79.99%	15.916%
8	34.108	5270	5281	5310	rBV	2730888	6714655	55.98%	11.138%

Sum of corrected areas: 60284282

LSC Report - Integrated Chromatogram

File : C:\MSDCHEM\1\DATA\040402B\6090.D
 Operator : Bohlk
 Acquired : 5 Apr 2002 5:18 am using AcqMethod 508SCAN
 Instrument : Instrumen
 Sample Name: SAMPLE 6090 3/15/02
 Misc Info :
 Vial Number: 13
 Quant File :5080402.RES (RTE Integrator)



Library Search Compound Report

Data File : C:\MSDCHEM\1\DATA\040402B\6090.D
 Acq On : 5 Apr 2002 5:18 am
 Sample : SAMPLE 6090 3/15/02
 Misc :
 MS Integration Params: LSCINT.P










Vial: 13
 Operator: Bohlk
 Inst : Instrumen
 Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)
 Title : Quantitation For Method 508gcscan
 Library : C:\DATABASE\WILEY7N.L

 Peak Number 1 Cyclopentasiloxane, decamet... Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.97	1.25 ug/L	671925	Naphthalene-d8	12.94

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Cyclopentasiloxane, decamethyl-	370	C10H30O5Si5	000541-02-6	87
2		Cyclopentasiloxane, decamethyl-	370	C10H30O5Si5	000541-02-6	64
3		Benzeneethanamine, N-[(pentaflu...	563	C24H34F5NO3Si3	055429-13-5	43
4		3,4-Dihydroxybenzyl alcohol, tris...	356	C16H32O3Si3	068595-79-9	40



Tentatively Identified Compound (LSC) summary

Operator ID: Bohlk Date Acquired: 5 Apr 2002 5:18 am
 Data File: C:\MSDCHEM\1\DATA\040402B\6090.D
 Name: SAMPLE 6090 3/15/02
 Misc:
 Method: C:\MSDCHEM\1\5973N\5080402.M (RTE Integrator)
 Title: Quantitation For Method 508gcscan
 Library Searched: C:\DATABASE\WILEY7N.L

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
Cyclopentasiloxan...	11.97	1.2 ug/L		671925	2	12.94	10785400	20.0