

User: Vinci, David L
 Westchester Dept. of Labs & Research
 Date: 04/25/2002 Time: 13:57:29

Sample: AE07376
 Analysis: \$GCMS GCMS Scan For Unknowns
 Units: ug
 Started: 4/25/02 13:56 Ended: 4/25/02 13:56 Analyst: DLV
 Page: 1

	Component Name	Vol	Result	Qualifier	MDL
1	Other unknown compounds				
2					

Comments for Sample AE07376 - Analysis \$GCMS

Westchester Dept. of Labs & Research

User: Vinci, David L

Date: 04-25-2002 Time: 13:58:39

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\041802\7376.D

Vial: 25

Acq On : 19 Apr 2002 5:20 am

Operator: Bohlk

Sample : SAMPLE 7376 3/28/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 24 08:47:10 2002

Quant Results File: 5080402BBC.RES

Quant Method : C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Wed Apr 24 08:08:47 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	9.41	152	382527	40.00	ug/L	0.00
10) Naphthalene-d8	12.88	136	1829491	40.00	ug/L	0.00
17) Acenaphthene-d10	17.99	164	1029227	40.00	ug/L	0.00
30) Phenanthrene-d10	22.34	188	1461494	40.00	ug/L	0.00
39) Chrysene-d12	30.14	240	1139061	40.00	ug/L	-0.01
45) Perylene-d12	34.01	264	688057	40.00	ug/L	0.00

System Monitoring Compounds

28) TCMX (SURR)	19.96	244	24993	6.09	ug/L	0.00
Spiked Amount	4.000		Recovery	=	152.25%	
38) 2,4-DDD (SURR)	0.00	235	0	0.00	ug/L	
Spiked Amount	10.000		Recovery	=	0.00%	

Target Compounds

					Qvalue
2) N-nitroso-dimethyl amine	0.00	74	0	N.D.	
3) bis(2-chloroethyl) ether	0.00	93	0	N.D.	
4) 1,3 - Dichlorobenze	0.00	146	0	N.D.	
5) 1,4 - Dichlorobenzene	0.00	146	0	N.D.	
6) 1,2 - Dichlorobenzene	0.00	146	0	N.D.	
7) 2,2' - oxybis (1-Chloropr	0.00	45	0	N.D.	
8) N-Nitroso-di-n-propylamine	0.00	70	0	N.D.	
9) Hexachloroethane	0.00	117	0	N.D.	
11) Nitrobenzene	0.00	77	0	N.D.	
12) Isophorone	0.00	82	0	N.D.	
13) bis(2-Chloroethoxy) methan	0.00	93	0	N.D.	
14) 1,2,4-Trichlorobenzene	0.00	180	0	N.D.	
15) Naphthalene	0.00	128	0	N.D.	
16) Hexachlorobutadiene	0.00	225	0	N.D.	
18) Hexachlorocyclopentadiene	0.00	237	0	N.D.	
19) 2-chloronaphthalene	0.00	162	0	N.D.	
20) Dimethylphthalate	0.00	163	0	N.D.	
21) 2,6-Dinitrotoluene	0.00	165	0	N.D. d	
22) Acenaphthylene	0.00	152	0	N.D.	
23) Acenaphthene	0.00	153	0	N.D.	
24) 2,4-Dinitrotoluene	0.00	165	0	N.D.	
25) Diethylphthalate	0.00	149	0	N.D.	
26) 4-Chlorophenyl-phenyl ethe	0.00	204	0	N.D.	
27) Fluorene	0.00	166	0	N.D.	
29) Azobenzen/ 1,2-Diphenylhyd	0.00	77	0	N.D.	
31) N-Nitrosodiphenylamine	0.00	169	0	N.D.	
32) 4-Bromophenyl-phenyl ether	0.00	248	0	N.D.	
33) Hexachlorobenzene	0.00	284	0	N.D.	
34) Phenanthrene	0.00	178	0	N.D.	
35) Anthracene	0.00	178	0	N.D.	
36) Di-n-butylphthalate	0.00	149	0	N.D.	
37) Fluoranthene	0.00	202	0	N.D.	
40) Pyrene	0.00	202	0	N.D.	
41) Butylbenzylphthalate	0.00	149	0	N.D.	
42) Benzo (a) anthracene	0.00	228	0	N.D.	
43) Bis (2-ethylhexyl) phthala	0.00	149	0	N.D.	
44) Chrysene	0.00	228	0	N.D.	

(#)=qualifier out of range (m)=manual integration

7376.D 5080402BBC.M Wed Apr 24 08:47:44 2002

Page 1

Quantitation Report (QT Reviewed)

Data File : C:\MSDCHEM\1\DATA\041802\7376.D

Vial: 25

Acq On : 19 Apr 2002 5:20 am

Operator: Bohlk

Sample : SAMPLE 7376 3/28/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 24 08:47:10 2002

Quant Results File: 5080402BBC.RES

Quant Method : C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Wed Apr 24 08:08:47 2002

Response via : Initial Calibration

DataAcq Meth : 508SCAN

Compound	R.T.	QIon	Response	Conc	Unit	Qvalue
46) Di-n-Octylphthalate	0.00	149	0	N.D.		
47) Benzo (b) fluoranthene	0.00	252	0	N.D.		
48) Benzo (k) fluoranthene	0.00	252	0	N.D.		
49) Benzo (a) pyrene	0.00	252	0	N.D.		
50) Indeno (1,2,3-cd) pyrene	0.00	276	0	N.D.		
51) Dibenzo (a,h) anthracene	0.00	278	0	N.D.		
52) Benzo (g,h,i) perylene	0.00	276	0	N.D.		

(#) = qualifier out of range (m) = manual integration

7376.D 5080402BBC.M Wed Apr 24 08:47:44 2002

Page 2

Data File : C:\MSDCHEM\1\DATA\041802\7376.D

Vial: 25

Acq On : 19 Apr 2002 5:20 am

Operator: Bohlk

Sample : SAMPLE 7376 3/28/02

Inst : Instrumen

Misc :

Multiplr: 1.00

MS Integration Params: BENZO.P

Quant Time: Apr 24 8:47 2002


Quant Results File: 5080402BBC.RES

Method : C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)

Title : Quantitation For Method 508gcscan

Last Update : Wed Apr 24 08:08:47 2002

Response via : Initial Calibration



7376.D 5080402BBC.M

Wed Apr 24 08:47:45 2002

LSC Area Percent Report

Data File : C:\MSDCHEM\1\DATA\041802\7376.D
Acq On : 19 Apr 2002 5:20 am
Sample : SAMPLE 7376 3/28/02
Misc :
MS Integration Params: LSCINT.P

Vial: 25
Operator: Bohlk
Inst : Instrumen
Multiplr: 1.00

Method : C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)
Title : Quantitation For Method 508gcscan
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 1 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5




Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	9.413	1072	1078	1101	rBV	793799	2493934	56.80%	11.589%
2	10.259	1215	1222	1228	rBV3	21389	54141	1.23%	0.252%
3	12.880	1661	1668	1699	rBV	1643446	3934163	89.60%	18.281%
4	17.986	2529	2537	2561	rBV	2052182	4390919	100.00%	20.404%
5	19.954	2865	2872	2883	rBV3	144044	324436	7.39%	1.508%
6	22.339	3269	3278	3304	rBV2	1776887	4199769	95.65%	19.516%
7	30.142	4597	4606	4637	rBV2	1491961	3616317	82.36%	16.804%
8	34.014	5256	5265	5282	rBV	948688	2506363	57.08%	11.647%

Sum of corrected areas: 21520042

LSC Report - Integrated Chromatogram

File : C:\MSDCHEM\1\DATA\041802\7376.D
 Operator : Bohlk
 Acquired : 19 Apr 2002 5:20 am using AcqMethod 508SCAN
 Instrument : Instrumen
 Sample Name: SAMPLE 7376 3/28/02
 Misc Info :
 Vial Number: 25
 Quant File :5080402BBC.RES (RTE Integrator)



Library Search Compound Report

Data File : C:\MSDCHEM\1\DATA\041802\7376.D
 Acq On : 19 Apr 2002 5:20 am
 Sample : SAMPLE 7376 3/28/02
 Misc :
 MS Integration Params: LSCINT.P










Vial: 25
 Operator: Bohlk
 Inst : Instrumen
 Multiplr: 1.00

Quant Method : C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)
 Title : Quantitation For Method 508gcscan
 Library : C:\DATABASE\WILEY7N.L

 Peak Number 1 Benzene-1,2,3,4-d4-, 5,6-di... Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.26	0.87 ug/L	54141	1,4-Dichlorobenzene-d4	9.41

Hit#	of	Tentative ID	MW	MolForm	CAS#	Qual
1	5	Benzene-1,2,3,4-d4-, 5,6-dichlor...	150	C6D4Cl2	002199-69-1	72
2		1,4-Dichlorobenzene-d4	150	C6D4Cl2	003855-82-1	72
3		1,4-Dichlorobenzene-d4	150	C6D4Cl2	003855-82-1	50
4		Dezaguanine \$\$ ICN 4221 \$\$ 3-Dea...	150	C6H6N4O	041729-52-6	47



Tentatively Identified Compound (LSC) summary

Operator ID: Bohlk Date Acquired: 19 Apr 2002 5:20 am
 Data File: C:\MSDCHEM\1\DATA\041802\7376.D
 Name: SAMPLE 7376 3/28/02
 Misc:
 Method: C:\MSDCHEM\1\5973N\5080402BBC.M (RTE Integrator)
 Title: Quantitation For Method 508gcscan
 Library Searched: C:\DATABASE\WILEY7N.L

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
Benzene-1,2,3,4-d...	10.26	0.9 ug/L		54141	1	9.41	2493930	40.0