


User: Bohlk, Ted
 Westchester Dept. of Labs & Research
 Date: 09/25/2001 Time: 17:38:16

Sample: AD22543
 Analysis: \$LP525 Organic Extractables
 Units: ug
 Started: 9/22/01 17:36 Ended: 9/22/01 17:36 Analyst: TB
 Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN <i>X</i>		36 <i>/</i>
3	DDT		2.4 <i>/</i>

flag

Chromatogram Plot File: E:\DFTA0922 Date: Sep-22-1991 15:47:49
 Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1859 Range: 1 to 1859 100% = 1725599



Mass List

File: E:\DFTA0922 Date: Sep-22-1991 15:47:49

Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN

Scan No: 1119 Retention Time: 18:39 RIC: 1725599 Mass Range: 47 - 444

Peaks: 162 Mass of Base Peak: 442 Int: 309423 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	1,826	0.59	83	2,115	0.68	124	1,153	0.37
48	1,442	0.47	84	2,980	0.96	125	1,346	0.44
49	9,038	2.92	85	1,442	0.47	127	48,269	15.60
50	39,711	12.83	86	4,134	1.34	128	4,423	1.43
51	102,788	33.22	91	1,153	0.37	129	22,211	7.18
52	4,615	1.49	92	1,442	0.47	130	2,115	0.68
55	1,346	0.44	93	9,807	3.17	131	961	0.31
56	3,750	1.21	94	961	0.31	134	1,346	0.44
57	4,807	1.55	98	11,442	3.70	135	2,019	0.65
61	2,019	0.65	99	4,519	1.46	136	1,153	0.37
62	1,346	0.44	101	2,788	0.90	137	1,538	0.50
63	2,980	0.96	103	1,730	0.56	141	4,711	1.52
65	1,442	0.47	104	2,788	0.90	142	1,442	0.47
68	1,346	0.44	105	1,923	0.62	146	865	0.28
69	73,076	23.62	107	23,942	7.74	147	2,211	0.71
73	1,634	0.53	108	3,365	1.09	148	4,615	1.49
74	13,750	4.44	109	961	0.31	149	1,250	0.40
75	10,865	3.51	110	39,807	12.86	153	1,153	0.37
76	4,807	1.55	111	5,192	1.68	155	1,538	0.50
77	75,576	24.42	112	865	0.28	156	2,692	0.87
78	4,423	1.43	116	1,442	0.47	157	961	0.31
79	9,230	2.98	117	30,961	10.01	158	1,153	0.37
80	4,615	1.49	118	1,730	0.56	160	1,250	0.40
81	5,096	1.65	122	2,307	0.75	161	1,730	0.56
82	1,057	0.34	123	1,923	0.62	165	1,442	0.47

Mass List

File: E:\DFTA0922 Date: Sep-22-1991 15:47:49

Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN

Scan No: 1119 Retention Time: 18:39 RIC: 1725599 Mass Range: 47 - 444

Peaks: 162 Mass of Base Peak: 442 Int: 309423 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
166	1,346	0.44	207	4,230	1.37	273	2,788	0.90
167	7,307	2.36	208	961	0.31	274	11,153	3.60
168	3,173	1.03	211	1,250	0.40	275	56,634	18.30
173	961	0.31	217	8,557	2.77	276	7,115	2.30
174	1,153	0.37	218	1,153	0.37	277	5,480	1.77
175	2,692	0.87	221	2,403	0.78	278	865	0.28
176	865	0.28	223	1,442	0.47	283	961	0.31
177	2,596	0.84	224	16,057	5.19	293	1,442	0.47
178	865	0.28	225	4,423	1.43	296	12,115	3.92
179	3,942	1.27	227	7,211	2.33	297	2,211	0.71
180	1,923	0.62	228	1,634	0.53	303	1,442	0.47
181	1,057	0.34	229	1,057	0.34	314	865	0.28
185	3,269	1.06	230	961	0.31	315	2,980	0.96
186	18,173	5.87	235	961	0.31	323	4,615	1.49
187	5,288	1.71	242	1,153	0.37	327	1,057	0.34
189	1,346	0.44	243	961	0.31	334	3,750	1.21
192	1,346	0.44	244	12,403	4.01	335	1,923	0.62
193	1,538	0.50	245	2,115	0.68	346	1,250	0.40
196	2,403	0.78	246	3,750	1.21	353	1,923	0.62
197	1,057	0.34	255	102,980	33.28	354	3,461	1.12
198	168,461	54.44	256	15,673	5.07	355	1,346	0.44
199	11,634	3.76	257	1,826	0.59	364	961	0.31
204	4,615	1.49	258	4,615	1.49	365	15,576	5.03
205	6,634	2.14	259	1,153	0.37	366	1,923	0.62
206	25,961	8.39	265	2,403	0.78	372	4,038	1.31

Mass List

File: E:\DFTA0922 Date: Sep-22-1991 15:47:49


Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN

Scan No: 1119 Retention Time: 18:39 RIC: 1725599 Mass Range: 47 - 444


Peaks: 162 Mass of Base Peak: 442 Int: 309423 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
185	3,269	1.06	230	961	0.31	315	2,980	0.96
186	18,173	5.87	235	961	0.31	323	4,615	1.49
187	5,288	1.71	242	1,153	0.37	327	1,057	0.34
189	1,346	0.44	243	961	0.31	334	3,750	1.21
192	1,346	0.44	244	12,403	4.01	335	1,923	0.62
193	1,538	0.50	245	2,115	0.68	346	1,250	0.40
196	2,403	0.78	246	3,750	1.21	353	1,923	0.62
197	1,057	0.34	255	102,980	33.28	354	3,461	1.12
198	168,461	54.44	256	15,673	5.07	355	1,346	0.44
199	11,634	3.76	257	1,826	0.59	364	961	0.31
204	4,615	1.49	258	4,615	1.49	365	15,576	5.03
205	6,634	2.14	259	1,153	0.37	366	1,923	0.62
206	25,961	8.39	265	2,403	0.78	372	4,038	1.31
207	4,230	1.37	273	2,788	0.90	373	1,826	0.59
208	961	0.31	274	11,153	3.60	402	1,442	0.47
211	1,250	0.40	275	56,634	18.30	403	1,538	0.50
217	8,557	2.77	276	7,115	2.30	404	961	0.31
218	1,153	0.37	277	5,480	1.77	421	2,019	0.65
221	2,403	0.78	278	865	0.28	422	2,115	0.68
223	1,442	0.47	283	961	0.31	423	14,134	4.57
224	16,057	5.19	293	1,442	0.47	424	2,980	0.96
225	4,423	1.43	296	12,115	3.92	441	39,519	12.77
227	7,211	2.33	297	2,211	0.71	442	309,423	100.00
228	1,634	0.53	303	1,442	0.47	443	57,211	18.49
229	1,057	0.34	314	865	0.28	444	5,769	1.86

Chromatogram Plot File: E:\DFTA0922 Date: Sep-22-1991 15:47:49
 Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN
 Scan No: 1295 Retention Time: 21:35 RIC: 19265 Mass Range: 45 - 207
 Plotted: 1275 to 1295 Range: 1 to 1859 100% = 1725599



Chromatogram Plot File: E:\DFTA0922 Date: Sep-22-1991 15:47:49
Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN
Scan No: 1318 Retention Time: 21:58 RIC: 21886 Mass Range: 45 - 281
Plotted: 1298 to 1318 Range: 1 to 1859 100% = 1725599



Chromatogram Plot

File: E:\DFTA0922 Date: Sep-22-1991 15:47:49


Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DFPP/ENDRIN

Scan No: 1385 Retention Time: 23:05 RIC: 19893 Mass Range: 45 - 207

Plotted: 1365 to 1385

Range: 1 to 1859

100% = 1725599



Chromatogram Plot

File: E:\DDTA0922

Date: Sep-22-1991 16:26:16

Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DDT

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0

Plotted: 1 to 1859

Range: 1 to 1859

100% = 2365284



Chromatogram Plot

File: E:\DDTA0922

Date: Sep-22-1991 16:26:16

Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DDT

Scan No: 1275

Retention Time: 21:15

RIC: 16609


Mass Range: 45 - 86

Plotted: 1250 to 1275


Range: 1 to 1859

100% = 2365284

1.94%



Chromatogram Plot File: E:\DDTA0922 Date: Sep-22-1991 16:26:16
Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DDT
Scan No: 1307 Retention Time: 21:47 RIC: 19047 Mass Range: 45 - 207
Plotted: 1287 to 1307 Range: 1 to 1859 100% = 2365284



Chromatogram Plot

File: E:\DDTA0922

Date: Sep-22-1991 16:26:16

Comment: BOHLK; METHOD 525; INST 204; 09/22/01; DDT

Scan No: 1340

Retention Time: 22:20

RIC: 20950

Mass Range: 45 - 207

Plotted: 1320 to 1340

Range: 1 to 1859

100% = 2365284

