


User: Bohlk, Ted
Westchester Dept. of Labs & Research
Date: 09/28/2001 Time: 17:32:35

Sample: AD22544
Analysis: \$LP525 Organic Extractables
Units: ug
Started: 9/24/01 17:31 Ended: 9/24/01 17:31 Analyst: TB
Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN *		36
3	DDT		1.3

→ flag

Chromatogram Plot File: E:\DFTA0924 Date: Sep-24-1991 18:04:06
Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 2578309



Chromatogram Plot

File: E:\DFTA0924

Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP

Scan No: 1100

Retention Time: 18:20

RIC: 16466


Mass Range: 47 - 86

Plotted: 1100 to 1140

Range: 1 to 1860

100% = 2578309

9.75%



Mass List

File: E:\DFTA0924 Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP

Scan No: 1120 Retention Time: 18:40 RIC: 2578309 Mass Range: 47 - 444

Peaks: 154 Mass of Base Peak: 442 Int: 466129 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	2,419	0.52	83	1,451	0.31	127	84,032	18.03
48	1,290	0.28	84	3,225	0.69	128	5,967	1.28
49	10,483	2.25	85	2,903	0.62	129	36,129	7.75
50	55,967	12.01	86	5,161	1.11	130	4,193	0.90
51	156,451	33.56	91	1,935	0.42	131	1,129	0.24
52	6,290	1.35	92	2,258	0.48	135	4,193	0.90
55	2,096	0.45	93	17,903	3.84	136	1,774	0.38
56	4,677	1.00	96	1,451	0.31	137	1,774	0.38
57	8,387	1.80	98	15,322	3.29	141	5,322	1.14
61	3,064	0.66	99	6,935	1.49	146	2,096	0.45
62	2,741	0.59	101	4,354	0.93	147	2,580	0.55
63	5,483	1.18	103	3,548	0.76	148	7,903	1.70
65	1,451	0.31	104	3,709	0.80	149	1,451	0.31
68	1,935	0.42	105	2,903	0.62	150	967	0.21
69	112,903	24.22	107	33,064	7.09	153	1,612	0.35
73	2,258	0.48	108	4,677	1.00	154	1,774	0.38
74	20,161	4.33	110	59,838	12.84	155	2,580	0.55
75	18,548	3.98	111	7,580	1.63	156	4,354	0.93
76	7,580	1.63	112	1,290	0.28	158	1,290	0.28
77	115,483	24.77	116	2,258	0.48	160	1,612	0.35
78	7,903	1.70	117	42,580	9.13	161	3,387	0.73
79	15,322	3.29	118	2,903	0.62	165	2,741	0.59
80	6,935	1.49	122	3,225	0.69	166	2,096	0.45
81	8,387	1.80	123	4,032	0.86	167	11,451	2.46
82	2,258	0.48	124	1,935	0.42	168	4,838	1.04

Mass List

File: E:\DFTA0924 Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFIPP

Scan No: 1120 Retention Time: 18:40 RIC: 2578309 Mass Range: 47 - 444

Peaks: 154 Mass of Base Peak: 442 Int: 466129 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
168	4,838	1.04	222	1,774	0.38	278	1,129	0.24
169	1,290	0.28	223	1,612	0.35	293	2,741	0.59
174	1,290	0.28	224	21,451	4.60	296	17,258	3.70
175	3,870	0.83	225	7,258	1.56	297	2,580	0.55
177	2,096	0.45	227	10,483	2.25	303	2,903	0.62
179	6,774	1.45	228	1,451	0.31	315	3,870	0.83
180	4,193	0.90	229	2,903	0.62	316	1,612	0.35
181	2,419	0.52	231	1,935	0.42	323	8,870	1.90
185	3,387	0.73	242	1,774	0.38	327	1,935	0.42
186	28,870	6.19	243	1,935	0.42	334	6,774	1.45
187	8,225	1.76	244	17,419	3.74	335	2,096	0.45
193	2,903	0.62	245	1,935	0.42	346	1,612	0.35
196	3,709	0.80	246	3,709	0.80	352	2,741	0.59
198	251,451	53.94	247	1,129	0.24	353	3,387	0.73
199	16,451	3.53	255	149,032	31.97	354	3,709	0.80
203	1,935	0.42	256	20,645	4.43	364	1,935	0.42
204	5,483	1.18	257	2,258	0.48	365	24,354	5.22
205	11,290	2.42	258	8,225	1.76	366	3,548	0.76
206	42,096	9.03	259	1,774	0.38	372	5,483	1.18
207	5,322	1.14	265	3,387	0.73	373	2,096	0.45
208	1,774	0.38	273	5,967	1.28	391	967	0.21
211	1,612	0.35	274	18,870	4.05	403	2,903	0.62
215	1,612	0.35	275	79,838	17.13	421	1,935	0.42
217	11,129	2.39	276	11,451	2.46	422	2,903	0.62
221	3,709	0.80	277	8,387	1.80	423	20,806	4.46

Mass List

File: E:\DFTA0924 Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP

Scan No: 1120 Retention Time: 18:40 RIC: 2578309 Mass Range: 47 - 444

Peaks: 154 Mass of Base Peak: 442 Int: 466129 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
179	6,774	1.45	228	1,451	0.31	315	3,870	0.83
180	4,193	0.90	229	2,903	0.62	316	1,612	0.35
181	2,419	0.52	231	1,935	0.42	323	8,870	1.90
185	3,387	0.73	242	1,774	0.38	327	1,935	0.42
186	28,870	6.19	243	1,935	0.42	334	6,774	1.45
187	8,225	1.76	244	17,419	3.74	335	2,096	0.45
193	2,903	0.62	245	1,935	0.42	346	1,612	0.35
196	3,709	0.80	246	3,709	0.80	352	2,741	0.59
198	251,451	53.94	247	1,129	0.24	353	3,387	0.73
199	16,451	3.53	255	149,032	31.97	354	3,709	0.80
203	1,935	0.42	256	20,645	4.43	364	1,935	0.42
204	5,483	1.18	257	2,258	0.48	365	24,354	5.22
205	11,290	2.42	258	8,225	1.76	366	3,548	0.76
206	42,096	9.03	259	1,774	0.38	372	5,483	1.18
207	5,322	1.14	265	3,387	0.73	373	2,096	0.45
208	1,774	0.38	273	5,967	1.28	391	967	0.21
211	1,612	0.35	274	18,870	4.05	403	2,903	0.62
215	1,612	0.35	275	79,838	17.13	421	1,935	0.42
217	11,129	2.39	276	11,451	2.46	422	2,903	0.62
221	3,709	0.80	277	8,387	1.80	423	20,806	4.46
222	1,774	0.38	278	1,129	0.24	424	4,677	1.00
223	1,612	0.35	293	2,741	0.59	441	66,612	14.29
224	21,451	4.60	296	17,258	3.70	442	466,129	100.00
225	7,258	1.56	297	2,580	0.55	443	78,225	16.78
227	10,483	2.25	303	2,903	0.62	444	8,870	1.90

Chromatogram Plot

File: E:\DFTA0924

Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFIPP

Scan No: 1300

Retention Time: 21:40


RIC: 16593

Mass Range: 45 - 207

Plotted: 1270 to 1300

Range: 1 to 1860

100% = 2578309



Chromatogram Plot

File: E:\DFTA0924 Date: Sep-24-1991 18:04:06


Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP

Scan No: 1320 Retention Time: 22:00 RIC: 17493 Mass Range: 45 - 207

Plotted: 1300 to 1320

Range: 1 to 1860

100% = 2578309



Chromatogram Plot

File: E:\DDTA0924

Date: Sep-24-1991 18:45:10

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DDT

Scan No: 1340

Retention Time: 22:20


RIC: 16360

Mass Range: 45 - 207

Plotted: 1320 to 1340

Range: 1 to 1860

100% = 1651423



Chromatogram Plot

File: E:\DFTA0924

Date: Sep-24-1991 18:04:06

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DFTPP

Scan No: 1390

Retention Time: 23:10


RIC: 16913

Mass Range: 45 - 207


Plotted: 1360 to 1390

Range: 1 to 1860

100% = 2578309



Chromatogram Plot File: E:\DDTA0924 Date: Sep-24-1991 18:45:10
Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DDT
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 1651423



Chromatogram Plot

File: E:\DDTA0924

Date: Sep-24-1991 18:45:10

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DDT

Scan No: 1310

Retention Time: 21:50

RIC: 14453


Mass Range: 47 - 207

Plotted: 1280 to 1310

Range: 1 to 1860

100% = 1651423

1.88%



Chromatogram Plot

File: E:\DDTA0924

Date: Sep-24-1991 18:45:10

Comment: BOHLK; METHOD 525; INST 204; 09/24/01; DDT

Scan No: 1275

Retention Time: 21:15

RIC: 13978

Mass Range: 47 - 207

Plotted: 1250 to 1275

Range: 1 to 1860

100% = 1651423

1.58%

