


User: Bohlk, Ted
Westchester Dept. of Labs & Research
Date: 09/20/2001 Time: 10:14:38


Sample: AD22358
Analysis: \$LP525 Organic Extractables
Units: ug
Started: 9/18/01 10:13 Ended: 9/18/01 10:13 Analyst: TB
Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN	USPEC 22	
3	DDT		1.8

Chromatogram Plot File: E:\DFTA0917 Date: Sep-18-1991 12:08:45
Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 3242861



Chromatogram Plot File: E:\DFTA0917 Date: Sep-18-1991 12:08:45
 Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFIPP/ENDRIN
 Scan No: 1100 Retention Time: 18:20 RIC: 15705 Mass Range: 47 - 86
 Plotted: 1100 to 1140 Range: 1 to 1859 100% = 3242861
 9.63%



Mass List

File: E:\DFTA0917 Date: Sep-18-1991 12:08:45

Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN

Scan No: 1120 Retention Time: 18:40 RIC: 3242861 Mass Range: 48 - 444

Peaks: 150 Mass of Base Peak: 442 Int: 613125 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
48	1,666	0.27	84	3,125	0.51	134	2,083	0.34
49	6,875	1.12	85	3,125	0.51	135	5,000	0.82
50	66,875	10.91	86	3,958	0.65	137	2,708	0.44
51	188,541	30.75	91	2,291	0.37	141	8,333	1.36
52	9,791	1.60	93	20,625	3.36	142	3,125	0.51
55	4,375	0.71	94	2,291	0.37	146	2,291	0.37
56	6,458	1.05	98	17,083	2.79	147	3,750	0.61
57	10,208	1.66	99	9,583	1.56	148	9,791	1.60
61	3,333	0.54	101	4,791	0.78	149	2,500	0.41
62	2,708	0.44	103	2,708	0.44	153	2,916	0.48
63	6,666	1.09	104	4,583	0.75	154	2,708	0.44
65	1,875	0.31	105	3,958	0.65	155	4,166	0.68
68	2,083	0.34	107	48,541	7.92	156	4,375	0.71
69	144,375	23.55	108	6,458	1.05	157	1,458	0.24
73	3,333	0.54	110	83,958	13.69	161	2,083	0.34
74	23,541	3.84	111	11,041	1.80	165	2,708	0.44
75	22,708	3.70	116	3,333	0.54	166	2,916	0.48
76	6,250	1.02	117	58,541	9.55	167	14,791	2.41
77	147,083	23.99	118	3,125	0.51	168	5,416	0.88
78	11,458	1.87	122	2,916	0.48	174	2,291	0.37
79	19,375	3.16	123	3,333	0.54	175	3,541	0.58
80	8,125	1.33	127	95,833	15.63	177	2,708	0.44
81	10,416	1.70	128	8,333	1.36	179	8,750	1.43
82	3,125	0.51	129	43,958	7.17	180	5,625	0.92
83	2,291	0.37	130	4,166	0.68	181	2,708	0.44

Mass List

File: E:\DFTA0917 Date: Sep-18-1991 12:08:45

Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN

Scan No: 1120 Retention Time: 18:40 RIC: 3242861 Mass Range: 48 - 444

Peaks: 150 Mass of Base Peak: 442 Int: 613125 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
181	2,708	0.44	227	13,125	2.14	315	3,125	0.51
184	1,666	0.27	228	2,708	0.44	323	11,666	1.90
185	4,166	0.68	229	2,916	0.48	324	2,291	0.37
186	34,166	5.57	243	2,291	0.37	327	2,291	0.37
187	9,166	1.49	244	21,041	3.43	334	5,625	0.92
189	2,291	0.37	245	2,291	0.37	335	2,708	0.44
191	2,291	0.37	246	4,166	0.68	352	2,500	0.41
192	2,708	0.44	255	188,333	30.72	353	2,708	0.44
193	2,708	0.44	256	27,500	4.49	354	6,666	1.09
196	6,250	1.02	257	2,291	0.37	365	30,000	4.89
197	2,291	0.37	258	9,791	1.60	366	4,583	0.75
198	312,291	50.93	259	2,708	0.44	372	5,416	0.88
199	18,958	3.09	265	4,791	0.78	373	3,958	0.65
204	10,000	1.63	273	6,041	0.99	383	1,666	0.27
205	9,791	1.60	274	23,750	3.87	390	1,666	0.27
206	58,333	9.51	275	94,375	15.39	391	1,875	0.31
207	7,083	1.16	276	10,833	1.77	402	2,500	0.41
208	2,916	0.48	277	7,708	1.26	403	2,708	0.44
209	1,458	0.24	278	1,875	0.31	421	2,916	0.48
217	15,416	2.51	284	1,041	0.17	422	3,750	0.61
218	2,291	0.37	285	2,083	0.34	423	28,333	4.62
221	6,250	1.02	293	2,500	0.41	424	6,458	1.05
223	3,541	0.58	296	25,833	4.21	441	78,125	12.74
224	29,583	4.82	297	2,916	0.48	442	613,125	100.00
225	10,208	1.66	303	3,958	0.65	443	108,125	17.64

File: E:\DFTA0917 Date: Sep-18-1991 12:08:45


525; INST 204; 09/17/01; DFTPP/ENDRIN

Retention Time: 18:40 RIC: 3242861 Mass Range: 48 - 444


Base Peak: 442 Int: 613125 Threshold: 0 %

Base	Mass	Intensity	% Base	Mass	Intensity	% Base
.27	228	2,708	0.44	323	11,666	1.90
.68	229	2,916	0.48	324	2,291	0.37
.57	243	2,291	0.37	327	2,291	0.37
.49	244	21,041	3.43	334	5,625	0.92
.37	245	2,291	0.37	335	2,708	0.44
.37	246	4,166	0.68	352	2,500	0.41
.44	255	188,333	30.72	353	2,708	0.44
.44	256	27,500	4.49	354	6,666	1.09
.02	257	2,291	0.37	365	30,000	4.89
.37	258	9,791	1.60	366	4,583	0.75
.93	259	2,708	0.44	372	5,416	0.88
.09	265	4,791	0.78	373	3,958	0.65
.63	273	6,041	0.99	383	1,666	0.27
.60	274	23,750	3.87	390	1,666	0.27
.51	275	94,375	15.39	391	1,875	0.31
.16	276	10,833	1.77	402	2,500	0.41
.48	277	7,708	1.26	403	2,708	0.44
.24	278	1,875	0.31	421	2,916	0.48
.51	284	1,041	0.17	422	3,750	0.61
.37	285	2,083	0.34	423	28,333	4.62
.02	293	2,500	0.41	424	6,458	1.05
.58	296	25,833	4.21	441	78,125	12.74
.02	297	2,916	0.48	442	613,125	100.00
.66	303	3,958	0.65	443	108,125	17.64
.14	315	3,125	0.51	444	11,458	1.87


Chromatogram Plot File: E:\DFTA0917 Date: Sep-18-1991 12:08:45
 Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN
 Scan No: 1299 Retention Time: 21:39 RIC: 12938 Mass Range: 47 - 207
 Plotted: 1270 to 1299 Range: 1 to 1859 100% = 3242861




Chromatogram Plot File: E:\DFTA0917 Date: Sep-18-1991 12:08:45
Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN
Scan No: 1320 Retention Time: 22:00 RIC: 15405 Mass Range: 47 - 281
Plotted: 1300 to 1320 Range: 1 to 1859 100% = 3242861




Chromatogram Plot File: E:\DFTA0917 Date: Sep-18-1991 12:08:45
 Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DFTPP/ENDRIN
 Scan No: 1390 Retention Time: 23:10 RIC: 13518 Mass Range: 47 - 207
 Plotted: 1370 to 1390 Range: 1 to 1859 100% = 3242861




Chromatogram Plot File: E:\DDTA0917 Date: Sep-18-1991 12:43:10
Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DDT
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1860 Range: 1 to 1860 100% = 2656176



Chromatogram Plot File: E:\DDTA0917 Date: Sep-18-1991 12:43:10
Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DDT
Scan No: 1275 Retention Time: 21:15 RIC: 14785 Mass Range: 47 - 207
Plotted: 1250 to 1275 Range: 1 to 1860 100% = 2656176



Chromatogram Plot File: E:\DDTA0917 Date: Sep-18-1991 12:43:10
Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DDT
Scan No: 1310 Retention Time: 21:50 RIC: 14798 Mass Range: 47 - 207
Plotted: 1280 to 1310 Range: 1 to 1860 100% = 2656176



Chromatogram Plot

File: E:\DDTA0917

Date: Sep-18-1991 12:43:10

Comment: BOHLK; METHOD 525; INST 204; 09/17/01; DDT

Scan No: 1340

Retention Time: 22:20

RIC: 15431

Mass Range: 47 - 207

Plotted: 1320 to 1340

Range: 1 to 1860

100% = 2656176

