


User: Bohlk, Ted
Westchester Dept. of Labs & Research
Date: 10/04/2001 Time: 09:49:51


Sample: AD22652
Analysis: \$LP525 Organic Extractables
Units: ug
Started: 9/30/01 09:48 Ended: 9/30/01 09:48 Analyst: TB
Page: 1

	Component Name	Viol	Result
1	DFTPP		PASSED
2	ENDRIN	USPEC	34
3	DDT		2.0

Chromatogram Plot File: E:\DFTA0930 Date: Sep-30-1991 15:34:45
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
Plotted: 1 to 1859 Range: 1 to 1859 100% = 5374624



Chromatogram Plot File: E:\DFTA0930 Date: Sep-30-1991 15:34:45
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
Scan No: 1100 Retention Time: 18:20 RIC: 33891 Mass Range: 47 - 86
Plotted: 1100 to 1140 Range: 1 to 1859 100% = 5374624
9.45%



Mass List

File: E:\DFTA0930 Date: Sep-30-1991 15:34:45

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5374624 Mass Range: 47 - 444

Peaks: 155 Mass of Base Peak: 442 Int: 909036 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	3,614	0.40	84	4,518	0.50	123	5,722	0.63
49	17,771	1.95	85	3,012	0.33	124	5,120	0.56
50	125,602	13.82	86	11,746	1.29	127	175,000	19.25
51	356,927	39.26	91	4,216	0.46	128	14,759	1.62
52	12,951	1.42	92	3,313	0.36	129	74,397	8.18
55	5,421	0.60	93	30,421	3.35	130	7,228	0.80
56	8,734	0.96	94	3,614	0.40	134	3,313	0.36
57	14,156	1.56	98	33,132	3.64	135	7,831	0.86
61	5,722	0.63	99	16,867	1.86	136	3,614	0.40
62	5,421	0.60	100	3,313	0.36	137	3,614	0.40
63	9,939	1.09	101	5,722	0.63	141	12,349	1.36
65	5,421	0.60	103	4,819	0.53	142	3,012	0.33
68	5,421	0.60	104	6,626	0.73	146	3,313	0.36
69	239,759	26.38	105	6,927	0.76	147	5,120	0.56
70	2,108	0.23	106	2,710	0.30	148	17,469	1.92
73	6,325	0.70	107	84,337	9.28	155	5,120	0.56
74	43,975	4.84	108	11,144	1.23	156	6,325	0.70
75	38,855	4.27	109	3,614	0.40	159	3,614	0.40
76	14,759	1.62	110	145,481	16.00	161	6,024	0.66
77	244,879	26.94	111	20,481	2.25	165	6,024	0.66
78	16,265	1.79	112	5,120	0.56	166	4,819	0.53
79	27,108	2.98	116	2,409	0.27	167	23,192	2.55
80	12,349	1.36	117	97,289	10.70	168	11,746	1.29
81	17,168	1.89	118	7,831	0.86	169	3,012	0.33
83	3,614	0.40	122	6,325	0.70	170	1,807	0.20

Mass List

File: E:\DFTA0930 Date: Sep-30-1991 15:34:45

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5374624 Mass Range: 47 - 444

Peaks: 155 Mass of Base Peak: 442 Int: 909036 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
170	1,807	0.20	217	25,903	2.85	297	4,819	0.53
174	3,313	0.36	218	2,710	0.30	303	5,120	0.56
175	7,530	0.83	221	7,831	0.86	314	2,409	0.27
176	2,108	0.23	223	6,325	0.70	315	4,819	0.53
177	5,722	0.63	224	44,277	4.87	323	19,879	2.19
179	14,759	1.62	225	15,060	1.66	324	3,313	0.36
180	6,626	0.73	227	22,590	2.49	334	12,951	1.42
185	11,144	1.23	229	4,216	0.46	335	5,120	0.56
186	66,566	7.32	244	35,240	3.88	341	2,710	0.30
187	18,975	2.09	245	3,915	0.43	346	5,120	0.56
189	3,915	0.43	246	10,542	1.16	352	5,120	0.56
192	4,216	0.46	255	318,373	35.02	353	4,216	0.46
193	3,915	0.43	256	46,084	5.07	354	9,939	1.09
196	10,542	1.16	257	5,120	0.56	355	3,915	0.43
197	5,421	0.60	258	14,457	1.59	364	3,915	0.43
198	507,831	55.86	265	7,831	0.86	365	31,626	3.48
199	28,614	3.15	273	11,746	1.29	366	7,228	0.80
200	3,012	0.33	274	39,759	4.37	370	1,807	0.20
203	4,518	0.50	275	163,554	17.99	371	2,108	0.23
204	12,951	1.42	276	23,795	2.62	372	8,734	0.96
205	21,987	2.42	277	16,867	1.86	373	5,722	0.63
206	92,168	10.14	278	3,614	0.40	402	6,024	0.66
207	12,048	1.33	285	3,614	0.40	403	7,228	0.80
208	5,120	0.56	293	4,819	0.53	421	6,325	0.70
211	3,313	0.36	296	34,939	3.84	422	5,120	0.56

Mass List

File: E:\DFTA0930 Date: Sep-30-1991 15:34:45


Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5374624 Mass Range: 47 - 444


Peaks: 155 Mass of Base Peak: 442 Int: 909036 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
180	6,626	0.73	227	22,590	2.49	334	12,951	1.42
185	11,144	1.23	229	4,216	0.46	335	5,120	0.56
186	66,566	7.32	244	35,240	3.88	341	2,710	0.30
187	18,975	2.09	245	3,915	0.43	346	5,120	0.56
189	3,915	0.43	246	10,542	1.16	352	5,120	0.56
192	4,216	0.46	255	318,373	35.02	353	4,216	0.46
193	3,915	0.43	256	46,084	5.07	354	9,939	1.09
196	10,542	1.16	257	5,120	0.56	355	3,915	0.43
197	5,421	0.60	258	14,457	1.59	364	3,915	0.43
198	507,831	55.86	265	7,831	0.86	365	31,626	3.48
199	28,614	3.15	273	11,746	1.29	366	7,228	0.80
200	3,012	0.33	274	39,759	4.37	370	1,807	0.20
203	4,518	0.50	275	163,554	17.99	371	2,108	0.23
204	12,951	1.42	276	23,795	2.62	372	8,734	0.96
205	21,987	2.42	277	16,867	1.86	373	5,722	0.63
206	92,168	10.14	278	3,614	0.40	402	6,024	0.66
207	12,048	1.33	285	3,614	0.40	403	7,228	0.80
208	5,120	0.56	293	4,819	0.53	421	6,325	0.70
211	3,313	0.36	296	34,939	3.84	422	5,120	0.56
217	25,903	2.85	297	4,819	0.53	423	51,807	5.70
218	2,710	0.30	303	5,120	0.56	424	7,831	0.86
221	7,831	0.86	314	2,409	0.27	441	138,253	15.21
223	6,325	0.70	315	4,819	0.53	442	909,036	100.00
224	44,277	4.87	323	19,879	2.19	443	166,566	18.32
225	15,060	1.66	324	3,313	0.36	444	13,554	1.49


Chromatogram Plot File: E:\DFTA0930 Date: Sep-30-1991 15:34:45
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
 Scan No: 1290 Retention Time: 21:30 RIC: 32995 Mass Range: 45 - 281
 Plotted: 1260 to 1290 Range: 1 to 1859 100% = 5374624




Chromatogram Plot File: E:\DFTA0930 Date: Sep-30-1991 15:34:45
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
Scan No: 1310 Retention Time: 21:50 RIC: 47514 Mass Range: 45 - 429
Plotted: 1295 to 1310 Range: 1 to 1859 100% = 5374624




Chromatogram Plot File: E:\DFTA0930 Date: Sep-30-1991 15:34:45
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
 Scan No: 1376 Retention Time: 22:56 RIC: 29940 Mass Range: 45 - 281
 Plotted: 1362 to 1376 Range: 1 to 1859 100% = 5374624




Chromatogram Plot File: E:\DDTA0930 Date: Sep-30-1991 16:13:46
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1860 Range: 1 to 1860 100% = 3381182




Chromatogram Plot File: E:\DDTA0930 Date: Sep-30-1991 16:13:46
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
Scan No: 1270 Retention Time: 21:10 RIC: 30736 Mass Range: 45 - 207
Plotted: 1250 to 1270 Range: 1 to 1860 100% = 3381182




Chromatogram Plot File: E:\DDTA0930 Date: Sep-30-1991 16:13:46
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
Scan No: 1300 Retention Time: 21:40 RIC: 30420 Mass Range: 45 - 207
Plotted: 1280 to 1300 Range: 1 to 1860 100% = 3381182
2.87%



Chromatogram Plot File: E:\DDTA0930 Date: Sep-30-1991 16:13:46
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
 Scan No: 1333 Retention Time: 22:13 RIC: 39422 Mass Range: 45 - 281
 Plotted: 1310 to 1333 Range: 1 to 1860 100% = 3381182



Chromatogram Plot File: E:\DFTB0930 Date: Sep-30-1991 21:58:04
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
 Scan No: 1 Retention Time: 0:01 RIC: 0 Mass Range: 0 - 0
 Plotted: 1 to 1859 Range: 1 to 1859 100% = 5412954



Chromatogram Plot

File: E:\DFTB0930

Date: Sep-30-1991 21:58:04

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1100

Retention Time: 18:20

RIC: 35214


Mass Range: 47 - 86

Plotted: 1100 to 1140

Range: 1 to 1859

100% = 5412954

9.44%



Mass List

File: E:\DFTB0930 Date: Sep-30-1991 21:58:04

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5412954 Mass Range: 47 - 444

Peaks: 171 Mass of Base Peak: 442 Int: 919680 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
47	3,191	0.35	84	6,117	0.67	125	2,659	0.29
49	19,680	2.14	85	4,255	0.46	127	175,000	19.03
50	121,808	13.24	86	12,765	1.39	128	11,436	1.24
51	339,627	36.93	87	2,393	0.26	129	74,202	8.07
52	18,351	2.00	91	2,393	0.26	130	5,851	0.64
55	5,053	0.55	92	5,319	0.58	131	2,659	0.29
56	7,712	0.84	93	32,446	3.53	134	2,393	0.26
57	11,968	1.30	98	36,968	4.02	135	8,244	0.90
61	5,585	0.61	99	13,563	1.47	136	3,989	0.43
62	6,117	0.67	101	7,712	0.84	137	4,521	0.49
63	9,574	1.04	103	6,648	0.72	140	2,127	0.23
65	4,255	0.46	104	7,446	0.81	141	11,702	1.27
68	5,585	0.61	105	5,851	0.64	142	4,255	0.46
69	247,872	26.95	107	79,255	8.62	146	3,989	0.43
73	6,382	0.69	108	10,904	1.19	147	9,574	1.04
74	36,968	4.02	109	3,191	0.35	148	17,819	1.94
75	35,638	3.88	110	138,563	15.07	149	2,659	0.29
76	13,829	1.50	111	16,489	1.79	151	1,861	0.20
77	258,244	28.08	112	2,925	0.32	153	3,723	0.40
78	15,425	1.68	116	3,191	0.35	154	2,393	0.26
79	34,840	3.79	117	92,819	10.09	155	4,787	0.52
80	17,021	1.85	118	6,117	0.67	156	9,840	1.07
81	20,478	2.23	122	7,446	0.81	157	2,127	0.23
82	3,191	0.35	123	6,117	0.67	160	4,521	0.49
83	2,393	0.26	124	4,255	0.46	161	3,723	0.40

Mass List

File: E:\DFTB0930 Date: Sep-30-1991 21:58:04

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5412954 Mass Range: 47 - 444

Peaks: 171 Mass of Base Peak: 442 Int: 919680 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
165	5,053	0.55	203	2,393	0.26	257	3,191	0.35
166	4,787	0.52	204	13,297	1.45	258	14,893	1.62
167	29,787	3.24	205	24,468	2.66	259	2,393	0.26
168	11,968	1.30	206	84,308	9.17	265	7,180	0.78
171	1,595	0.17	207	9,574	1.04	273	9,840	1.07
172	2,659	0.29	208	4,787	0.52	274	33,244	3.61
173	4,255	0.46	211	3,723	0.40	275	183,244	19.92
174	5,053	0.55	217	28,191	3.07	276	19,946	2.17
175	6,648	0.72	218	3,457	0.38	277	15,957	1.74
176	2,659	0.29	221	8,510	0.93	278	3,457	0.38
177	3,989	0.43	222	3,457	0.38	293	5,053	0.55
179	12,765	1.39	223	4,787	0.52	296	35,106	3.82
180	6,382	0.69	224	48,670	5.29	297	4,787	0.52
181	3,723	0.40	225	11,436	1.24	303	3,723	0.40
185	9,042	0.98	227	23,404	2.54	314	2,127	0.23
186	67,021	7.29	228	3,989	0.43	315	7,446	0.81
187	15,159	1.65	229	4,521	0.49	316	3,457	0.38
188	1,595	0.17	235	2,659	0.29	323	15,691	1.71
189	3,723	0.40	243	2,925	0.32	324	3,723	0.40
192	3,191	0.35	244	32,446	3.53	327	3,457	0.38
193	2,925	0.32	245	4,255	0.46	332	1,861	0.20
196	8,244	0.90	246	9,574	1.04	334	9,840	1.07
197	5,319	0.58	247	3,457	0.38	335	6,382	0.69
198	511,170	55.58	255	316,755	34.44	346	2,659	0.29
199	34,308	3.73	256	42,287	4.60	352	4,521	0.49

Mass List

File: E:\DFTB0930 Date: Sep-30-1991 21:58:04

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1115 Retention Time: 18:35 RIC: 5412954 Mass Range: 47 - 444

Peaks: 171 Mass of Base Peak: 442 Int: 919680 Threshold: 0 %

Mass	Intensity	% Base	Mass	Intensity	% Base	Mass	Intensity	% Base
196	8,244	0.90	246	9,574	1.04	334	9,840	1.07
197	5,319	0.58	247	3,457	0.38	335	6,382	0.69
198	511,170	55.58	255	316,755	34.44	346	2,659	0.29
199	34,308	3.73	256	42,287	4.60	352	4,521	0.49
203	2,393	0.26	257	3,191	0.35	353	5,053	0.55
204	13,297	1.45	258	14,893	1.62	354	11,170	1.21
205	24,468	2.66	259	2,393	0.26	355	3,989	0.43
206	84,308	9.17	265	7,180	0.78	364	2,659	0.29
207	9,574	1.04	273	9,840	1.07	365	47,074	5.12
208	4,787	0.52	274	33,244	3.61	366	3,191	0.35
211	3,723	0.40	275	183,244	19.92	371	2,393	0.26
217	28,191	3.07	276	19,946	2.17	372	9,840	1.07
218	3,457	0.38	277	15,957	1.74	373	5,319	0.58
221	8,510	0.93	278	3,457	0.38	383	4,255	0.46
222	3,457	0.38	293	5,053	0.55	391	2,127	0.23
223	4,787	0.52	296	35,106	3.82	402	3,989	0.43
224	48,670	5.29	297	4,787	0.52	403	6,648	0.72
225	11,436	1.24	303	3,723	0.40	421	4,787	0.52
227	23,404	2.54	314	2,127	0.23	422	4,787	0.52
228	3,989	0.43	315	7,446	0.81	423	46,542	5.06
229	4,521	0.49	316	3,457	0.38	424	9,840	1.07
235	2,659	0.29	323	15,691	1.71	441	125,797	13.68
243	2,925	0.32	324	3,723	0.40	442	919,680	100.00
244	32,446	3.53	327	3,457	0.38	443	173,138	18.83
245	4,255	0.46	332	1,861	0.20	444	15,159	1.65

Chromatogram Plot

File: E:\DFTB0930

Date: Sep-30-1991 21:58:04

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN

Scan No: 1290

Retention Time: 21:30


RIC: 35468

Mass Range: 45 - 281


Plotted: 1275 to 1290

Range: 1 to 1859


100% = 5412954



Chromatogram Plot File: E:\DFTB0930 Date: Sep-30-1991 21:58:04
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
Scan No: 1310 Retention Time: 21:50 RIC: 54842 Mass Range: 45 - 429
Plotted: 1290 to 1310 Range: 1 to 1859 100% = 5412954
9.35%



Chromatogram Plot File: E:\DFTB0930 Date: Sep-30-1991 21:58:04
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DFTPP/ENDRIN
Scan No: 1375 Retention Time: 22:55 RIC: 33213 Mass Range: 45 - 281
Plotted: 1362 to 1375 Range: 1 to 1859 100% = 5412954



Chromatogram Plot

File: E:\DDTB0930

Date: Sep-30-1991 22:32:28

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT

Scan No: 1

Retention Time: 0:01


RIC: 0

Mass Range: 0 - 0


Plotted: 1 to 1860

Range: 1 to 1860


100% = 5089321



Chromatogram Plot File: E:\DDTB0930 Date: Sep-30-1991 22:32:28
Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
Scan No: 1270 Retention Time: 21:10 RIC: 29653 Mass Range: 47 - 207
Plotted: 1240 to 1270 Range: 1 to 1860 100% = 5089321



Chromatogram Plot File: E:\DDTB0930 Date: Sep-30-1991 22:32:28
 Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT
 Scan No: 1300 Retention Time: 21:40 RIC: 32064 Mass Range: 45 - 207
 Plotted: 1280 to 1300 Range: 1 to 1860 100% = 5089321



Chromatogram Plot

File: E:\DDTB0930

Date: Sep-30-1991 22:32:28

Comment: BOHLK; METHOD 525; INST 204; 09/30/01; DDT

Scan No: 1340

Retention Time: 22:20

RIC: 31831

Mass Range: 45 - 207

Plotted: 1310 to 1340

Range: 1 to 1860

100% = 5089321

