

10/11/01

User: DIAZ, LUIS
Westchester Dept. of Labs & Research
Date: 09/14/2001 Time: 18:45:56

Result entry for 1 QA/QC batch
Result entry template: Sample_Down
Page: 1

User Info	Anl Code	TLF	D_TLF	P_TLF	R_TLF	RETLF	Q_TLF	LFTLF	L_TLF	B_TLF
AD22166	Result	< MDL	< MDL	< MDL	99.1	4.89	97.8	9.58	95.8	< MDL
AD22167	Result	< MDL								
AD22168	Result	< MDL								
AD22169	Result	< MDL								
AD22170	Result	< MDL								
AD22171	Result	< MDL								
AD22358	Result	< MDL								
AD22359	Result	< MDL								
AD22360	Result	< MDL								

User: DIAZ, LUIS
 Westchester Dept. of Labs & Research
 Date: 09/20/2001 Time: 09:17:42

Result entry for 5 QA/QC batches
 Result entry template: Sample_Down
 Page: 1

User Info	Anl Code	TLF	D_TLF	P_TLF	R_TLF	RETLF	Q_TLF	LFTLF	L_TLF	B_TLF
AD22470	Result	< MDL	< MDL	< MDL		4.85	97.0	9.59	95.9	< MDL
AD22471	Result	< MDL								
AD22472	Result	< MDL								
AD22476	Result	< MDL								
AD22477	Result	< MDL								
AD22478	Result	< MDL								
AD22509	Result	< MDL								
AD22542	Result	< MDL								
AD22543	Result	< MDL								
AD22544	Result	< MDL			82.0	5.18	104			< MDL
AD22545	Result	< MDL								
AD22546	Result	< MDL								
AD22547	Result	< MDL								
AD22548	Result	< MDL								
AD22549	Result	< MDL								
AD22550	Result	< MDL								
AD22551	Result	< MDL								
AD22552	Result	< MDL								
AD22553	Result	< MDL								
AD22558	Result	< MDL								
AD22577	Result	< MDL	< MDL	< MDL	104.7	4.80	96.0			< MDL
AD22578	Result	< MDL								
AD22652	Result	< MDL								
AD22653	Result	< MDL								
AD22654	Result	< MDL								
AD22655	Result	< MDL								
AD22656	Result	< MDL								
AD22657	Result	< MDL								
AD22739	Result	< MDL								
AD22740	Result	< MDL								
AD22741	Result	< MDL								
AD22742	Result	< MDL								
AD22743	Result	< MDL								
AD22744	Result	< MDL								
AD22752	Result	< MDL	< MDL	< MDL	87.0	4.53	90.6			< MDL
AD22753	Result	< MDL								
AD22754	Result	< MDL								
AD22760	Result	< MDL			97.2	5.28	106			< MDL
AD22761	Result	< MDL								
AD22762	Result	< MDL								

User: DIAZ, LUIS
 Westchester Dept. of Labs & Research
 Date: 09/21/2001 Time: 18:52:22

Result entry for 3 QA/QC batches
 Result entry template: Sample_Down
 Page: 1

User Info	Anl Code	TLF	D_TLF	P_TLF	R_TLF	RET_LF	Q_TLF	LFTLF	L_TLF	B_TLF
AD22913	Result	< MDL								
AD22914	Result	< MDL								
AD22915	Result	< MDL								
AD22916	Result	< MDL								
AD22917	Result	< MDL								
AD22918	Result	< MDL								
AD22919	Result	< MDL								
AD22974	Result	< MDL								
AD22975	Result	< MDL			89.7	5.29	106			< MDL
AD22976	Result	< MDL								
AD22977	Result	< MDL								
AD22978	Result	< MDL								
AD22979	Result	< MDL								
AD23023	Result	< MDL	< MDL	< MDL	100.3	5.27	105	9.75	97.5	< MDL
AD23025	Result	< MDL	< MDL	< MDL	91.0	4.88	97.6			< MDL
AD23079	Result	< MDL								
AD23080	Result	< MDL								
AD23081	Result	< MDL								
AD23082	Result	< MDL								
AD23083	Result	< MDL								
AD23084	Result	< MDL								
AD23085	Result	< MDL								
AD23123	Result	< MDL								
AD23124	Result	< MDL								
AD23125	Result	< MDL								

User: DIAZ, LUIS
 Westchester Dept. of Labs & Research
 Date: 09/28/2001 Time: 14:44:26

Result entry for 3 QA/QC batches
 Result entry template: Sample_Down
 Page: 1

User Info	Anl Code	TLF	D_TLF	P_TLF	R_TLF	RETLF	Q_TLF	LFTLF	L_TLF	B_TLF
AD23258	Result	< MDL	< MDL	< MDL	84.0	5.09	102	9.68	96.8	< MDL
AD23259	Result	< MDL								
AD23260	Result	< MDL								
AD23261	Result	< MDL								
AD23262	Result	< MDL								
AD23263	Result	< MDL								
AD23264	Result	< MDL			92.6	5.43	109			< MDL
AD23270	Result	< MDL								
AD23271	Result	< MDL								
AD23272	Result	< MDL								
AD23318	Result	< MDL								
AD23319	Result	< MDL								
AD23320	Result	< MDL								
AD23321	Result	< MDL								
AD23322	Result	< MDL								
AD23323	Result	< MDL								
AD23324	Result	< MDL	< MDL	< MDL	91.9	4.95	99.0			< MDL
AD23325	Result	< MDL								
AD23326	Result	< MDL								
AD23340	Result	< MDL								
AD23341	Result	< MDL								
AD23342	Result	< MDL								
AD23343	Result	< MDL								
AD23344	Result	< MDL								
AD23345	Result	< MDL								
AD23359	Result	< MDL								
AD23360	Result	< MDL								
AD23471	Result	< MDL								

User: DIAZ, LUIS

Westchester Dept. of Labs & Research

Date: 10/02/2001 Time: 09:46:31

Result entry for 3 QA/QC batches

Result entry template: Sample_Down

Page: 1

User Info	Anl Code	TLF	D_TLF	P_TLF	R_TLF	RETLP	Q_TLF	LFTLF	L_TLF	B_TLF
AD23472	Result	< MDL	< MDL	< MDL	81.4	6.20	104			< MDL
AD23473	Result	< MDL								
AD23497	Result	< MDL								
AD23498	Result	< MDL								
AD23499	Result	< MDL								
AD23500	Result	< MDL								
AD23501	Result	< MDL								
AD23502	Result	< MDL								
AD23503	Result	< MDL								
AD23605	Result	< MDL			88.0	4.83	96.6			< MDL
AD23606	Result	< MDL								
AD23607	Result	< MDL								
AD23650	Result	< MDL								
AD23651	Result	< MDL								
AD23652	Result	< MDL								
AD23653	Result	< MDL								
AD23654	Result	< MDL								
AD23655	Result	< MDL								
AD23656	Result	< MDL								
AD23697	Result	< MDL	< MDL	< MDL	80.6	5.11	102			< MDL
AD23698	Result	< MDL								
AD23699	Result	< MDL								
AD23717	Result	< MDL								
AD23718	Result	< MDL								
AD23719	Result	< MDL								
AD23720	Result	< MDL								
AD23721	Result	< MDL								
AD23722	Result	< MDL								