

Ten

User: DIAZ, LUIS
Westchester Dept. of Labs & Research
Date: 10/05/2001 Time: 09:56:34

Result entry for 3 QA/QC batches
Result entry template: Sample_Down
Page: 1

User Info	Anl Code	SNF	S_SNF	R_SNF	D_SNF	P_SNF	RESNF	Q_SNF	B_SNF
AD23797	Result	< MDL	97.7	97.7	< MDL	< MDL	99.4	99.4	< MDL
AD23798	Result	< MDL							
AD23799	Result	< MDL							
AD23833	Result	< MDL							
AD23834	Result	< MDL							
AD23835	Result	< MDL							
AD23997	Result	< MDL							
AD23998	Result	< MDL							
AD24046	Result	< MDL							
AD24047	Result	< MDL	100.2	100.2			103.9	104	< MDL
AD24048	Result	< MDL							
AD24049	Result	< MDL							
AD24050	Result	< MDL							
AD24051	Result	< MDL							
AD24052	Result	< MDL							
AD24133	Result	< MDL							
AD24134	Result	< MDL							
AD24135	Result	< MDL							
AD24214	Result	< MDL							
AD24215	Result	< MDL	100.7	100.7	< MDL	< MDL	101.9	102	< MDL
AD24216	Result	< MDL							
AD24217	Result	< MDL							
AD24218	Result	< MDL							
AD24219	Result	< MDL							
AD24220	Result	< MDL							
AD24236	Result	< MDL							
AD24237	Result	< MDL							
AD24238	Result	< MDL							

User: DIAZ, LUIS
 Westchester Dept. of Labs & Research
 Date: 10/03/2001 Time: 10:01:40

Result entry for 3 QA/QC batches
 Result entry template: Sample_Down
 Page: 1

User Info	Anl Code	SNF	S_SNF	R_SNF	D_SNF	P_SNF	RESNF	Q_SNF	B_SNF
AD23836	Result	< MDL	105.4	105.4	< MDL	< MDL	103.1	103	< MDL
AD23837	Result	< MDL							
AD23838	Result	< MDL							
AD23839	Result	< MDL							
AD23842	Result	< MDL							
AD23843	Result	< MDL							
AD23844	Result	< MDL							
AD23900	Result	< MDL							
AD23901	Result	< MDL							
AD23902	Result	< MDL	105.8	105.8			101.6	102	< MDL
AD23903	Result	< MDL							
AD23904	Result	< MDL							
AD23905	Result	< MDL							
AD23906	Result	< MDL							
AD23908	Result	< MDL							
AD23910	Result	< MDL							
AD23913	Result	< MDL							
AD23914	Result	< MDL							
AD23915	Result	< MDL							
AD23947	Result	< MDL	109.7	109.7	< MDL	< MDL	108.2	108	< MDL
AD23948	Result	< MDL							
AD23993	Result	< MDL							
AD23994	Result	< MDL							
AD23995	Result	< MDL							
AD23996	Result	< MDL							

User: DIAZ, LUIS

Westchester Dept. of Labs & Research

Date: 10/11/2001 Time: 09:55:56

Result entry for 3 QA/QC batches

Result entry template: Sample_Down

Page: 1

User Info	Anl Code	SNF	S_SNF	R_SNF	D_SNF	P_SNF	RESNF	Q_SNF	B_SNF
AD24287	Result	< MDL							
AD24288	Result	< MDL							
AD24289	Result	< MDL							
AD24429	Result	< MDL							
AD24430	Result	< MDL							
AD24431	Result	< MDL							
AD24472	Result	< MDL	102.5	102.5	< MDL	< MDL	98.2	98.2	< MDL
AD24473	Result	< MDL							
AD24474	Result	< MDL							
AD24475	Result	< MDL							
AD24476	Result	< MDL							
AD24477	Result	< MDL							
AD24478	Result	< MDL							
AD24479	Result	< MDL							
AD24480	Result	< MDL							
AD24481	Result	< MDL	103.4	103.4			104.5	104	< MDL
AD24482	Result	< MDL							
AD24483	Result	< MDL							
AD24484	Result	< MDL							
AD24485	Result	< MDL							
AD24486	Result	< MDL							
AD24487	Result	< MDL							
AD24488	Result	< MDL							
AD24489	Result	< MDL							
AD24490	Result	< MDL							
AD24491	Result	< MDL	106.1	106.1	< MDL	< MDL	104.0	104	< MDL
AD24492	Result	< MDL							
AD24493	Result	< MDL							