

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7095
Collected By: CURCIO
Comment:

Sample CATLEFF
ID of Source:
Collection 9/28/2001 AT 8:45:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27441

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	23	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	500	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	26	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7096

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 9/28/2001 AT 9:30:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27442

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5600	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	25	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	460	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	26	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/29/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7098

Collected By: SUTTON

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 9/28/2001 AT 9:37:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27443

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	59	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	7000	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	80	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler
Received EP
Bottle 7113
Collected By: WAGNER
Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF
ID of Source:
Collection 9/29/2001 AT 7:55:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.: Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27444

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5700	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	27	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 11/29/2001

emailed Original 11/29/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7114

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 9/29/2001 AT 8:20:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27445

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5700	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	480	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	25	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/29/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7127

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 9/29/2001 AT 1:00:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27446

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	12/6/2001	PAD
EPA94	Iron	62	ug/L	20.0	12/6/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	7100	ug/L	1000.0	12/6/2001	PAD
EPA94	Manganese	81	ug/L	20.0	12/6/2001	PAD
EPA94	Sodium	27000	ug/L	1000.0	12/6/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 12/7/2001

emailed

Original 12/7/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7130

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 9/30/2001 AT 8:10:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27447

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5800	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	20	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	470	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	25	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7131

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 9/30/2001 AT 8:45:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27448

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5800	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	460	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	24	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7144

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 9/30/2001 AT 1:50:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27449

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	59	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	6900	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	77	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

Attention: Steve Schindler

Received EP

Bottle 7171

Collected By: SCOTT

Comment:

ID of Source:

Collection 10/1/2001 AT 10:05:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27450

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5700	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	490	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	25	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7172

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/1/2001 AT 10:30:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27451

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5200	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	480	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	23	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3400	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7173

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/1/2001 AT 11:10:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27452

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	58	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	6700	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	67	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler
Received EP
Bottle 7207
Collected By: SCOTT
Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF
ID of Source:
Collection 10/2/2001 AT 7:55:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27453

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5100	ug/L	1000.0	11/29/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/29/2001	PAD
SM18	Potassium	490	ug/L	100.0	11/14/2001	PAD
EPA94	Magnesium	1000	ug/L	1000.0	11/29/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/29/2001	PAD
EPA94	Sodium	3400	ug/L	1000.0	11/29/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/29/2001

Environmental Laboratories

emailed

Original 11/29/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7208
Collected By: SCOTT
Comment:

Sample DEL18
ID of Source:
Collection 10/2/2001 AT 8:35:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27454

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	4900	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	33	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	590	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3300	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7213

Collected By: NEWMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/2/2001 AT 10:40:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27455

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	66	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7000	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	86	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7232

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/3/2001 AT 8:00:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27456

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	23	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	27	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7236

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/3/2001 AT 8:47:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27457

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	23	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7237

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/3/2001 AT 9:20:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27458

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	69	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6800	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	81	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 11/30/2001

emailed

Original 11/30/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7277

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/4/2001 AT 8:25:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27459

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	20	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	530	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	24	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7278
Collected By: SCOTT
Comment:

Sample DEL18
ID of Source:
Collection 10/4/2001 AT 8:20:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27460

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	21	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7279

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/4/2001 AT 9:00:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27461

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	73	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6900	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	80	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 11/30/2001

emailed

Original 11/30/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7295

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/5/2001 AT 9:18:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27462

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	540	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	24	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3400	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7296

Collected By: SCOTT

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/5/2001 AT 10:50:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27463

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1000	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	21	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3400	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler
Received EP
Bottle 7297
Collected By: SCOTT
Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH
ID of Source:
Collection 10/5/2001 AT 10:15:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27464

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	77	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6900	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	74	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7315

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/6/2001 AT 8:15:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27465

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5100	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	23	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	25	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7316

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/6/2001 AT 7:55:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27466

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5100	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	510	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	23	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7317

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/6/2001 AT 6:25:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27467

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	78	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6600	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	74	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7332
Collected By: NEUMAN
Comment:

Sample CATLEFF
ID of Source:
Collection 10/7/2001 AT 8:15:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27468

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5100	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	500	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7333

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/7/2001 AT 7:57:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27469

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5200	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	500	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7334
Collected By: NEUMAN
Comment:

Sample CROGH
ID of Source:
Collection 10/7/2001 AT 6:57:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27470

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	69	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6500	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	81	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7356
Collected By: NEUMAN
Comment:

Sample CROGH
ID of Source:
Collection 10/8/2001 AT 6:59:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27471

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	68	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6600	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	81	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7358

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/8/2001 AT 8:00:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27472

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5200	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	20	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1000	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	23	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3400	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7359

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/8/2001 AT 6:59:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27473

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	69	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6600	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	81	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7368

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/8/2001 AT 11:15:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27474

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	4900	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	23	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	510	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7373
Collected By: CURCIO
Comment:

Sample CATLEFF
ID of Source:
Collection 10/9/2001 AT 10:15:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27475

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	530	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	21	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 11/30/2001

emailed

Original 11/30/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7374

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/9/2001 AT 11:00:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27476

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	20	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7394

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/9/2001 AT 2:15:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27477

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	76	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6800	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	84	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7407

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/10/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27478

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7408

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/10/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27479

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	24	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3500	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7409

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/10/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27480

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	79	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6800	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	89	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7442

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/11/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27481

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	4900	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	510	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	< MDL	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3200	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7443

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/11/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27482

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	21	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	500	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1000	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3300	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7444

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/11/2001 AT 8:50:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27483

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	81	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6500	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	85	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	24000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7468
Collected By: CURCIO
Comment:

Sample CATLEFF
ID of Source:
Collection 10/12/2001 AT 8:30:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27484

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	< MDL	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	530	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7469
Collected By: CURCIO
Comment:

Sample DEL18
ID of Source:
Collection 10/12/2001 AT 9:00:00
Submitted 11/8/2001 AT 2:52:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27485

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	20	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	21	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3600	ug/L	1000.0	11/30/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7470

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/12/2001 AT

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27486

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	21000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	96	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6900	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	93	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7484

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/13/2001 AT 8:10:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27487

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5500	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	24	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 11/30/2001

emailed

Original 11/30/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7485

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/13/2001 AT 9:05:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27488

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	22	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	23	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7496

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WEST LAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/13/2001 AT 1:50:00

Submitted 11/8/2001 AT 2:52:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27489

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	22000	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	70	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	2300	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7300	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	83	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 11/30/2001

Environmental Laboratories

emailed

Original 11/30/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7498

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/14/2001 AT 8:50:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27493

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5600	ug/L	1000.0	11/30/2001	PAD
EPA94	Iron	24	ug/L	20.0	11/30/2001	PAD
SM18	Potassium	490	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	11/30/2001	PAD
EPA94	Manganese	22	ug/L	20.0	11/30/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	11/30/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Copy 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7506

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/14/2001 AT

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27494

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5600	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	29	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	550	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	26	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3800	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7511

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/14/2001 AT 1:40:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27495

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	23000	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	76	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7500	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	86	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7531

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/15/2001 AT

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27496

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5500	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	28	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	24	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7532
Collected By: NEUMAN
Comment:

Sample DEL18
ID of Source:
Collection 10/15/2001 AT
Submitted 11/8/2001 AT 3:15:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27497

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5600	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	24	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	510	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	20	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7533

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/15/2001 AT

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27498

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	22000	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	69	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7500	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	82	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7556

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/16/2001 AT

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27499

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5500	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	27	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	12/5/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7574

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/16/2001 AT 9:20:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27500

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	22000	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	70	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	2000	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7300	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	76	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 12/5/2001

emailed

Original 12/5/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7555

Collected By: CURCIO

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/16/2001 AT 9:45:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27501

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5700	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	31	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	530	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	23	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3800	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilisizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 12/5/2001

emailed

Original 12/5/2001

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler
Received EP
Bottle 7586
Collected By: NEUMAN
Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF
ID of Source:
Collection 10/17/2001 AT 9:20:00
Submitted 11/8/2001 AT 3:15:00
Sample Type: POT_DW
PWS No.:

Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27502

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5300	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	30	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	12/5/2001	PAD
EPA'79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7587

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/17/2001 AT

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27503

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5400	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	26	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	510	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1100	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	< MDL	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3700	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7588

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/17/2001 AT 8:30:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27504

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	20000	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	65	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	1900	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	6800	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	65	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	24000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Attention: Steve Schindler
Received EP
Bottle 7638
Collected By: WAGNER
Comment:

Sample CATLEFF
ID of Source:
Collection 10/18/2001 AT 8:20:00
Submitted 11/8/2001 AT 3:15:00
Sample Type: POT_DW
PWS No.:
Source Code: 000

Type Descriptor:
Sample chilled on arrival? : na

Report

Sample No. AD27505

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5800	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	38	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1300	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	25	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	4000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7639

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample DEL18

ID of Source:

Collection 10/18/2001 AT 8:50:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27506

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	5700	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	39	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	24	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	3900	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7640

Collected By: WAGNER

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/18/2001 AT 9:25:00

Submitted 11/8/2001 AT 3:15:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27507

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Calcium	23000	ug/L	1000.0	12/5/2001	PAD
EPA94	Iron	71	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	2100	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7700	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	81	ug/L	20.0	12/5/2001	PAD
EPA94	Sodium	26000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/5/2001

Environmental Laboratories

emailed

Original 12/5/2001

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7786

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/24/2001 AT 9:30:00

Submitted 11/8/2001 AT 3:18:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27508

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Beryllium	< MDL	ug/L	2	12/5/2001	PAD
EPA94	Calcium	5600	ug/L	1000.0	12/5/2001	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	12/5/2001	PAD
EPA94	Iron	34	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	520	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	1200	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	22	ug/L	20.0	12/5/2001	PAD
EPA94	Molybdenum	< MDL	ug/L	50.0	12/5/2001	PAD
EPA94	Sodium	4000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD
EPA94	Antimony	< MDL	ug/L	0.1	12/14/2001	PAD
SM18	Tin	< MDL	ug/L	100	11/14/2001	PAD
SM18	Titanium	< MDL	ug/L	100	11/13/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/17/2001

Environmental Laboratories

emailed

Original 12/17/2001

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CATLEFF

ID of Source:

Collection 10/24/2001 AT 9:30:00

Submitted 11/8/2001 AT 3:18:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27508

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Thallium	< MDL	ug/L	1.0	12/14/2001	PAD
EPA94	Vanadium	< MDL	ug/L	20.0	12/5/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/17/2001

Environmental Laboratories

emailed

Original 12/17/2001

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler
Received EP

Bottle 7788

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/24/2001 AT 8:39:00

Submitted 11/8/2001 AT 3:18:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27509

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
EPA94	Beryllium	< MDL	ug/L	2	12/5/2001	PAD
EPA94	Calcium	23000	ug/L	1000.0	12/5/2001	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	12/5/2001	PAD
EPA94	Iron	54	ug/L	20.0	12/5/2001	PAD
SM18	Potassium	2300	ug/L	100.0	11/19/2001	PAD
EPA94	Magnesium	7700	ug/L	1000.0	12/5/2001	PAD
EPA94	Manganese	56	ug/L	20.0	12/5/2001	PAD
EPA94	Molybdenum	< MDL	ug/L	50.0	12/5/2001	PAD
EPA94	Sodium	25000	ug/L	1000.0	12/5/2001	PAD
EPA79	Potable Metals Digestion	Completed			11/15/2001	PAD
EPA94	Antimony	< MDL	ug/L	0.1	12/14/2001	PAD
SM18	Tin	< MDL	ug/L	100	11/14/2001	PAD
SM18	Titanium	< MDL	ug/L	100	11/13/2001	PAD

Approved Pam Dilisizian

QA Officer

Date Approved: 12/17/2001

Environmental Laboratories

emailed

Original 12/17/2001

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: NYCDEP Bureau Water
465 Columbus Ave.
Valhalla, NY 10595

Attention: Steve Schindler

Received EP

Bottle 7788

Collected By: NEUMAN

Comment:

Sample NYC DEP KENSICO
19 WESTLAKE DRIVE
VALHALLA, N.Y.

Sample CROGH

ID of Source:

Collection 10/24/2001 AT 8:39:00

Submitted 11/8/2001 AT 3:18:00

Sample Type: POT_DW

PWS No.:

Source Code: 000

Type Descriptor:

Sample chilled on arrival? : na

Report

Sample No. AD27509

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Thallium	< MDL	ug/L	1.0	12/14/2001	PAD
EPA94	Vanadium	< MDL	ug/L	20.0	12/5/2001	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 12/17/2001

Environmental Laboratories

emailed

Original 12/17/2001

NYS ELAP # 10108

Page 2 of 2