

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1438,p2804,2803,q2657,2654

Collected By: BOLTON

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/5/2002 AT 9:10:00

Submitted 2/5/2002 AT 10:11:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02761

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.2	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	21.4	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	29	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1438,p2804,2803,q2657,2654

Collected By: BOLTON

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/5/2002 AT 9:10:00

Submitted 2/5/2002 AT 10:11:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02761

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1436,p1173,1179,q2624,2630,2

Collected By: BOLTON

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/5/2002 AT 8:45:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02783

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.3	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	20.2	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	31	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1436,p1173,1179,q2624,2630,2

Collected By: BOLTON

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/5/2002 AT 8:45:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02783

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1470,p2735,2737,q2549,2564

Collected By: SACKETT

Comment:

Sample 03912

Sample 14850

ID of Source:

Collection 2/4/2002 AT 12:38:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02784

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.2	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	6.8	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	18.4	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	31	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1470,p2735,2737,q2549,2564

Collected By: SACKETT

Comment:

Sample 03912

Sample 14850

ID of Source:

Collection 2/4/2002 AT 12:38:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02784

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1459,p2786,2792,q2603,2604

Collected By: MOHAN

Comment:

Sample 03920

Sample 24650

ID of Source:

Collection 2/4/2002 AT 12:03:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02785

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	12.9	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	7.1	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	18.9	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	29	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1459,p2786,2792,q2603,2604

Collected By: MOHAN

Comment:

Sample 03920

Sample 24650

ID of Source:

Collection 2/4/2002 AT 12:03:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02785

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1377,p2770,2783,q2611,2612

Collected By: SACKETT

Comment:

Sample 03926

Sample 32750

ID of Source:

Collection 2/4/2002 AT 10:06:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02786

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.4	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	18.6	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	3.6	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	29.4	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	3.2	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	40	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1377,p2770,2783,q2611,2612
Collected By: SACKETT
Comment:

Sample 03926

Sample 32750

ID of Source:
Collection 2/4/2002 AT 10:06:00
Submitted 2/5/2002 AT 11:09:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : yes

Report

Sample No. AE02786

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	3/11/2002	DLV
-------------------------	------	-----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.
 The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1380,p2771,2769,q2608,2610

Collected By: TSUI

Comment:

Sample 03938

Sample 41850

ID of Source:

Collection 2/4/2002 AT 9:23:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02787

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.1	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	5.3	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	18.4	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	25	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1380,p2771,2769,q2608,2610

Collected By: TSUI

Comment:

Sample 03938

Sample 41850

ID of Source:

Collection 2/4/2002 AT 9:23:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02787

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1391,p2772,2789,q2613,2614

Collected By: DESSOURCES

Comment:

Sample 03947

Sample 51950

ID of Source:

Collection 2/4/2002 AT 9:45:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02788

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/11/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Barium	13.7	ug/L	0.1	2/11/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Copper	6.6	ug/L	1.0	2/11/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Manganese	19.0	ug/L	1.0	2/11/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/11/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/11/2002	PAD
EPA94	Zinc	2.2	ug/L	2.0	2/11/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/26/2002	PAD
EPA94	Iron	32	ug/L	20.0	3/26/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/6/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1391,p2772,2789,q2613,2614

Collected By: DESSOURCES

Comment:

Sample 03947

Sample 51950

ID of Source:

Collection 2/4/2002 AT 9:45:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02788

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/26/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/21/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/11/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/26/2002

Environmental Laboratories

emailed

Original 3/26/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle p1051,q991

Collected By: LAB

Comment:

Sample FBD

Sample FBD

ID of Source:

Collection 2/4/2002 AT 12:00:00

Submitted 2/5/2002 AT 11:09:00

Sample Type: DI WATER

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE02789

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds		ug/L		3/11/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.
The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/13/2002

Environmental Laboratories

emailed

Original 3/13/2002

NYS ELAP # 10108

Page 1 of 1