

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C1612,Q2685,2676,P409,2194

Collected By: BOLTON

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/7/2002 AT 9:40:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03071

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	AMB
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Barium	12.9	ug/L	0.1	2/13/2002	AMB
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Copper	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Manganese	19.9	ug/L	1.0	2/13/2002	AMB
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Zinc	< MDL	ug/L	2.0	2/13/2002	AMB
ICP-MS ALL ANALYTES RECOVERED!						
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA94	Cobalt	< MDL	ug/L	20.0	3/15/2002	AMB
EPA94	Iron	36	ug/L	20.0	3/15/2002	AMB
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	AMB

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1612,Q2685,2676,P409,2194

Collected By: BOLTON

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/7/2002 AT 9:40:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03071

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA'79	Potable Metals Digestion	Completed			2/7/2002	AMB
SM18	Tin	< MDL	ug/L	100	2/25/2002	AMB

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/12/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1452,Q2668,691,P1292,1782

Collected By: BOLTON

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/7/2002 AT 9:15:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03072

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	AMB
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Barium	13.1	ug/L	0.1	2/13/2002	AMB
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Copper	1.4	ug/L	1.0	2/13/2002	AMB
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Manganese	17.8	ug/L	1.0	2/13/2002	AMB
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Zinc	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA94	Cobalt	< MDL	ug/L	20.0	3/15/2002	AMB
EPA94	Iron	30	ug/L	20.0	3/15/2002	AMB
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	AMB

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1452,Q2668,691,P1292,1782

Collected By: BOLTON

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/7/2002 AT 9:15:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03072

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA'79	Potable Metals Digestion	Completed			2/7/2002	AMB
SM18	Tin	< MDL	ug/L	100	2/25/2002	AMB

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/12/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1434,Q2031,2387,P1973,1297

Collected By: SACKETT

Comment:

Sample 04152

Sample 17550

ID of Source:

Collection 2/6/2002 AT 11:27:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03073

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Barium	13.2	ug/L	0.1	2/13/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Copper	6.4	ug/L	1.0	2/13/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Manganese	21.7	ug/L	1.0	2/13/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Zinc	3.7	ug/L	2.0	2/13/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/21/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/21/2002	PAD
EPA94	Iron	34	ug/L	20.0	3/21/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/21/2002

Environmental Laboratories

emailed

Original 3/21/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
 Received LK
 Bottle C1434,Q2031,2387,P1973,1297
 Collected By: SACKETT
 Comment:

Sample 04152

 Sample 17550
 ID of Source:
 Collection 2/6/2002 AT 11:27:00
 Submitted 2/7/2002 AT 10:30:00
 Sample Type: POT_DW
 PWS No.: Source Code:

 Type Descriptor:
 Sample chilled on arrival? : YES

Report

Sample No.		AE03073				
Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/21/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/25/2002	PAD
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		3/12/2002	DLV
The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.						

Approved Pam Dilsizian	QA Officer	Date Approved: 3/21/2002
Environmental Laboratories		emailed Original 3/21/2002
NYS ELAP # 10108		Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1451,Q2384,1298,P1300,1781

Collected By: AHMAD

Comment:

Sample 04157

Sample 22750

ID of Source:

Collection 2/6/2002 AT 11:36:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03074

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	AMB
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Barium	11.6	ug/L	0.1	2/13/2002	AMB
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Copper	6.8	ug/L	1.0	2/13/2002	AMB
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Manganese	19.2	ug/L	1.0	2/13/2002	AMB
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	AMB
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	AMB
EPA94	Zinc	7.3	ug/L	2.0	2/13/2002	AMB
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA94	Cobalt	< MDL	ug/L	20.0	3/15/2002	AMB
EPA94	Iron	34	ug/L	20.0	3/15/2002	AMB
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	AMB

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1451,Q2384,1298,P1300,1781

Collected By: AHMAD

Comment:

Sample 04157

Sample 22750

ID of Source:

Collection 2/6/2002 AT 11:36:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03074

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/15/2002	AMB
EPA'79	Potable Metals Digestion	Completed			2/7/2002	AMB
SM18	Tin	< MDL	ug/L	100	2/25/2002	AMB

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/12/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1447,Q851,766,P1294,1255

Collected By: SPERANZA

Comment:

Sample 04162

Sample 32950

ID of Source:

Collection 2/6/2002 AT 9:44:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03075

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Barium	21.5	ug/L	0.1	2/13/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Copper	8.2	ug/L	1.0	2/13/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Manganese	58.2	ug/L	1.0	2/13/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Selenium	1.2	ug/L	1.0	2/13/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Zinc	5.2	ug/L	2.0	2/13/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/15/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/15/2002	PAD
EPA94	Iron	71	ug/L	20.0	3/15/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C1447,Q851,766,P1294,1255
Collected By: SPERANZA
Comment:

Sample 04162

Sample 32950
ID of Source:
Collection 2/6/2002 AT 9:44:00
Submitted 2/7/2002 AT 10:30:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03075

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/15/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/25/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	.	ug/L	3/22/2002	DLV
-------------------------	---	------	-----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the LCS Standard compounds were high. New control limits will be calculated.

Approved Pam Dilsizian QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed Original 3/25/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1433,Q2032,552,P2748,2806

Collected By: PATEL

Comment:

Sample 04177

Sample 43650

ID of Source:

Collection 2/6/2002 AT 8:40:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03076

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Barium	12.7	ug/L	0.1	2/13/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Copper	6.1	ug/L	1.0	2/13/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Manganese	20.0	ug/L	1.0	2/13/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Zinc	4.5	ug/L	2.0	2/13/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/21/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/21/2002	PAD
EPA94	Iron	34	ug/L	20.0	3/21/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1433,Q2032,552,P2748,2806

Collected By: PATEL

Comment:

Sample 04177

Sample 43650

ID of Source:

Collection 2/6/2002 AT 8:40:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03076

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/21/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/25/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/22/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the LCS Standard compounds were high. New control limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1448,Q678,2391,P2793,2813

Collected By: DESSOURCES

Comment:

Sample 04182

Sample 50850

ID of Source:

Collection 2/6/2002 AT 10:06:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03077

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	2/13/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Barium	12.4	ug/L	0.1	2/13/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Copper	5.4	ug/L	1.0	2/13/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Manganese	16.5	ug/L	1.0	2/13/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	2/13/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	2/13/2002	PAD
EPA94	Zinc	2.7	ug/L	2.0	2/13/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/15/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/15/2002	PAD
EPA94	Iron	28	ug/L	20.0	3/15/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/8/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C1448,Q678,2391,P2793,2813

Collected By: DESSOURCES

Comment:

Sample 04182

Sample 50850

ID of Source:

Collection 2/6/2002 AT 10:06:00

Submitted 2/7/2002 AT 10:30:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03077

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/15/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/7/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/25/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/22/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the LCS Standard compounds were high. New control limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
 Received LK
 Bottle Q1085, P1049
 Collected By: LAB
 Comment:

Sample FBD

Sample FBD

ID of Source:
 Collection 2/7/2002 AT 12:00:00
 Submitted 2/7/2002 AT 10:33:00
 Sample Type: POT_DW
 PWS No.:

Source Code:

Type Descriptor:
 Sample chilled on arrival? : YES

Report

Sample No. AE03078

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		3/22/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the LCS Standard compounds were high. New control limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 1 of 1

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle p2699,q990
Collected By: LAB
Comment:

Sample FBD

Sample FBD

ID of Source:
Collection 2/8/2002 AT 12:00:00
Submitted 2/8/2002 AT 10:26:00
Sample Type: DI WATER
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : yes

Report

Sample No. AE03178

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
GCMS Scan For Unknowns						
	Other unknown compounds	.	ug/L		3/22/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the LCS Standard compounds were high. New control limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/25/2002

Environmental Laboratories

emailed

Original 3/25/2002

NYS ELAP # 10108

Page 1 of 1