

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1574,p1498,1530,q1386,1272,1

Collected By: PATEL/AP

Comment: bottle q1356 broken in transit.

Sample 3

Sample 3

ID of Source:

Collection 2/14/2002 AT 10:00:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03611

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.1	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	1.1	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/27/2002	PAD
EPA94	Iron	33	ug/L	20.0	3/27/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/20/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1574,p1498,1530,q1386,1272,1

Collected By: PATEL/AP

Comment: bottle q1356 broken in transit.

Sample 3

Sample 3

ID of Source:

Collection 2/14/2002 AT 10:00:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03611

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/20/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/26/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/28/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1575,p1496,1311,q1352,1394

Collected By: PATEL/AP

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/14/2002 AT 9:25:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03612

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.9	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	15.1	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/27/2002	PAD
EPA94	Iron	33	ug/L	20.0	3/27/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/20/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1575,p1496,1311,q1352,1394

Collected By: PATEL/AP

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/14/2002 AT 9:25:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03612

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA79	Potable Metals Digestion	Completed			2/20/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/26/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/28/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1494,p2666,2670,q2507,2506

Collected By: AHMAD

Comment:

Sample 04920

Sample 17250

ID of Source:

Collection 02/13/02 AT 9:29:00

Submitted 02/14/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE03613

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	03/14/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Barium	13.6	ug/L	0.1	03/14/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Copper	7.5	ug/L	1.0	03/14/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Manganese	25.5	ug/L	1.0	03/14/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Selenium	1.1	ug/L	1.0	03/14/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Zinc	4.5	ug/L	2.0	03/14/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	03/27/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	03/27/02	PAD
EPA94	Iron	45	ug/L	20.0	03/27/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	02/20/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1494,p2666,2670,q2507,2506
Collected By: AHMAD
Comment:

Sample 04920

Sample 17250

ID of Source:
Collection 02/13/02 AT 9:29:00
Submitted 02/14/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE03613

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	03/27/02	PAD
EPA'79	Potable Metals Digestion	Completed			02/20/02	PAD
SM18	Tin	< MDL	ug/L	100	02/26/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	04/10/02	DLV
-------------------------	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 14 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1509,p2665,2662,q2494,2495

Collected By: BOLTON

Comment:

Sample 04931

Sample 28050

ID of Source:

Collection 2/13/2002 AT 8:32:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03614

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	23.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.2	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	5.0	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	20.3	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	1.1	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	15.4	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/27/2002	PAD
EPA94	Iron	30	ug/L	20.0	3/27/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/20/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1509,p2665,2662,q2494,2495

Collected By: BOLTON

Comment:

Sample 04931

Sample 28050

ID of Source:

Collection 2/13/2002 AT 8:32:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03614

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/20/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/26/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/28/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1495,p2671,2667,q2504,2493

Collected By: SACKETT

Comment:

Sample 04939

Sample 39650

ID of Source:

Collection 2/13/2002 AT 9:20:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03615

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	15.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	5.0	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	31.8	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	2.4	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/27/2002	PAD
EPA94	Iron	46	ug/L	20.0	3/27/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/20/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1495,p2671,2667,q2504,2493

Collected By: SACKETT

Comment:

Sample 04939

Sample 39650

ID of Source:

Collection 2/13/2002 AT 9:20:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03615

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/20/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/26/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/28/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1594,p356,1613,q688,57

Collected By: BROWN

Comment:

Sample 04945

Sample 42150

ID of Source:

Collection 2/13/2002 AT 8:49:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03616

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.6	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	6.0	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.6	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
ICP-MS This sample was spiked and all analytes recovered!						
EPA94200.	Aluminum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	3/27/2002	PAD
EPA94	Iron	43	ug/L	20.0	3/27/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/20/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1594,p356,1613,q688,57

Collected By: BROWN

Comment:

Sample 04945

Sample 42150

ID of Source:

Collection 2/13/2002 AT 8:49:00

Submitted 2/14/2002 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE03616

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	3/27/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/20/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/26/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/28/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed

Original 3/29/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 04952

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1562,p821,1160,q2214,2756

Collected By: VASSILEV

Comment:

Sample 51250

ID of Source:

Collection 02/13/02 AT 11:04:00

Submitted 02/14/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE03617

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	03/14/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Barium	13.8	ug/L	0.1	03/14/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Copper	6.7	ug/L	1.0	03/14/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Manganese	17.3	ug/L	1.0	03/14/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	03/14/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	03/14/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	03/14/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	29	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	02/20/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1562,p821,1160,q2214,2756

Collected By: VASSILEV

Comment:

Sample 04952

Sample 51250

ID of Source:

Collection 02/13/02 AT 11:04:00

Submitted 02/14/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE03617

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD
EPA'79	Potable Metals Digestion	Completed			02/20/02	PAD
SM18	Tin	< MDL	ug/L	100	02/26/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

03/28/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 6 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle p1349,q1088
Collected By: LAB
Comment:

Sample FBD

Sample FBD

ID of Source:
Collection 2/14/2002 AT 12:00:00
Submitted 2/14/2002 AT 11:01:00
Sample Type: DI WATER
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : yes

Report

Sample No. AE03618

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		3/29/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were outside of their acceptance limits. New limits will be calculated.

Approved Pam Dilsizian QA Officer

Date Approved: 3/29/2002

Environmental Laboratories

emailed Original 3/29/2002

NYS ELAP # 10108

Page 1 of 1