

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 4566

Collected By: JB

Comment:

Sample FB

Sample FB

ID of Source:

Collection 2/9/2002 AT 12:00:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03954

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	< MDL	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4566
Collected By: JB
Comment:

Sample FB

Sample FB

ID of Source:

Collection 2/9/2002 AT 12:00:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03954

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4566
Collected By: JB
Comment:

Sample FB

Sample FB
ID of Source:
Collection 2/9/2002 AT 12:00:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03954

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4559
Collected By: JB
Comment:

Sample 33

Sample 33
ID of Source:
Collection 2/9/2002 AT 10:25:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03955

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	6.9	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	20	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4559
Collected By: JB
Comment:

Sample 33

Sample 33

ID of Source:
Collection 2/9/2002 AT 10:25:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03955

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4559
Collected By: JB
Comment:

Sample 33

Sample 33

ID of Source:
Collection 2/9/2002 AT 10:25:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03955

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.07ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4558
Collected By: JB
Comment:

Sample 32

Sample 32
ID of Source:
Collection 2/9/2002 AT 10:05:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03956

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	13	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	36	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4558
Collected By: JB
Comment:

Sample 32

Sample 32
ID of Source:
Collection 2/9/2002 AT 10:05:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03956

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4558
Collected By: JB
Comment:

Sample 32

Sample 32
ID of Source:
Collection 2/9/2002 AT 10:05:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03956

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

The abundances of the internal standards in this sample were 50% lower than the abundances of the internal standards in the CCV. Therefore the reported concentration of the analytes present in this sample is probably higher than the actual concentration.

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.12ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4564
Collected By: JB
Comment:

Sample 3

Sample 3

ID of Source:
Collection 2/9/2002 AT 9:09:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival?: YES

Report

Sample No. AE03957

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	4.9	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	23	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4564
Collected By: JB
Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/9/2002 AT 9:09:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03957

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4564
Collected By: JB
Comment:

Sample 3

Sample 3
ID of Source:
Collection 2/9/2002 AT 9:09:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03957

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.05ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4565
Collected By: JB
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/9/2002 AT 8:31:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03958

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	3.0	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	13	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4565
Collected By: JB
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/9/2002 AT 8:31:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03958

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4565
Collected By: JB
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/9/2002 AT 8:31:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03958

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.02ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4637
Collected By: JB
Comment:

Sample 33

Sample 33
ID of Source:
Collection 2/10/2002 AT 10:50:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03959

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	7.3	ug/L	0.5	2/20/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/20/2002	SV
524.2	*THM-Chloroform	22	ug/L	0.5	2/20/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/20/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4637
Collected By: JB
Comment:

Sample 33

Sample 33
ID of Source:
Collection 2/10/2002 AT 10:50:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03959

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/20/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/20/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 4637

Collected By: JB

Comment:

Sample 33

Sample 33

ID of Source:

Collection 2/10/2002 AT 10:50:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03959

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/20/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/20/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/20/2002	SV

The recovery of dichlorodifluoromethane in the QC sample was 62%.

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.08ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4636
Collected By: JB
Comment:

Sample 32

Sample 32
ID of Source:
Collection 2/10/2002 AT 10:30:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03960

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	8.2	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	24	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4636
Collected By: JB
Comment:

Sample 32

Sample 32

ID of Source:
Collection 2/10/2002 AT 10:30:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03960

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4636
Collected By: JB
Comment:

Sample 32

Sample 32
ID of Source:
Collection 2/10/2002 AT 10:30:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03960

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.07ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4643
Collected By: JB
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/10/2002 AT 8:22:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03961

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	2.3	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	9.1	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 4643

Collected By: JB

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/10/2002 AT 8:22:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03961

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4643
Collected By: JB
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/10/2002 AT 8:22:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03961

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4642
Collected By: JB
Comment:

Sample 3

Sample 3
ID of Source:
Collection 2/10/2002 AT 8:57:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03963

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	5.2	ug/L	0.5	2/19/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/19/2002	SV
524.2	*THM-Chloroform	26	ug/L	0.5	2/19/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/19/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4642
Collected By: JB
Comment:

Sample 3

Sample 3

ID of Source:
Collection 2/10/2002 AT 8:57:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03963

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/19/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/19/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4642
Collected By: JB
Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/10/2002 AT 8:57:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03963

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/19/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/19/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/19/2002	SV

Dichloroacetonitrile was found as a 524.2 TIC in this sample. The estimated concentration is 0.05ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4644
Collected By: JB
Comment:

Sample FB

Sample FB
ID of Source:
Collection 2/10/2002 AT 12:00:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03964

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	2/20/2002	SV
524.2	*THM-Chloroform	< MDL	ug/L	0.5	2/20/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	2/20/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 4644
Collected By: JB
Comment:

Sample FB

Sample FB
ID of Source:
Collection 2/10/2002 AT 12:00:00
Submitted 2/19/2002 AT 11:45:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE03964

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	2/20/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	2/20/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 4644

Collected By: JB

Comment:

Sample FB

Sample FB

ID of Source:

Collection 2/10/2002 AT 12:00:00

Submitted 2/19/2002 AT 11:45:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE03964

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	2/20/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	2/20/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	2/20/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	2/20/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/5/2002

Environmental Laboratories

emailed

Original 3/5/2002

NYS ELAP # 10108

Page 3 of 3