

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1544,p,q
Collected By: BROWN
Comment:

Sample 3**Sample 3****ID of Source:****Collection** 2/21/2002 AT 10:25:00**Submitted** 2/21/2002 AT 11:40:00**Sample Type:** POT_DW**PWS No.:****Source Code:****Type Descriptor:****Sample chilled on arrival? :** yes**Report****Sample No. AE04241**

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	14.4	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	39	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002**Environmental Laboratories**

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1544,p,q

Collected By: BROWN

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/21/2002 AT 10:25:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04241

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/14/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1531,p,q
Collected By: BROWN
Comment:

Sample 58

Sample 58
ID of Source:
Collection 2/21/2002 AT 9:40:00
Submitted 2/21/2002 AT 11:40:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04242

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.9	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.1	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
ICP-MS, all analytes recovered!						
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	39	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1531,p,q

Collected By: BROWN

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/21/2002 AT 9:40:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04242

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/14/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1523,p,q
Collected By: VASSILEV
Comment:

Sample 05674

Sample 14650

ID of Source:

Collection 2/20/2002 AT 8:52:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04243

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	0.12	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	18.5	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	6.1	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	30.4	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	50	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
 Received EP
 Bottle c1523,p,q
 Collected By: VASSILEV
 Comment:

Sample 05674

Sample 14650
 ID of Source:
 Collection 2/20/2002 AT 8:52:00
 Submitted 2/21/2002 AT 11:40:00
 Sample Type: POT_DW
 PWS No.: Source Code:

Type Descriptor:
 Sample chilled on arrival? : yes

Report

Sample No. AE04243

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	.	ug/L	3/14/2002	DLV
-------------------------	---	------	-----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1599,p,q
Collected By: GERTSIK
Comment:

Sample 05680

Sample 20150

ID of Source:

Collection 2/20/2002 AT 12:04:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04244

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	14.7	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	5.8	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	21.2	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	48	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c1599,p,q

Collected By: GERTSIK

Comment:

Sample 05680

Sample 20150

ID of Source:

Collection 2/20/2002 AT 12:04:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04244

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

3/14/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recovery for 1 of the 43 compounds in the LCS Standard was below its acceptance range.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1522,p,q
Collected By: BOLTON
Comment:

Sample 05688

Sample 30050
ID of Source:
Collection 2/20/2002 AT 9:00:00
Submitted 2/21/2002 AT 11:40:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : yes

Report

Sample No. AE04245

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	15.9	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	6.1	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	27.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	43	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	44	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1522,p,q

Collected By: BOLTON

Comment:

Sample 05688

Sample 30050

ID of Source:

Collection 2/20/2002 AT 9:00:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04245

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/1/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.
The recoveries for 10 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c1537,p,q

Collected By: AHMAD

Comment:

Sample 05702

Sample 45650

ID of Source:

Collection 2/20/2002 AT 9:05:00

Submitted 2/21/2002 AT 11:40:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : yes

Report

Sample No. AE04246

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	20.1	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	11.2	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	18.6	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	2.9	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	28	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1537,p,q
Collected By: AHMAD
Comment:

Sample 05702

Sample 45650
ID of Source:
Collection 2/20/2002 AT 9:05:00
Submitted 2/21/2002 AT 11:40:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : yes

Report**Sample No. AE04246**

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/27/2002	PAD

OrganicsGCMS Scan For Unknowns

Other unknown compounds	.	ug/L	4/1/2002	DLV
-------------------------	---	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.
 The recoveries for 10 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002**Environmental Laboratories**

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c1542,p,q
Collected By: PATEL
Comment:

Sample 05709

Sample 58850
ID of Source:
Collection 2/20/2002 AT 8:58:00
Submitted 2/21/2002 AT 11:40:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : yes

Report

Sample No. AE04247

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	14.3	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	8.4	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	1.4	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	23.2	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/2/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/2/2002	PAD
EPA94	Iron	38	ug/L	20.0	4/2/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	2/26/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
 Received EP
 Bottle p,q
 Collected By: LAB
 Comment:

Sample FBD

Sample FBD

ID of Source:
 Collection 2/21/2002 AT 12:00:00
 Submitted 2/21/2002 AT 11:42:00
 Sample Type: DI WATER
 PWS No.:

Source Code:

Type Descriptor:
 Sample chilled on arrival? : yes

Report

Sample No. AE04248

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		4/1/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.
 The recoveries for 10 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian QA Officer

Date Approved: 4/1/2002

Environmental Laboratories

emailed Original 4/2/2002

NYS ELAP # 10108