

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C0804, Q2902,2916,P2744,2731

Collected By: BROWN

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/26/2002 AT 10:00:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04588

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	20.7	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	41	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C0804, Q2902,2916,P2744,2731

Collected By: BROWN

Comment:

Sample 3

Sample 3

ID of Source:

Collection 2/26/2002 AT 10:00:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04588

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/4/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 4 of the 43 compounds in the LCS Standard were low.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C0355,Q2791,2895,1293,2897,2

Collected By: BROWN

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/26/2002 AT 9:35:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04589

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	20.1	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	38	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C0355,Q2791,2895,1293,2897,2

Collected By: BROWN

Comment:

Sample 58

Sample 58

ID of Source:

Collection 2/26/2002 AT 9:35:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04589

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/4/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 4 of the 43 compounds in the LCS Standard were low.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C1538,Q2854,2857,P1665,1703

Collected By: HOYT

Comment:

Sample 06205

Sample 13850

ID of Source:

Collection 2/25/2002 AT 11:42:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04590

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	27.7	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.9	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	9.7	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	57.2	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	1.4	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	66	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C1538,Q2854,2857,P1665,1703

Collected By: HOYT

Comment:

Sample 06205

Sample 13850

ID of Source:

Collection 2/25/2002 AT 11:42:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04590

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/2/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9707,Q2888,45,P1561,1347

Collected By: NAKHLA

Comment:

Sample 06219

Sample 27850

ID of Source:

Collection 2/25/2002 AT 10:13:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04591

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.9	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.1	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	8.1	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	22.9	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	54	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C9707,Q2888,45,P1561,1347

Collected By: NAKHLA

Comment:

Sample 06219

Sample 27850

ID of Source:

Collection 2/25/2002 AT 10:13:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04591

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/2/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9784,Q2850,2849,P2173,1550

Collected By: NAKHLA

Comment:

Sample 06221

Sample 30150

ID of Source:

Collection 2/25/2002 AT 11:21:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04592

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	20.7	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.4	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	33.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	9.2	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	50	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C9784,Q2850,2849,P2173,1550

Collected By: NAKHLA

Comment:

Sample 06221

Sample 30150

ID of Source:

Collection 2/25/2002 AT 11:21:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04592

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/2/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 06238

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9967,Q2885,2886,P1549,675

Collected By: SACKETT

Comment:

Sample 51150

ID of Source:

Collection 2/25/2002 AT 12:07:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04593

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	13.8	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	1.1	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	17.9	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	22.5	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	43	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C9967,Q2885,2886,P1549,675

Collected By: SACKETT

Comment:

Sample 06238

Sample 51150

ID of Source:

Collection 2/25/2002 AT 12:07:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04593

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

4/2/2002

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 06245

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C0133,Q2843,2844,P1654,1580

Collected By: BOLTON

Comment:

Sample 78550

ID of Source:

Collection 2/25/2002 AT 11:21:00

Submitted 2/26/2002 AT 11:06:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE04594

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	3/14/2002	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Barium	23.7	ug/L	0.1	3/14/2002	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Chromium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Copper	8.7	ug/L	1.0	3/14/2002	PAD
EPA94	Lead	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Manganese	10.0	ug/L	1.0	3/14/2002	PAD
EPA94	Nickel	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Selenium	1.5	ug/L	1.0	3/14/2002	PAD
EPA94	Silver	< MDL	ug/L	2.0	3/14/2002	PAD
EPA94	Thallium	< MDL	ug/L	1.0	3/14/2002	PAD
EPA94	Zinc	2.2	ug/L	2.0	3/14/2002	PAD
ICP-MS, all analytes recovered!						
EPA94200.	Aluminum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	4/5/2002	PAD
EPA94	Iron	22	ug/L	20.0	4/5/2002	PAD
EPA79	Mercury	< MDL	ug/L	0.40	3/1/2002	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed

Original 4/5/2002

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C0133,Q2843,2844,P1654,1580
Collected By: BOLTON
Comment:

Sample 06245

Sample 78550
ID of Source:
Collection 2/25/2002 AT 11:21:00
Submitted 2/26/2002 AT 11:06:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE04594

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	4/5/2002	PAD
EPA'79	Potable Metals Digestion	Completed			2/27/2002	PAD
SM18	Tin	< MDL	ug/L	100	2/28/2002	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	.	ug/L	4/2/2002	DLV
-------------------------	---	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian QA Officer

Date Approved: 4/5/2002

Environmental Laboratories

emailed Original 4/5/2002

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle Q1293, P1619
Collected By: LAB
Comment:

Sample FBD

Sample FBD

ID of Source:
Collection 2/26/2002 AT 12:00:00
Submitted 2/26/2002 AT 11:09:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE04595

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		4/2/2002	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 5 of the 43 compounds in the LCS Standard were high.

Approved Pam Dilsizian

QA Officer

Date Approved: 4/2/2002

Environmental Laboratories

emailed

Original 4/2/2002

NYS ELAP # 10108

Page 1 of 1