

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06519

Collected By: DEP/BWS

Comment:

Sample 06519

Sample 59350

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05163

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	3.2	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	14	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06519

Collected By: DEP/BWS

Comment:

Sample 06519

Sample 59350

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05163

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 06519
Collected By: DEP/BWS
Comment:

Sample 06519

Sample 59350

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05163

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.05 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06485

Collected By: DEP/BWS

Comment:

Sample 06485

Sample 22850

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05164

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	5.2	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	20	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06485

Collected By: DEP/BWS

Comment:

Sample 06485

Sample 22850

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05164

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 06485

Collected By: DEP/BWS

Comment:

Sample 06485

Sample 22850

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05164

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.05 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06503

Collected By: DEP/BWS

Comment:

Sample 06503

Sample 38650

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05165

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	5.0	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	25	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06503

Collected By: DEP/BWS

Comment:

Sample 06503

Sample 38650

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05165

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 06503

Collected By: DEP/BWS

Comment:

Sample 06503

Sample 38650

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05165

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.05 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06522

Collected By: DEP/BWS

Comment:

Sample 06522

Sample 77250

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05166

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	3.3	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	14	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06522

Collected By: DEP/BWS

Comment:

Sample 06522

Sample 77250

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05166

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 06522
Collected By: DEP/BWS
Comment:

Sample 06522

Sample 77250
ID of Source:
Collection 2/27/2002 AT 12:00:00
Submitted 3/4/2002 AT 11:39:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE05166

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.03 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 06549
Collected By: DEP/BWS
Comment:

Sample 06549

Sample 58
ID of Source:
Collection 2/27/2002 AT 12:00:00
Submitted 3/4/2002 AT 11:39:00
Sample Type: POT_DW
PWS No.: **Source Code:**

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE05167

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>Volatile Organic Compounds</u>						
524.2	*THM-Bromodichloromethane	3.2	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	15	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 06549
Collected By: DEP/BWS
Comment:

Sample 06549

Sample 58

ID of Source:
Collection 2/27/2002 AT 12:00:00
Submitted 3/4/2002 AT 11:39:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05167

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	0.32-below	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06549

Collected By: DEP/BWS

Comment:

Sample 06549

Sample 58

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05167

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.02 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 06548

Collected By: DEP/BWS

Comment:

Sample 06548

Sample 3

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05168

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	4.8	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	25	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received KM
Bottle 06548
Collected By: DEP/BWS
Comment:

Sample 06548

Sample 3

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05168

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley
Received KM
Bottle 06548
Collected By: DEP/BWS
Comment:

Sample 06548

Sample 3

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05168

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.03 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06552

Collected By: DEP/BWS

Comment:

Sample 06552

Sample FB

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05169

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/7/2002	SV
524.2	*THM-Chloroform	< MDL	ug/L	0.5	3/7/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/7/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06552

Collected By: DEP/BWS

Comment:

Sample 06552

Sample FB

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05169

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/7/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/7/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 06552

Collected By: DEP/BWS

Comment:

Sample 06552

Sample FB

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05169

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/7/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Toluene	0.4-below MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/7/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/7/2002	SV

1,1-dichloro-1-fluoroethane is present as a 524.2 TIC. The estimated concentration is 0.61ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06475

Collected By: DEP/BWS

Comment:

Sample 06475

Sample 12250

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05170

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	2.1	ug/L	0.5	3/8/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/8/2002	SV
524.2	*THM-Chloroform	7.5	ug/L	0.5	3/8/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/8/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06475

Collected By: DEP/BWS

Comment:

Sample 06475

Sample 12250

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05170

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/8/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/8/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06475

Collected By: DEP/BWS

Comment:

Sample 06475

Sample 12250

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05170

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/8/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/8/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/8/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.02 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received KM

Bottle 06523

Collected By: DEP/BWS

Comment:

Sample 06523

Sample 32

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05171

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
Volatile Organic Compounds						
524.2	*THM-Bromodichloromethane	6.9	ug/L	0.5	3/8/2002	SV
524.2	*THM-Bromoform	< MDL	ug/L	2.0	3/8/2002	SV
524.2	*THM-Chloroform	19	ug/L	0.5	3/8/2002	SV
524.2	*THM-Dibromochloromethane	< MDL	ug/L	2.0	3/8/2002	SV
524.2	1,1,1,2-tetrachloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,1- trichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,2,2-tetrachloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1,2-trichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-dichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-Dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,1-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,3-trichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,3-trichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,4-trichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2,4-trimethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,2-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,3,5-trimethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,3-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 1 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received KM

Bottle 06523

Collected By: DEP/BWS

Comment:

Sample 06523

Sample 32

ID of Source:

Collection 2/27/2002 AT 12:00:00

Submitted 3/4/2002 AT 11:39:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample chilled on arrival? : YES

Report

Sample No. AE05171

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	1,3-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	1,4-dichlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	2,2-dichloropropane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	2-butanone (MEK)	< MDL	ug/L	2.0	3/8/2002	SV
524.2	2-chlorotoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	4-chlorotoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Benzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromochloromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Bromomethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Carbon tetrachloride	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chlorobenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chloroethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Chloromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	cis-1,2-dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	cis-1,3-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Dibromomethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Dichlorodifluoromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Ethylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Hexachlorobutadiene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Isopropylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Methyl iso-butyl ketone (MIBK)	< MDL	ug/L	1.0	3/8/2002	SV

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 2 of 3

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley
Received KM
Bottle 06523
Collected By: DEP/BWS
Comment:

Sample 06523

Sample 32
ID of Source:
Collection 2/27/2002 AT 12:00:00
Submitted 3/4/2002 AT 11:39:00
Sample Type: POT_DW
PWS No.:

Source Code:

Type Descriptor:
Sample chilled on arrival? : YES

Report

Sample No. AE05171

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
524.2	Methyl tert-butyl ether (MTBE)	< MDL	ug/L	1.0	3/8/2002	SV
524.2	Methylene Chloride	< MDL	ug/L	0.5	3/8/2002	SV
524.2	N-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	N-propylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Naphthalene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	O-xylene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	P & M-xylene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	P-isopropyltoluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	SEC-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Styrene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	TERT-butylbenzene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Tetrachloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Toluene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	trans-1,2-dichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	trans-1,3-dichloropropene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Trichloroethene	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Trichlorofluoromethane	< MDL	ug/L	0.5	3/8/2002	SV
524.2	Vinyl chloride	< MDL	ug/L	0.5	3/8/2002	SV

Dichloroacetonitrile is present in this sample as a 524.2 TIC. The estimated concentration is 0.05 ug/L.

Approved Pam Dilsizian

QA Officer

Date Approved: 3/15/2002

Environmental Laboratories

emailed

Original 3/15/2002

NYS ELAP # 10108

Page 3 of 3