

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 3

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c9852,p3229,3228,q1978,1956

Collected By: GERTSIK

Comment:

Sample

ID of Source:

Collection 03/06/02 AT 9:44:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05512

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	14.1	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	3.1	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	21.1	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	35	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c9852,p3229,3228,q1978,1956
Collected By: GERTSIK
Comment:

Sample 3

Sample
ID of Source:
Collection 03/06/02 AT 9:44:00
Submitted 03/06/02 AT 10:48:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No.		AE05512					
Method	Test Description	Results	Units	MDL	Analyzed on	Validator	
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD	
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD	
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD	

Organics

GCMS Scan For Unknowns							
	Other unknown compounds	.	ug/L		03/29/02	DLV	

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the compounds in the LCS Standard were high. New limits will be calculated.

Approved Pam Dilsizian		QA Officer	Date Approved: 04/10/02	
Environmental Laboratories			emailed	Copy 04/10/02
NYS ELAP # 10108			Page 2 of 2	

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c9993,p1180,1174,q2236,3014,3

Collected By: GERTSIK

Comment:

Sample 58

Sample 3

ID of Source:

Collection 03/06/02 AT 9:09:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05513

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	14.5	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	1.1	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	18.2	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	33	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c9993,p1180,1174,q2236,3014,3

Collected By: GERTSIK

Comment:

Sample 58

Sample 3

ID of Source:

Collection 03/06/02 AT 9:09:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05513

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

03/29/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the compounds in the LCS Standard were high. New limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c2,p3243,3244,q3028,3029

Collected By: BOLTON

Comment:

Sample 07125

Sample 58

ID of Source:

Collection 03/06/02 AT 8:42:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05514

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	19.1	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	8.6	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	23.5	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	2.6	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	41	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c2,p3243,3244,q3028,3029
Collected By: BOLTON
Comment:

Sample 07125

Sample 58
ID of Source:
Collection 03/06/02 AT 8:42:00
Submitted 03/06/02 AT 10:48:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05514

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	03/29/02	DLV
-------------------------	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for the compounds in the LCS Standard were high. New limits will be calculated.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 07130

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c136,p3247,3248,q80,3030

Collected By: VASSILEV

Comment:

Sample 21950

ID of Source:

Collection 03/05/02 AT 12:00:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05515

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	13.6	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	12.7	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	19.8	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	38	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle c136,p3247,3248,q80,3030
Collected By: VASSILEV
Comment:

Sample 07130

Sample 21950
ID of Source:
Collection 03/05/02 AT 12:00:00
Submitted 03/06/02 AT 10:48:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05515

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	.	ug/L	04/09/02	DLV
-------------------------	---	------	----------	-----

The GCMS scan, from 35 to 550 amu, reveals the presence of many halogenated compounds from 7.5 minutes to 16.5 minutes, at low levels, and with poor fits.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c58,p3246,3245,q3047,3045

Collected By: SACKETT

Comment:

Sample 07138

Sample 31850

ID of Source:

Collection 03/05/02 AT 9:56:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05516

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	18.5	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	9.3	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	66.0	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/10/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/10/02	PAD
EPA94	Iron	98	ug/L	20.0	04/10/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c58,p3246,3245,q3047,3045

Collected By: SACKETT

Comment:

Sample 07138

Sample 31850

ID of Source:

Collection 03/05/02 AT 9:56:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05516

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/10/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

04/09/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/10/02

Environmental Laboratories

emailed

Copy 04/10/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 07153

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c991,p3239,3240,q3042,3043

Collected By: DESSOURCES

Comment:

Sample 43250

ID of Source:

Collection 03/05/02 AT 10:23:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05517

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	14.2	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	9.3	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	20.4	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	2.2	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	42	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/11/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Sample 07153

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c991,p3239,3240,q3042,3043

Collected By: DESSOURCES

Comment:

Sample 43250

ID of Source:

Collection 03/05/02 AT 10:23:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05517

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

04/10/02

DLV

The GCMS scan, from 35 to 550 amu, reveals the presence of Diethyltoluamide. Its level is too low to estimate or obtain a fit.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/11/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received EP

Bottle c976,p3238,1280,q3046,3049

Collected By: SPERANZA

Comment:

Sample 07159

Sample 52450

ID of Source:

Collection 03/05/02 AT 10:14:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05518

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	13.5	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	7.5	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	20.2	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	36	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/08/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/11/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received EP

Bottle c976,p3238,1280,q3046,3049

Collected By: SPERANZA

Comment:

Report

Sample 07159

Sample 52450

ID of Source:

Collection 03/05/02 AT 10:14:00

Submitted 03/06/02 AT 10:48:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample No. AE05518

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/13/02	PAD
SM18	Tin	< MDL	ug/L	100	03/07/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

04/10/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/11/02

Environmental Laboratories

emailed

Copy 04/16/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received EP
Bottle p2356,q1944
Collected By: LAB
Comment:

Sample FBD

Sample FBD
ID of Source:
Collection 03/06/02 AT 9:42:00
Submitted 03/06/02 AT 10:49:00
Sample Type: DI WATER
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05519

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
<u>GCMS Scan For Unknowns</u>						
	Other unknown compounds	.	ug/L		04/09/02	DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian **QA Officer**

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 04/09/02

emailed Copy 04/10/02