

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C817,Q3079,3077,P2813,414

Collected By: GERTSIK

Comment:

Sample 3

Sample 3

ID of Source:

Collection 03/08/02 AT 10:02:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05845

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	13.9	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	1.0	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	17.3	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	36	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/29/02

Environmental Laboratories

emailed

Copy 04/29/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C817,Q3079,3077,P2813,414

Collected By: GERTSIK

Comment:

Report

Sample 3

Sample 3

ID of Source:

Collection 03/08/02 AT 10:02:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample No. AE05845

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

. ug/L

04/26/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/29/02

Environmental Laboratories

emailed

Copy 04/29/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9675,Q3085,303,3083,3092,30

Collected By: GERTSIK

Comment:

Report

Sample 58

Sample 58

ID of Source:

Collection 03/08/02 AT 9:24:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample No. AE05846

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
<u>Inorganics</u>						
<u>ICPMS Metals for NEWQ</u>						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	13.8	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	1.0	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	17.7	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	32	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/23/02

Environmental Laboratories

emailed

Copy 04/25/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9675,Q3085,303,3083,3092,30

Collected By: GERTSIK

Comment:

Report

Sample 58

Sample 58

ID of Source:

Collection 03/08/02 AT 9:24:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Sample No. AE05846

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

04/23/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 04/23/02

emailed

Copy 04/25/02

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C9734,Q3061,2955,P3255,3256
Collected By: BROWN
Comment:

Sample 07363

Sample 11050
ID of Source:
Collection 03/07/02 AT 10:06:00
Submitted 03/08/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05847

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	14.4	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	5.9	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	19.6	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	38	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C9734,Q3061,2955,P3255,3256
Collected By: BROWN
Comment:

Sample 07363

Sample 11050
ID of Source:
Collection 03/07/02 AT 10:06:00
Submitted 03/08/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05847

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	.	ug/L	04/17/02	DLV
-------------------------	---	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 3 of the 43 compounds in the LCS Standard were outside of their acceptance ranges.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C1639,Q3033,3063,P3261,3260
Collected By: VASSILEV
Comment:

Sample 07377

Sample 28450
ID of Source:
Collection 03/07/02 AT 10:16:00
Submitted 03/08/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05848

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	16.2	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	7.4	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	22.6	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	45	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C1639,Q3033,3063,P3261,3260
Collected By: VASSILEV
Comment:

Sample 07377

Sample 28450
ID of Source:
Collection 03/07/02 AT 10:16:00
Submitted 03/08/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05848

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	04/17/02	DLV
-------------------------	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 3 of the 43 compounds in the LCS Standard were outside of their acceptance ranges.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory

96-05 Horace Harding Ex.

Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9909,Q3062,2107,P129,3259

Collected By: SACKETT

Comment:

Sample 07381

Sample 32550

ID of Source:

Collection 03/07/02 AT 9:48:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05849

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	17.3	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	7.2	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	33.3	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	2.2	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/11/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/11/02	PAD
EPA94	Iron	47	ug/L	20.0	04/11/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle C9909,Q3062,2107,P129,3259
Collected By: SACKETT
Comment:

Sample 07381

Sample 32550
ID of Source:
Collection 03/07/02 AT 9:48:00
Submitted 03/08/02 AT 11:00:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05849

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/11/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	04/17/02	DLV
-------------------------	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 3 of the 43 compounds in the LCS Standard were outside of their acceptance ranges.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C842,Q1995,1991,P1381,1689

Collected By: AHMAD

Comment:

Sample 07390

Sample 41150

ID of Source:

Collection 03/07/02 AT 8:21:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05850

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/04/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Barium	13.2	ug/L	0.1	04/04/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Copper	15.9	ug/L	1.0	04/04/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Manganese	17.0	ug/L	1.0	04/04/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/04/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/04/02	PAD
EPA94	Zinc	3.7	ug/L	2.0	04/04/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/12/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/12/02	PAD
EPA94	Iron	38	ug/L	20.0	04/12/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C842,Q1995,1991,P1381,1689

Collected By: AHMAD

Comment:

Sample 07390

Sample 41150

ID of Source:

Collection 03/07/02 AT 8:21:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05850

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/12/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds

ug/L

04/17/02

DLV

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 3 of the 43 compounds in the LCS Standard were outside of their acceptance ranges.

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368
Dr. Ian Hurley

Received LK

Bottle C9764,Q1487,58,P3211,3212

Collected By: SPERANZA

Comment:

Sample 07396

Sample 50650

ID of Source:

Collection 03/07/02 AT 10:54:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05851

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Inorganics						
ICPMS Metals for NEWQ						
EPA94	Antimony	< MDL	ug/L	0.1	04/05/02	PAD
EPA94	Arsenic	< MDL	ug/L	2.0	04/05/02	PAD
EPA94	Barium	14.1	ug/L	0.1	04/05/02	PAD
EPA94	Beryllium	< MDL	ug/L	2.0	04/05/02	PAD
EPA94	Chromium	< MDL	ug/L	1.0	04/05/02	PAD
EPA94	Copper	6.3	ug/L	1.0	04/05/02	PAD
EPA94	Lead	< MDL	ug/L	1.0	04/05/02	PAD
EPA94	Manganese	15.3	ug/L	1.0	04/05/02	PAD
EPA94	Nickel	< MDL	ug/L	1.0	04/05/02	PAD
EPA94	Selenium	< MDL	ug/L	1.0	04/05/02	PAD
EPA94	Silver	< MDL	ug/L	2.0	04/05/02	PAD
EPA94	Thallium	< MDL	ug/L	1.0	04/05/02	PAD
EPA94	Zinc	< MDL	ug/L	2.0	04/05/02	PAD
EPA94200.	Aluminum	< MDL	ug/L	50.0	04/12/02	PAD
EPA94	Cobalt	< MDL	ug/L	20.0	04/12/02	PAD
EPA94	Iron	52	ug/L	20.0	04/12/02	PAD
EPA79	Mercury	< MDL	ug/L	0.40	03/13/02	PAD

Approved Pam Dilsizian

QA Officer

Date Approved: 04/17/02

Environmental Laboratories

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 1 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC

Distribution Laboratory
96-05 Horace Harding Ex.
Corona N.Y. 11368

Dr. Ian Hurley

Received LK

Bottle C9764,Q1487,58,P3211,3212

Collected By: SPERANZA

Comment:

Sample 07396

Sample 50650

ID of Source:

Collection 03/07/02 AT 10:54:00

Submitted 03/08/02 AT 11:00:00

Sample Type: POT_DW

PWS No.:

Source Code:

Type Descriptor:

Report

Sample No. AE05851

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
EPA94	Molybdenum	< MDL	ug/L	50.0	04/12/02	PAD
EPA'79	Potable Metals Digestion	Completed			03/18/02	PAD
SM18	Tin	< MDL	ug/L	100	03/18/02	PAD

Organics

GCMS Scan For Unknowns

Other unknown compounds	ug/L	04/17/02	DLV
-------------------------	------	----------	-----

The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds. The recoveries for 3 of the 43 compounds in the LCS Standard were outside of their acceptance ranges.

Approved Pam Dilsizian

QA Officer

Environmental Laboratories

Date Approved: 04/17/02

emailed

Copy 04/18/02

NYS ELAP # 10108

Page 2 of 2

REPORT OF ANALYSIS

Westchester County Department of Labs and Research 2 Dana Road Valhalla, New York

Agency: New York City DEP DWQC
 Distribution Laboratory
 96-05 Horace Harding Ex.
 Corona N.Y. 11368
 Dr. Ian Hurley
Received LK
Bottle Q3094, P429
Collected By: LAB
Comment:

Sample FBD

Sample FBD
ID of Source:
Collection 03/08/02 AT 12:00:00
Submitted 03/08/02 AT 11:01:00
Sample Type: POT_DW
PWS No.:
Source Code:
Type Descriptor:

Report

Sample No. AE05852

Method	Test Description	Results	Units	MDL	Analyzed on	Validator
Organics						
GCMS Scan For Unknowns						
	Other unknown compounds	.	ug/L		04/23/02	DLV
The GCMS scan, from 35 to 550 amu, does not reveal the presence of unusual compounds.						

Approved Pam Dilsizian **QA Officer**

Environmental Laboratories

NYS ELAP # 10108

Date Approved: 04/23/02

emailed Copy 04/25/02

Page 1 of 1