




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY


CLIENT: Warren & Paszer Engineers, P.C.
LABORATORY ID #: T02-09-040
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm^2): 0.013771

PROJECT: NYC DEP, 44 John Street
DATE OF REPORT: 09/13/02
DATE OF ANALYSIS: 09/13/02
EFFECTIVE FILTER AREA (mm^2): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANAL YZED	AREA ANALY ZED (mm^2)	ANALYT. SENSITIV. (struct./ cm^3)	TOTAL ASBESTOS AIR CONC. (struct./ cm^3)	TOTAL ASBESTOS FILTER CONC. (str./ mm^2)	AIR CONC. FOR STRUCT. 0.55< μm	AIR CONC. FOR STRUCT. $\geq 5.0\mu\text{m}$	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
01	T02-09-040-2269	Personal decon	1680	4	0.0551	0.0042	<0.0042	<18.15	NA	NA	NA	NA
02	T02-09-040-2270	West side	1560	4	0.0551	0.0042	<0.0042	<18.15	NA	NA	NA	NA
03	T02-09-040-2271	East side 1	1560	4	0.0551	0.0042	<0.0042	<18.15	NA	NA	NA	NA
04	T02-09-040-2272	East side 2	1560	4	0.0551	0.0042	<0.0042	<18.15	NA	NA	NA	NA
05	T02-09-040-2273	East side 3	1560	4	0.0551	0.0042	<0.0042	<18.15	NA	NA	NA	NA


ANALYST
E. Sioukri


LABORATORY DIRECTOR
Spiro Duganis

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10255

- Athenica Environmental Services Inc. (AES), is responsible only for information pertained to samples taken by its employees.
- Sampling results are to be reported only (only days). AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

09/14/2002 00:40 FAX 718 784 4085

002

