



ATHENICA
ENVIRONMENTAL SERVICES INC.
Tel (718) 784-7490
Fax (718) 784-4085

CLIENT: NYC DEP
LABORATORY ID #: T03-04-007
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.012820

PROJECT: 59 Maiden Lane & 66 John Street
DATE OF REPORT: 04/07/03
DATE OF ANALYSIS: 04/05/03
EFFECTIVE FILTER AREA (mm²): 385

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

LABORATORY RESULTS

CLIENT#	LAB. ID #	LOCATION	VOLUME (ft ³)	CUTS ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIVITY (fug./cm ³)	TOTAL ASBESTOS AIR CONC. (fug./cm ³)	TOTAL ASBESTOS FILTER CONC. (fug./cm ³)	AIR CONC. FOR STRUCT. 0.5-5.0 μm	AIR CONC. FOR STRUCT. 5-5.0 μm	ASBEST. TYPE CHRS.	ASBEST. TYPE SPECIFY
	T03-04-007-656	9 th floor ladies room (outside of)	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
307/019	T03-04-007-657	Next to DOJ imaging room	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
307/020	T03-04-007-658	Next to Central file room	1462.50	5	0.0641	0.0041	<0.0041	<15.60	NA	NA	NA	NA
307/021	T03-04-007-659	At the center in front of cubicle #28	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA

ANALYST
E. Siobhán

LABORATORY DIRECTOR
Spino Douglas

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.