



ATHENICA

ENVIRONMENTAL SERVICES INC.

Tel (718) 784-7490

Fax (718) 784-4085

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: NYC DEP

LABORATORY ID #: T03-04-007

ANALYT. METHODOLOGY: AHERA

FILTER TYPE: M.C.E.

AVERAGE G.O. AREA (mm²): 0.012820

PROJECT: 59 Maiden Lane & 66 John Street.

DATE OF REPORT: 04/07/03

DATE OF ANALYSIS: 04/05/03

EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAD. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ²)	TOTAL ASBESTOS AIR CONC. (struct./cm ³)	TOTAL ASBESTOS FILTER CONC. (ftr./mm ²)	AIR CONC. FOR STRUCT. 0.5 ≤ S ≤ 5 μm	AIR CONC. FOR STRUCT. S ≥ 5.0 μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
302/014	T03-04-007-651	North side/John St. side - Nassau	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
302/015	T03-04-007-652	North side/John St. side	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
302/016	T03-04-007-653	North side/John St. side-William	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
Lab3/017	T03-04-007-654	9 th floor DOF/central file (outside of)	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA
Lab3/018	T03-04-007-655	9 th floor file 681 (outside of)	1500	4	0.0513	0.0050	<0.0050	<19.50	NA	NA	NA	NA

ANALYST
E. Sioukri

LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, BLAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

P.03/03

BANHM LABORATORY UNIT

APR-08-2003 11:24

TOTAL P.03