




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Pauzer Engineers, P. C.
LABORATORY ID #: T02-08-079
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.012422

PROJECT: NYC DEP, 15 John Street
DATE OF REPORT: 08/16/02
DATE OF ANALYSIS: 08/16/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (ft)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ²)	TOTAL ASBESTOS AIR CONC. (struct./cm ²)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5<S<5µm	AIR CONC. FOR STRUCT. 8<S<15µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
01	T02-08-079-1592	East of roof	1440	5	0.0621	0.0043	<0.0043	<16.10	NA	NA	NA	NA
02	T02-08-079-1593	North of roof top exit down	1440	5	0.0621	0.0043	<0.0043	<16.10	NA	NA	NA	NA
03	T02-08-079-1594	North of roof top upper tier	1440	5	0.0621	0.0043	<0.0043	<16.10	NA	NA	NA	NA
04	T02-08-079-1595	West of roof top	1440	5	0.0621	0.0043	<0.0043	<16.10	NA	NA	NA	NA
05	T02-08-079-1596	South of roof top doorway	1740	4	0.0497	0.0045	<0.0045	<20.13	NA	NA	NA	NA


ANALYST
E. Sioukri


LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES Inc.) is responsible only for information pertaining to samples analyzed by AES Inc.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Text reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

08/16/2002 17:53 FAX 718 784 4085

007