NYC-WTC_000095906

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-01 / DB4072	11TH FLOOR - SOUTHEAST QUADRANT WINDOW SILL	CELLULOSE	30.0%
		FIBER GLASS	10.0%
		QUARTZ	20.0%
		CALCITE	10.0%
		CEMENT DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095907

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-02 / DB4073	11TH FLOOR - CENTER SECTION TOP OF FILE SHELF	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095908

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-03 DB4074	11TH FLOOR -SOUTHWEST QUADRANT OF CONCRETE FLOOR	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095909

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-04 DB4075	11TH FLOOR - SOUTHWEST QUADRANT FROM WINDOW SILL	CELLULOSE	40.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095910

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-05 / DB4076	11TH FLOOR - NEW QUADRANT CONCRETE FLOOR	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095911

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-06 DB4077	11TH FLOOR - NORTHWEST QUADRANT WINDOW SILL	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095912

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-07 / DB4078	11TH FLOOR - MIDDLE OF NORTH WALL WINDOW SILL	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095913

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-08 / DB4079	11TH FLOOR - NORTH OF CENTER AREA FROM CONCRETE FLOOR	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		METAL PARTS	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095914

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-09 / DB4080	11TH FLOOR - WEST MER FROM CONCRETE FLOOR	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095915

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-10 / DB4081	11TH FLOOR - EAST MER FROM CONCRETE FLOOR	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095916

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-11 / DB4082	10TH FLOOR - SOUTHWEST QUADRANT WINDOW SILL	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095917

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-12 / DB4083	10TH FLOOR - SOUTHWEST QUADRANT DESK TOP ADJACENT TO PARTITIONS	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095918

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-13 / DB4084	10TH FLOOR - SOUTHEAST QUADRANT WINDOW SILL	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095919

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-14 / DB4085	10TH FLOOR - SOUTHEAST QUADRANT TRACK IN CONCRETE FLOOR	FIBER GLASS	10.0%
		SILICA	30.0%
		QUARTZ	10.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095920

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-15 / DB4086	10TH FLOOR - NEW QUADRANT WINDOW SILL	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095921

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-16 / DB4087	10TH FLOOR - NW QUADRANT WINDOW SILL	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		SILICA	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095922

NYC 9/11 Public Portal Document

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-17 / DB4088	10TH FLOOR - SHELF OF DESK ADJACENT TO MEN'S ROOM	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC-WTC_000095923

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211542
CLIENT: JACK RESNICK & SONS
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 11/8/01
DATE RECEIVED: 11/9/01
DATE ANALYZED: 11/13/01

FIELD ID / LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211542-18 / DB4089	10TH FLOOR - WEST MER FROM CONCRETE	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc.
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

NYC 9/11 Public Portal Document