

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-01 DB2959	ELEVATOR MACHINE ROOM-A/C UNIT 25	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	7.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		POLLEN	3.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-02 DB2960	ELEVATOR MACHINE ROOM-A/C UNIT 25A	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-03 DB2961	14TH FLOOR: EAST A/C	CELLULOSE	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		ECAYED ORGANIC MATTE	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-04 DB2962	14TH FLOOR: NW CORNER ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	40.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID			SAMPLE	PERCENT OF
LABORATORY ID	DESCRIPTION		CONSTITUENTS	SAMPLE **
10-20-211358-05			CELLULOSE	30.0%
DB2963	14TH FLOOR: NE CORNER, ABOVE CEILING		FIBER GLASS	20.0%
			CEMENT DUST	10.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-06 DB2964	14TH FLOOR: PASSENGER LOBBY, ABOVE CEILING	CELLULOSE	25.0%
		FIBER GLASS	15.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	25.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-07 DB2965	14TH FLOOR: FREIGHT LOBBY, ABOVE CEILING	CELLULOSE	30.0%
		COTTON	10.0%
		SYNTHETIC FIBER	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-08 DB2966	12TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-09 DB2967	12TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		CEMENT DUST	7.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		ECAYED ORGANIC MATTE	3.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-10 DB2968	11TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-11 DB2969	11TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	12.0%
		FIBER GLASS	10.0%
		CEMENT DUST	25.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	25.0%
		POLLEN	3.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-12 DB2970	10TH FLOOR: SE CORNER, ABOVE CEILING	CELLULOSE	40.0%
		COTTON	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID	LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-13	DB2971	10TH FLOOR: NE CORNER, ABOVE CEILING	CELLULOSE	10.0%
			FIBER GLASS	20.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			ECAYED ORGANIC MATTE	50.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID			SAMPLE	PERCENT OF
LABORATORY ID	DESCRIPTION		CONSTITUENTS	SAMPLE **
10-20-211358-14			CELLULOSE	10.0%
DB2972	10TH FLOOR: SW CORNER, ABOVE CEILING		FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	10.0%
			ECAYED ORGANIC MATTE	40.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-15 DB2973	NW corner, ABOVE CEILING 10TH FLOOR: EAST A/C, ABOVE CEILING	FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES ECAYED ORGANIC MATTE TOTAL	30.0% 10.0% 10.0% 10.0% 40.0% 100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-16 DB2974	10TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	5.0%
		FIBER GLASS	5.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-17 DB2975	10TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		POLLEN	TRACE
		FUNGAL SPORES	TRACE
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-18 DB2976	9TH FLOOR: SW CORNER, ABOVE CEILING	CELLULOSE	30.0%
		COTTON	5.0%
		WOOL	5.0%
		SYNTHETIC FIBER	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID		SAMPLE	PERCENT OF
LABORATORY ID	DESCRIPTION	CONSTITUENTS	SAMPLE **
10-20-211358-19		CELLULOSE	30.0%
DB2977	9TH FLOOR: NW CORNER, ABOVE CEILING	FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-20 DB2978	9TH FLOOR: NE CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-21	9TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	20.0%
DB2979		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID			SAMPLE	PERCENT OF
LABORATORY ID	DESCRIPTION		CONSTITUENTS	SAMPLE **
10-20-211358-22			CELLULOSE	10.0%
DB2980	9TH FLOOR: WEST A/C, SUPPLY ACCESS		FIBER GLASS	10.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	50.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-23	8TH FLOOR: EAST A/C, SUPPLY ACCESS	FIBER GLASS	20.0%
DB2981		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID		SAMPLE	PERCENT OF
LABORATORY ID	DESCRIPTION	CONSTITUENTS	SAMPLE **
10-20-211358-24		CELLULOSE	10.0%
DB2982	8TH FLOOR: WEST A/C, SUPPLY ACCESS	FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-25 DB2983	7TH FLOOR: SW CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-26 DB2984	7TH FLOOR: SE CORNER, ABOVE CEILING	FIBER GLASS	30.0%
		CEMENT DUST	40.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-27 DB2985	7TH FLOOR: NW CORNER, ABOVE CEILING	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-28 DB2986	7TH FLOOR: NE CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-29 DB2987	7TH FLOOR: EAST A/C, SUPPLY ACCESS	FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-30 DB2988	7TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		POLLEN	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/21/01

FIELD ID	DESCRIPTION	SAMPLE	PERCENT OF
LABORATORY ID		CONSTITUENTS	SAMPLE **
10-20-211358-31		CELLULOSE	10.0%
DB2989	6TH FLOOR: EAST A/C, SUPPLY ACCESS	FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-32 DB2990	6TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-33 DB2991	5TH FLOOR: SW CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-34 DB2992	5TH FLOOR: SE CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-35 DB2993	5TH FLOOR: NW CORNER, ABOVE CEILING	CELLULOSE	30.0%
		CEMENT DUST	20.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-36 DB2994	5TH FLOOR: NE CORNER, ABOVE CEILING	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-37 DB2995	5TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	15.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-38 DB2996	5TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-39 DB2997	4TH FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-40 DB2998	4TH FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-41 DB2999	3RD FLOOR: SW CORNER, ABOVE CEILING	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID	DESCRIPTION	SAMPLE	PERCENT OF
LABORATORY ID		CONSTITUENTS	SAMPLE **
10-20-211358-42 DB3000	3RD FLOOR: SE CORNER, ABOVE CEILING	CELLULOSE	20.0%
		CEMENT DUST	20.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-43 DB3001	3RD FLOOR: NW CORNER, ABOVE CEILING	CELLULOSE	20.0%
		FIBER GLASS	25.0%
		ANIMAL HAIR	5.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-44 DB3002	3RD FLOOR: NE CORNER, ABOVE CEILING	CELLULOSE	30.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		ECAYED ORGANIC MATTE	8.0%
		STARCH	2.0%
		POLLEN	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-45 DB3003	3RD FLOOR: EAST A/C, SUPPLY ACCESS	FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-46 DB3004	3RD FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-47 DB3005	2ND FLOOR: EAST A/C, SUPPLY ACCESS	CELLULOSE	40.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-48 DB3006	2ND FLOOR: WEST A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	5.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		RUST	5.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-49 DB3007	2ND FLOOR: SW CORNER, ABOVE CEILING	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID		DESCRIPTION	SAMPLE	PERCENT OF
LABORATORY ID			CONSTITUENTS	SAMPLE **
10-20-211358-50			CELLULOSE	20.0%
DB3008		BUILDING MANAGER OFFICE, SUPPLY ACCESS	FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	30.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-51 DB3009	LOBBY: RECEPTION A/C, SUPPLY ACCESS	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-52		CELLULOSE	10.0%
DB3010	GUARD ROOM A/C, SUPPLY ACCESS	FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	50.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358
CLIENT: J. RESNICK & SONS, INC.
LOCATION: 75 PARK PLACE
TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01
DATE RECEIVED: 10/20/01
DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-53 DB3011	LOBBY: NORTH SIDE OF FLOOR, HEAT DIFFUSER	CELLULOSE	30.0%
		FIBER GLASS	10.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211358

CLIENT: J. RESNICK & SONS, INC.

LOCATION: 75 PARK PLACE

TECHNICIAN: PETER SCHORK

DATE COLLECTED: 10/20/01

DATE RECEIVED: 10/20/01

DATE ANALYZED: 10/20/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
10-20-211358-54 DB3012	ENGINEERS SHOP, FROM TOP OF LIGHT	CELLULOSE	50.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.