

FIBER CONTROL, INC.

3010 BURNS AVENUE
WANTAGH, NY 11793
(516) 781-3000
FAX (516) 781-3085

INVOICE**09/25/02****F1168**

Date:

Inv. No.: **1**

Due Date:

Page No.:

**BILL TO: New York City Dept of
Environmental Protection
Asbestos Control Program
59-17 Junction Blvd
Flushing, NY 11373-5108
Att: Alphonso Plumptre
Deputy Lab Director Supervising I.H.**

JOB SITE: job sites listed below

REFERENCE	TERMS	YOUR #	OUR #	SALES REP
TEL: 718-595-3671	Upon Completion	CONTRACT ROF-REM1	F1168	PG

DESCRIPTION	UNIT MEASURE	QUANTITY	UNIT PRICE	EXTENDED PRICE
REFERENCE			ITEM DISCOUNT	

Exterior Cleanup

<u>Address</u>	<u>Asphalt Roof</u>	<u>Unit Price</u>	<u>façade</u>	<u>Unit Price</u>	<u>Gravel Roof</u>	<u>Unit Price</u>	<u>Total</u>
22 Warren Street	roof 2500 sq ft @ 1.48		2250 sq ft @ 2.50				3,700.00 5,625.00
12-16 Vesey Street	façade		3375 sq ft @ 2.50				8,437.50
	gravel roof				3450 sq ft @ 2.98		10,281.00
	3rd setback 552 sq ft @ 1.48						816.96
	back setback 544 sq ft @ 1.48						805.12
	2nd fl setback 510 sq ft @ 1.48						754.80
	1st fl setback 200 sq ft @ 1.48						296.00
56-58 Warren Street	roof 4500 sq ft @ 1.48		3275 sq ft @ 2.50				6,660.00 8,187.50
116 Chambers Street	façade		1875 sq ft @ 2.50				4,687.50
5-7 Dey Street	1st fl (awnings)		780 sq ft @ 2.50				1,950.00
57 Murray Street	façade		1260 sq ft @ 2.50				3,150.00
	roof 1680 sq ft @ 1.48						2,486.40
59 Murray Street	façade		780 sq ft @ 2.50				1,950.00
	roof 2160 sq ft @ 1.48						3,196.80
							<u>62,984.58</u>

WWW.ACTIONHAZMAT.COM

SUB TOTAL
TAX
TOTAL

\$ 62,984.58
0.00
\$ 62,984.58

NET TO PAY

E167WTC



NYC DEPARTMENT OF ENVIRONMENTAL PROTECTION
Asbestos Control Program
55-17 Junction Boulevard, 8th Floor, Corona, NY 11368-5107

15314NO2
Building Dept. or TRU No.
FOR OFFICIAL USE ONLY

ONLY
TYPEWRITTEN
FORMS WILL BE
ACCEPTED
MERGENCY

**ASBESTOS PROJECT NOTIFICATION
(ASBESTOS INSPECTION REPORT)**

1. NYCDEP
(See fee schedule)

When submitting this form at the NYC Department of Buildings, the original form and three (3) copies with original signatures are required. Submittal at the NYCDEP requires one copy of the form with original signatures. This form must be submitted to the NYC DEP not less than one week in advance of the start of abatement activities.

I. FACILITY

2. Address 59 Murray Street Borough N.Y. Zip 10007
AKA _____ 3. Block _____ 4. Lot _____
5. Type of Facility _____ 6. Name of Building _____

II. BUILDING OWNER

7. Name Murray Warren Associates LLC 8. Contact Person ALAN PALESTINE
9. Tel. # (212) 758-0850 Fax # (212) 758-0852
10. Address 375 Park Avenue City N.Y. State N.Y. Zip 10152

III. GENERAL CONTRACTOR

11. Name _____ Tel. # _____

IV. ASBESTOS ABATEMENT CONTRACTOR

12. Name FIBER CONTROL 13. Contact Person Tony Costa
14. Federal Employer ID. # PII 15. Tel. # 516-781-3000 Fax # 516-781-3085
16. Address 3010 BURNS AVE City WANTASH State NY Zip 11793

V. THIRD PARTY AIR MONITOR

17. Name WARREN & PANZER ENGINEERS, PC 18. Contact Person MICHAEL NOLAN
19. Federal Employer ID. # _____ 20. Tel. # 212-922-0077 Fax # 212-922-0630
21. Address 228 EAST 45TH STREET City NEW YORK State NY Zip 10017
22. Sample Analysis Laboratory SCIENTIFIC LABORATORIES, LLC 23. NYS DOH ELAP # 11480

VI. PROJECT INFORMATION

24. Starting date for this portion of work 9/27/02 Projected completion date 10/27/02

Asbestos work schedule ☐ Monday ☐ Tuesday ☐ Wednesday ☐ Thursday ☐ Friday ☐ Saturday ☐ Sunday

Shift from: _____ ☐ am ☐ pm to _____ ☐ am ☐ pm


If other, specify _____

Access to inspect the premises must be provided during the work schedule indicated in this item.

25. Total amount of asbestos-containing material to be abated during this work

2940 Square Feet, and/or _____ Linear Feet

DEP
BUREAU OF ENVIRONMENTAL
REGULATION & ENFORCEMENT
ASBESTOS CONTROL
PROGRAM
10/1/02



ACP 7
2/2001

ASBESTOS INSPECTION REPORT (continued)

26. Asbestos Hauler COGANO NYS DEP Permit # CT-098 Tel. # 800-272-3867
 Disposal Site(s) Southern Alleghenies, Valley Landfill

27. This asbestos abatement is part of a (Item a through e requires filing of this form with NYC Department of Buildings)

- a) ☐ Demolition b) ☐ Boiler Replacement c) ☐ Sprinkler Replacement d) ☐ Renovation/Alteration
 e) ☐ Fireproofing Replacement f) ☐ Other (Describe) _____

28. TYPE OF ABATEMENT (Check all appropriate boxes)

- ☐ Removal ☐ Enclosure ☐ Encapsulation ☐ Repair ☐ Clean up




29. ABATEMENT PROCEDURE (Check all appropriate boxes)

- ☐ Full Containment ☐ Glovebag ☐ Tent ☐ DEP Variance Application

30. LOCATIONS OF ABATEMENT

Floor(s)	DESCRIBE SECTION OF FLOOR (e.g. entire, east wing, room #, boiler room, lobby, etc.)	AFFECTED SURFACES CONTAINING ACM (e.g. Pipe lagging, ceiling, plenum ducts, storage tanks, decking, etc.)	AMOUNT OF ACM		DESCRIPTION OF WORK BEING PERFORMED (e.g. running cable, installing fire sprinklers, removing and replacing boilers, etc.)
			SQUARE FEET	LINEAR FEET	
Facade			780		
Roof	(Asphalt)		2160		

31. I hereby declare that the information provided herein is true and complete to the best of my knowledge. I am familiar with Federal, State and NYC laws and regulations applicable to asbestos related work.

<u>BOSUN OGUNWALE</u> Print Name of Air Monitor  Signature <u>06-03-02</u> Date	<u>ANTHONY COSTA</u> Print Name of Asbestos Contractor  Signature <u>6-3-02</u> Date	<u>ANTHONY COSTA</u> Print Name of Applicant (If other than Owner)  Signature <u>6-3-02</u> Date
--	---	---

32. I understand that as the owner of a building where asbestos abatement activity occurs, I am responsible for the performance of the asbestos abatement activities in accordance with the Asbestos Control Program Rules. I have contracted the third party air monitor who is completely independent of all parties involved in the asbestos project. I hereby declare that I have authorized the filing of this notification for the work specified herein.

Apk Apk 9/27/02
Print Name of Owner Signature Date

A STAMPED COPY OF THIS FORM INCLUDING AMENDMENTS MUST BE AVAILABLE AT THE WORK SITE.

Any modification of information provided on this form must be reported immediately in writing directly to the NYC DEP ACP.

The requirements of the Asbestos Control Program Rules may not be lawfully avoided or lessened through the performance of work in incremental or piecemeal fashion.

ASBESTOS INSPECTION REPORT

PAGE 1 OF

PERMISE NO.		STREET				INSPECTION DATE	
59 Murray Street						9/25/02	
DOOR	ZIP	BORO CODE	BLOCK	LOT	SQUAD #	BADGE #	
R/F		1			1	AD10	
INSPECTOR		BLDG TYPE	BASIS OF INSPECT.			PHOTOS TAKEN YES / NO	
ALPHONSO PLUMPTRE			TRU1531MN02				
CONTRACTORS NAME				SAMPLE NO.			
FIBER CONTROL							
ADDRESS				CITY			
3010 BURNS AVE				WANTAGH			
STATE		ZIP	PHONE		SAMPLE NO.		
N.Y.		11793	(516) 781-3000				
LABORATORY NAME				OWNERS NAME			
WARREN & PANZER ENGINEERS, PC							
ADDRESS		CITY		ADDRESS		CITY	
328 E. 45TH ST		N.Y.					
STATE		ZIP	PHONE		TIME OF INSPECTION FROM: TO:		
N.Y.		10017	(212) 922-0077		6:00 am/pm TO: 9:00 am/pm		
CONTACT PERSON:							
INSPECTION DISCLOSED:							

The roof and facade was cleaned simultaneously and were later inspected after the cleanup. No visible debris observed after the cleanup.

NOV #	#INFRCTIONS					RESULT CODE
						5
NOV #						SUPERVISORS INITIALS
						PC

BORO 1 - MANHATTAN 2 - BRONX 3 - BROOKLYN 4 - QUEENS 5 - RICHMOND

BLDG TYPE A > 6 Stories B < 6 Stories C Single Family
D School E Hospital F Public Owned Property

RESULT CODES 1 - Violation Issued 2 - No Violations Issued 3 - No Access
4 - Project not Started (No NOV) 5 - Project Completed (No NOV)

ACP 309

FILE


A THENICA

ENVIRONMENTAL SERVICES INC.

Tel. (718) 704-7480

Fax. (718) 704-0285

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.

LABORATORY ID #: T02-09-099

ANALYT. METHODOLOGY: AHERA

FILTER TYPE: M.C.E.

 AVERAGE G.O. AREA (mm²): 0.013838

PROJECT: NYCDER, 59 Murray St/65 W. Broadway

DATE OF REPORT: 09/21/02

DATE OF ANALYSIS: 09/27/02

 EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB ID #	LOCATION	VOLUME (L)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITV. (struc./ft ³)	TOTAL ASBESTOS AIR CONC. (struc./ft ³)	TOTAL ASBESTOS FILTER CONC. (struc./ft ³)	AIR CONC. FOR STRUCT. 0.25-2µm	AIR CONC. FOR STRUCT. 0.25-5µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
001	T02-09-099-2576	Murray St. 1 st E	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
002	T02-09-099-2577	Murray St. 2 nd E	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
003	T02-09-099-2578	Murray St. Mid	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
004	T02-09-099-2579	Murray St. 1 st W	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
005	T02-09-099-2580	Murray St. 2 nd W	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA

E. Sioukri

ANALYST

E. Sioukri

LABORATORY DIRECTOR

Spiro Donganis

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- This report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.


ATHENICA

ENVIRONMENTAL SERVICES INC.

Tel. (718) 784-7480

Fax. (718) 784-4283

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Pauter Engineers, P.C.

LABORATORY ID #: T02-09-099

ANALYT. METHODOLOGY: AHERA

FILTER TYPE: M.C.E.

 AVERAGE G.O. AREA (mm²): 0.013838

PROJECT: NYC DEP, 59 Murray St/65 W. Broadway

DATE OF REPORT: 09/27/02

DATE OF ANALYSIS: 09/27/02

 EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (strands/cm ²)	TOTAL ASBESTOS AIR CONC. (strands/cm ²)	TOTAL ASBESTOS FILTER CONC. (strands/cm ²)	AIR CONC. FOR STRUCT. 0.35 Section 25.04(m)	AIR CONC. FOR STRUCT. 0.35 Section 25.04(m)	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
009	T02-09-099-2581	W. Broadway 1 st S	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
010	T02-09-099-2582	W. Broadway 2 nd S	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
011	T02-09-099-2583	W. Broadway Midl.	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
012	T02-09-099-2584	W. Broadway 1 st N	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA
013	T02-09-099-2585	W. Broadway 2 nd N	1440	4	0.0554	0.0048	<0.0048	<18.07	NA	NA	NA	NA

 ANALYST
E. Sioukri

 LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported asbestos concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

228 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 2
P.O.

12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

W&P FILE #: 1079-01-01

CONTACT: Mike Nolan

LABORATORY: Atmos

ANALYSIS METHOD: PCM TEM
circle one 7400 ANERA EPA LEVEL II

TECHNICIAN: FANNOZUK

CLIENT: 53 Murray St
PROJECT: Building Exterior & roof
LOCATION: Building Exterior & roof

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START	STOP	TIME ON	TIME OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (lb./cc.)
001	Murray St 1 st E	3		12	12	5-30	7-30	120	1440	
002	" 2 nd E	3		1	1	5-31	7-31	120	1440	
003	" Mid.	3		1	1	5-32	7-32	120	1440	
004	" 1 st W	3		1	1	5-33	7-33	120	1440	
005	" 2 nd W	3		1	1	5-34	7-34	120	1440	
006		1								
007		1								
008		1								

COMMENTS:

702-09-099

SAMPLE BY: <u>FANNOZUK</u>	DATE: <u>9/24/02</u>
SIGNATURE: <u>[Signature]</u>	
RELEASED BY: <u>FANNOZUK</u>	DATE: <u>9/24/02</u>
SIGNATURE: <u>[Signature]</u>	
RECEIVED BY: <u>A. C. GIGER</u>	DATE: <u>9/24/02</u>
SIGNATURE: <u>[Signature]</u>	

SAMPLE TYPE CODES			
1 - Blank	5 - Final Clearance (inside)		
2 - Pre-Abatement	6 - Final Clearance (outside)		
3 - During Abatement	7 - Personal		
4 - During Glove Bag Removal	8 - Background		

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

