

MAR. 30. 2003 7:59PM

JLC ENVIRONMENTAL

NO. 032 P. 2

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**

CLIENT: NYCDEP PROJECT NUMBER: 03-2744

SITE: 114 Liberty St LAB BATCH NUMBER: 03032-410

TECHNICIAN: Peter Kaslowsky SIGNATURE: [Signature] DATE: 3/29/03

PROJECT MANAGER: A. Gasparro PAGE 1 OF 1

SAMPLE I.D.	DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
		Paint	Soil	Wipe	Water	Other		Content	Unit
SAMPLE # <u>01</u> FIELD # <u>003412</u>	Lead wipe, 11th floor upstairs, Kitchen floor			X			12" X 12"	12.0	ug/lit
SAMPLE # <u>02</u> FIELD # <u>003413</u>	Lead wipe, 11th floor upstairs, Kitchen counter top			X			12" X 12"	<9	
SAMPLE # <u>03</u> FIELD # <u>003414</u>	Lead wipe, 11th floor upstairs, Kitchen East wall, lower right.			X			12" X 12"	<9	
SAMPLE #	FIELD #								
LAB #									
COLOR(S)									
SAMPLE #	FIELD #								
LAB #									
COLOR(S)									
SAMPLE #	FIELD #								
LAB #									
COLOR(S)									

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PHONE/FAX# _____ DATE / / TIME _____	NAME _____ ADDRESS _____ DATE / / TIME _____

RELINQUISHED BY: (print)	(sign)	DATE	TIME
<u>Peter Kaslowsky</u>	<u>[Signature]</u>	<u>3/29/03</u>	
RECEIVED BY: (print)	(sign)		
<u>Madell Callias</u>	<u>[Signature]</u>	<u>3/30/03</u>	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
<u>JLC</u>	☐ EPA SW846-3050/7420 ☐ EPA SW846-1979(4.1.3)/7420 ☐ EPA 88-02-4550	Varian SpectraAA-250 Plus ☐ Air-Acetylene Flame ☐ Graphite Furnace	
ANALYZED BY: <u>[Signature]</u>			
DATE: <u>3/30/03</u> TIME: _____			
QC BY: _____ DATE: _____			

White Copy = Folder
Yellow Copy = Laboratory
Pink Copy = Project Manager

MAR. 30. 2003- 7:59PM

JLC ENVIRONMENTAL

NO. 032 P. 3

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**

CLIENT: NYC DEP PROJECT NUMBER: 03-2744

SITE: 114 Liberty St LAB BATCH NUMBER: 03032-410

TECHNICIAN: Peter Koslowski SIGNATURE: Peter Koslowski DATE: 3/29/03

PROJECT MANAGER: A. Gaspario PAGE 2 OF 2

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
003415		Lead wipe, 1 st floor, downstairs, Kitchen floor			X			12" X 12"	L9	ng/ft ²
003416		Lead wipe, 1 st floor, downstairs, Kitchen counter top			X			12" X 12"	L9	
003417		Lead wipe, 1 st floor, downstairs, S.E. Bedroom, SW wall, lower right			X			12" X 12"	L9	

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PHONE/FAX _____ DATE / / TIME _____	NAME _____ ADDRESS _____ DATE / / TIME _____

RELINQUISHED BY:(print)	(sign)	DATE	TIME
Peter Koslowski	<u>Peter Koslowski</u>	3/29/03	
RECEIVED BY:(print)	(sign)	3/30/03	
RELINQUISHED BY:(print)	(sign)		
RECEIVED BY:(print)	(sign)		
ENTERED BY:(print)	(sign)		
CORRECTED BY:(print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS
ANALYZED BY: <u>Dec</u>	☐ EPA SW846-3050/7420	Varian SpectrAA-250 Plus	
DATE: <u>3/30/03</u> TIME: _____	☐ EPA SW846-1979(4.1.3)/7420	☐ Air-Acetylene Flame	
QC BY: _____ DATE: _____	☐ EPA 88-02-4550	☐ Graphite Furnace	

White Copy = Folder
Yellow Copy = Laboratory
Pink Copy = Project Manager

MAR. 30. 2003 8:01PM

JLC ENVIRONMENTAL

NO. 032

P. 5

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**CLIENT: NYCDEP

PROJECT NUMBER:

03-2749SITE: 114 Liberty St

LAB BATCH NUMBER:

08032-470TECHNICIAN: Peter Kaslowsky

SIGNATURE:

Peter KaslowskyDATE: 3/29/03PROJECT MANAGER: A. GasparroPAGE 4 OF

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
10		Lead wipe, 9th floor Kitchen floor			X			12" x 12"	12.5	ug/l ²
11		Lead wipe, 9th floor Kitchen counter top			X			12" x 12"	19	
12		Lead wipe, 9th floor SE Ballroom North wall, lower right			X			12" x 12"	19	

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PHONE/FAX _____ DATE / / TIME _____	NAME _____ ADDRESS _____ DATE / / TIME _____

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Kaslowsky	<u>Peter Kaslowsky</u>	3/29/03	
RECEIVED BY: (print)	(sign)		
Madell Collins	<u>Madell Collins</u>		
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME	METHODOLOGY	INSTRUMENT	COMMENTS
JLC	☐ EPA SW846-3050/7420 ☐ EPA SW846-1979(4.1.3)/7420 ☐ EPA 88-02-4550	Varian SpectrAA-250 Plus ☐ Air-Acetylene Flame ☐ Graphite Furnace	
ANALYZED BY: <u>MC</u>			
DATE: <u>3/29/03</u> TIME: _____			
QC BY: _____ DATE: _____			

White Copy = Folder
Yellow Copy = Laboratory
Pink Copy = Project Manager

MAR. 30. 2003 8:02PM

JLC ENVIRONMENTAL

NO. 032

P. 6

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**CLIENT: NYCDEP

PROJECT NUMBER:

03-2744SITE: 114 Liberty St

LAB BATCH NUMBER:

03032-410TECHNICIAN: Peter KoslowskySIGNATURE: Peter KoslowskyDATE: 3/29/03PROJECT MANAGER: A. GasparroPAGE 5 OF

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
13		Lead wipe, 8th floor Hallway floor			X			12"	X	19 ug/l
LAB #								12"	X	19
COLOR(S)								12"	X	19
14		Lead wipe, 8th floor Kitchen Counter top			X			12"	X	19
LAB #								12"	X	19
COLOR(S)								12"	X	19
15		Lead wipe, 8th floor SE bathroom North wall lower level			X			12"	X	19
LAB #								12"	X	19
COLOR(S)								12"	X	19
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										

Analysis Requested		Turnaround Time	Verbal Results to	Report to
		☒ 24 HRS	NAME _____	NAME _____
		☐ 48 HRS	PH/FAX# _____	ADDRESS: _____
		☐ Over 3 Days	DATE / / TIME _____	DATE / / TIME _____
		☐ OTHER _____		

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Koslowsky	(sign)	3/29/03	
RECEIVED BY: (print) Madell Collins	(sign)	3/30/03	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
JLC	☐ EPA SW846-3050/7420	Varian SpectraAA-250 Plus	
ANALYZED BY: JMC	☐ EPA SW846-1979(4.1.3)/7420	☐ Air-Acetylene Flame	
DATE: 3/29/03	☐ EPA 68-02-4550	☐ Graphite Furnace	
QC BY:			

White Copy = Folder
 Yellow Copy = Laboratory
 Pink Copy = Project Manager

MAR. 30. 2003 8:02PM

JLC ENVIRONMENTAL

NO. 032

P. 7

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**CLIENT: NYCDEP

PROJECT NUMBER:

03-2744SITE: 114 Liberty St.

LAB BATCH NUMBER:

0303A-410TECHNICIAN: Peter KoslowskiSIGNATURE: Peter KoslowskiDATE: 3/29/03PROJECT MANAGER: A.A. Khan

A. Gasparro

PAGE 6 OF 6

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
16	003427	Lead wipe, 7th floor Hallway floor			X			12" x 12"	29	ug/l ²
17	003428	Lead wipe, 7th floor Kitchen counter top			X			12" x 12"	29	
18	003429	Lead wipe, 7th floor S.E. Bathroom, North wall, lower left.			X			12" x 12"	29	
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PH/PG/FAX# _____ DATE / / TIME _____	NAME _____ ADDRESS _____ DATE / / TIME _____

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Koslowski	<u>Peter Koslowski</u>	3/29/03	
RECEIVED BY: (print)	(sign)		
Model Collins	<u>Model Collins</u>	3/30/03	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
JLC	☐ EPA SW846-3050/7420 ☐ EPA SW846-1979(4.1.3)/7420 ☐ EPA 88-02-4550	☐ Varian SpectraAA-250 Plus ☐ Air-Acetylene Flame ☐ Graphite Furnace	
ANALYZED BY: <u>MC</u>			
DATE: <u>3/30/03</u>			
QC BY:			
DATE:			

White Copy = Folder
 Yellow Copy = Laboratory
 Pink Copy = Project Manager

MAR. 30. 2003 8:03PM.

JLC ENVIRONMENTAL

NO. 032

P. 8

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**CLIENT: NYC DEP

PROJECT NUMBER:

03-2749SITE: 114 Liberty St.

LAB BATCH NUMBER:

030316-410TECHNICIAN: Peter KoslowskiSIGNATURE: Peter KoslowskiDATE: 5-29-03PROJECT MANAGER: A. GasparroPAGE 7 OF

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
19		Lead wipe, 6th floor hallway floor			X			12" x 12"	L9	ug/l ²
20		Lead wipe, 6th floor kitchen counter top			X			12" x 12"	L9	
21		Lead wipe, 6th floor S.E. Bathroom, North wall, lower loft.			X			12" x 12"	L9	

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PH/FAX# _____ DATE / / TIME	NAME _____ ADDRESS _____ DATE / / TIME

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Koslowski	<u>Peter Koslowski</u>	3-29-03	
RECEIVED BY: (print)	(sign)		
Madell Collins	<u>Madell Collins</u>	5-30-03	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
JLC	☐ EPA SW846-3050/7420 ☐ EPA SW846-1979(4.1.3)/7420 ☐ EPA 88-02-4550	Varian SpectraAA-250 Plus ☐ Air-Acetylene Flame ☐ Graphite Furnace	
ANALYZED BY: <u>MC</u>			
DATE: <u>3-20-03</u> TIME:			
QC BY:			
DATE:			

White Copy = Folder
 Yellow Copy = Laboratory
 Pink Copy = Project Manager

MAR. 30. 2003 8:04PM

JLC ENVIRONMENTAL

NO. 032 P. 9

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**CLIENT: NYC DEP

PROJECT NUMBER:

03-2744SITE: 114 Liberty St

LAB BATCH NUMBER:

03032-410TECHNICIAN: Peter Koslowsky

SIGNATURE:

Peter KoslowskyDATE: 3/29/03PROJECT MANAGER: Mr. A. GasparroPAGE 2 OF

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
22		Lead wipe, 5th floor			X			12" x 12"	19	19/12
LAB #	003433	Hallway floor			X			12" x 12"	19	
COLOR(S)										
23		Lead wipe, 5th floor			X			12" x 12"	19	
LAB #	003434	Kitchen Counter top			X			12" x 12"	19	
COLOR(S)										
24		Lead wipe, 5th floor			X			12" x 12"	19	
LAB #	003435	S.E. Bathroom, North wall, lower left			X			12" x 12"	19	
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PHONE/FAX# _____ DATE / / TIME _____	NAME _____ ADDRESS: _____ DATE / / TIME _____

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Koslowsky	<u>Peter Koslowsky</u>	3/29/03	
RECEIVED BY: (print)	(sign)	DATE	TIME
Madell Collins	<u>Madell Collins</u>	3/30/03	
RELINQUISHED BY: (print)	(sign)	DATE	TIME
RECEIVED BY: (print)	(sign)	DATE	TIME
ENTERED BY: (print)	(sign)	DATE	TIME
CORRECTED BY: (print)	(sign)	DATE	TIME

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
JLC	☐ EPA SW846-3050/7420 ☐ EPA SW846-1979(4.1.3)/7420 ☐ EPA 88-02-4550	Varian SpectraAA-250 Plus ☐ Air-Acetylene Flame ☐ Graphite Furnace	
ANALYZED BY: <u>JLC</u>			
DATE: <u>3/30/03</u> TIME: _____			
QC BY: _____ DATE: _____			

White Copy = Folder
Yellow Copy = Laboratory
Pink Copy = Project Manager

MAR. 30. 2003 8:04PM

JLC ENVIRONMENTAL

NO. 032 P. 10

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**

CLIENT: WYCOE PROJECT NUMBER: 03-8744
 SITE: 114 Liberty St. LAB BATCH NUMBER: 03032-470
 TECHNICIAN: Peter Krasnowsky SIGNATURE: Peter Krasnowsky DATE: 3/29/03
 PROJECT MANAGER: A. Gassparro PAGE 9 OF 9

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
55		Lead/wipe, 4th floor hallway floor			X			12" X 12"	29	ug/lb
LAB #	003436				X			12" X 12"	29	
COLOR(S)					X			12" X 12"	29	
56		Lead/wipe, 4th floor kitchen counter top			X			12" X 12"	29	
LAB #	003437				X			12" X 12"	29	
COLOR(S)					X			12" X 12"	29	
57		Lead/wipe, 4th floor S.E. Bathroom, North wall, lower left			X			12" X 12"	29	
LAB #	003438				X			12" X 12"	29	
COLOR(S)					X			12" X 12"	29	
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										
SAMPLE #	FIELD #									
LAB #										
COLOR(S)										

Analysis Requested	Turnaround Time	Verbal Results to	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PH/FAX# _____ DATE / / TIME	NAME _____ ADDRESS: _____ DATE / / TIME

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Krasnowsky	(sign) <u>Peter Krasnowsky</u>	3/29/03	
RECEIVED BY: (print) <u>Madell Collins</u>	(sign) <u>Madell Collins</u>	3/30/03	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME: <u>JLC</u>	METHODOLOGY	INSTRUMENT	COMMENTS:
ANALYZED BY: <u>MC</u>	☐ EPA SW846-3050/7420	Varian SpectraAA-250 Plus	
DATE: <u>3/29/03</u> TIME: <u>11:00</u>	☐ EPA SW846-1979(4.1.3)/7420	☐ Air-Acetylene Flame	
QC BY: _____ DATE: _____	☐ EPA 88-02-4550	☐ Graphite Furnace	

White Copy = Folder
 Yellow Copy = Laboratory
 Pink Copy = Project Manager

MAR. 30. 2003 8:05PM

JLC ENVIRONMENTAL

NO. 032 P. 11

JLC ENVIRONMENTAL CONSULTANTS, INC.**CHAIN OF CUSTODY LOG**

CLIENT: NYCDEP PROJECT NUMBER: 03-2744
 SITE: 114 Liberty St LAB BATCH NUMBER: 03032-1710
 TECHNICIAN: Peter Kaslowsky SIGNATURE: [Signature] DATE: 3/29/03
 PROJECT MANAGER: A. Gasparro PAGE 10 OF 10

SAMPLE I.D.		DESCRIPTION / LOCATION	Sample Type					Size	RESULTS	
SAMPLE #	FIELD #		Paint	Soil	Wipe	Water	Other		Content	Unit
28		Lead wipe, 3rd floor hallway floor			X			12" X 12"	19	ug/l ²
29		Lead wipe, 3rd floor Kitchen Counter top			X			12" X 12"	19	
30		Lead wipe, 3rd floor S.W. Bathroom, West wall, Lower left			X			12" X 12"	19	
31		FIELD BLANK			X				19/wipe	
32		FIELD BLANK			X				19/wipe	
33		FIELD BLANK			X				19/wipe	

Analysis Requested	Turnaround Time	Verbal Results to:	Report to
	☒ 24 HRS ☐ 48 HRS ☐ Over 3 Days ☐ OTHER	NAME _____ PH/PO/FAX# _____ DATE / / TIME	NAME _____ ADDRESS: _____ DATE / / TIME

RELINQUISHED BY: (print)	(sign)	DATE	TIME
Peter Kaslowsky	[Signature]	3/29/03	
RECEIVED BY: (print)	(sign)	3/30/03	
RELINQUISHED BY: (print)	(sign)		
RECEIVED BY: (print)	(sign)		
ENTERED BY: (print)	(sign)		
CORRECTED BY: (print)	(sign)		

LAB NAME:	METHODOLOGY	INSTRUMENT	COMMENTS:
ANALYZED BY: [Signature]	☐ EPA SW846-3050/7420	Varian SpectraAA-250 Plus	
DATE: 3/30/03 TIME:	☐ EPA SW846-1979(4.1.3)/7420	☐ Air-Acetylene Flame	
QC BY:	☐ EPA 88-02-4550	☐ Graphite Furnace	

White Copy = Folder
 Yellow Copy = Laboratory
 Pink Copy = Project Manager

***** -IND. XMT JOURNAL- ***** DATE MAR-31-2003 ***** TIME 10:16 *****

DATE/TIME = MAR-31-2003 10:11
 JOURNAL No. = 01
 COMM.RESULT = OK
 PAGE(S) = 011
 DURATION = 00:04'46
 FILE No. =
 MODE = TRANSMISSION
 DESTINATION = 912126374360
 RECEIVED ID = / 2126374360
 RESOLUTION = STD

-NYCDEP BANHM ASB/LEAD TRU-

***** -

- ***** - 718 595 3648- *****