

Theodorellys, Penny

From: Usbeck, Fred [FUsbeck@contactpsc.com]

Sent: Friday, October 11, 2002 1:50 PM

To: sallemi15@atc-enviro.com

Cc: Kehler, Diana

Subject: Silica / Dioxin samples

Ben,

We received the silica air samples yesterday (DEP Cleanup, 15-22906-0002) and have them scheduled for completion on Monday, Oct. 14. We will fax the results to your office after lunch on Monday. If you need to call about this sample delivery group you can reference our work order number R02100360.

Regarding the dioxin wipe samples collected at 125 Cedar Street, I am hoping to have the first set of results for you late this afternoon. I was told by our subcontract lab (which is also a PSC facility in Burlington, Ontario) that they expect to have half of the samples completed by Oct. 15/16 and the other half by the end of the month. High resolution dioxin analysis is a tedious process with very strict QA/QC requirements and turn-around times for analysis are typically 3-4 weeks for small groups of samples. In this case, analysis of all 66 samples will take the better part of six weeks. We've divided the 66 samples into four work orders so that we can report results to you as they become available. Our work order numbers for these samples are: R02090951, R02090957, R02090971 and R02090972 (18, 18, 12, and 18 samples respectively). I will email results to you as they become available.

I will not be in the laboratory on Monday, 10/14, however Diana Kehler (ext. 226) will be looking after your samples. I will ask her to fax the silica results when they are ready. You will not get any dioxin results on Monday - it is Thanksgiving in Canada, but we will look for them on Tuesday.

If you have any questions please get back to me.

Thanks! Fred

Fred Usbeck, CIH
PSC Analytical Services
4418 Pottsville Pike
Reading, PA 19605
fusbeck@contactpsc.com
(610) 921-8833 ext. 224



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Theodorellys, Penny

From: ben sallemi [dadweeb@yahoo.com]

Sent: Saturday, October 12, 2002 11:44 AM

To: Penny Theodorellys

Subject: Fwd: Silica / Dioxin samples



Silica / Dioxin samples

Penny,

Attached is an email from PSC laboratories explaining the status of the silica samples and why it takes so long to receive Dioxin results.

As always, should you have any additional questions, please do not hesitate to call.

Note: forwarded message attached.

As Always...Sendin' Out the Love! Do You Feel it?

Ben

Do you Yahoo!?

Faith Hill - Exclusive Performances, Videos & More

<http://faith.yahoo.com>



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107

