

October 02, 2002

Fred Burkhardt
ATC Associates
104 East 25th Street
10th Floor
New York, NY 10010-2917

TEL (212) 353-8280
FAX (212) 353-8306

RE: 125 Cedar Street - Mercury Wipes

Order R02090550

Dear Fred Burkhardt:

PSC Analytical Services received 66 samples on 9/17/2002 10:30:00 AM for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Michael J Salum
General Manager

4418 Pottsville Pike, Reading, PA 19605 610-921-8833 FAX 610-921-8407



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



New York City Department of Environmental Protection
for
125 Cedar Street Project
Mercury Wipe Sample Results

Sample #	Result	Units, Total	Conversion Factor*	Converted Result	Units
2N-M-H (A)	< 0.010	μ per area**	0.0478	< 0.000478	μ / m ²
2N-M-H (B)	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
2N-M-F	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
3S-M-W	0.011	μ per area	0.0478	0.0005258	μ / m ²
3S-M-H	0.070	μ per area	0.0478	0.003346	μ / m ²
3S-M-F	0.120	μ per area	0.0478	0.005736	μ / m ²
3N-M-W	0.206	μ per area	0.0478	0.0098468	μ / m ²
3N-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
3N-M-F	0.036	μ per area	0.0478	0.0017208	μ / m ²
2S-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
2S-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
2S-M-F	0.012	μ per area	0.0478	0.0005736	μ / m ²
5N-M-W	0.344	μ per area	0.0478	0.0164432	μ / m ²
5N-M-H	0.068	μ per area	0.0478	0.0032504	μ / m ²
5N-M-F	0.044	μ per area	0.0478	0.0021032	μ / m ²
4S-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
4S-M-H	0.023	μ per area	0.0478	0.0010994	μ / m ²
4S-M-F	0.037	μ per area	0.0478	0.0017686	μ / m ²
4N-M-W	0.166	μ per area	0.0478	0.0079348	μ / m ²
4N-M-H	0.104	μ per area	0.0478	0.0049712	μ / m ²
4N-M-F	0.064	μ per area	0.0478	0.0030592	μ / m ²
6S-M-W	0.236	μ per area	0.0478	0.0112808	μ / m ²
6S-M-H	0.032	μ per area	0.0478	0.0015296	μ / m ²
6S-M-F	0.132	μ per area	0.0478	0.0063096	μ / m ²
6N-M-W	0.043	μ per area	0.0478	0.0020554	μ / m ²
6N-M-H	0.043	μ per area	0.0478	0.0020554	μ / m ²
6N-M-F	0.039	μ per area	0.0478	0.0018642	μ / m ²
5S-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
5S-M-H	0.024	μ per area	0.0478	0.0011472	μ / m ²
5S-M-F	0.078	μ per area	0.0478	0.0037284	μ / m ²
8N-M-W	0.168	μ per area	0.0478	0.0080304	μ / m ²
8N-M-H	0.060	μ per area	0.0478	0.002868	μ / m ²
8N-M-F	0.047	μ per area	0.0478	0.0022466	μ / m ²
7S-M-W	0.015	μ per area	0.0478	0.000717	μ / m ²
7S-M-H	0.041	μ per area	0.0478	0.0019598	μ / m ²
7S-M-F	0.037	μ per area	0.0478	0.0017686	μ / m ²
7N-M-W	0.096	μ per area	0.0478	0.0045888	μ / m ²
7N-M-H	0.130	μ per area	0.0478	0.006214	μ / m ²
7N-M-F	0.060	μ per area	0.0478	0.002868	μ / m ²
9S-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
9S-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
9S-M-F	0.011	μ per area	0.0478	0.0005258	μ / m ²



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



New York City Department of Environmental Protection
for
125 Cedar Street Project
Mercury Wipe Sample Results

9N-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
9N-M-H	0.038	μ per area	0.0478	0.0018164	μ / m ²
9N-M-F	0.016	μ per area	0.0478	0.0007648	μ / m ²
8S-M-W	0.017	μ per area	0.0478	0.0008126	μ / m ²
8S-M-H	0.014	μ per area	0.0478	0.0006692	μ / m ²
8S-M-F	0.156	μ per area	0.0478	0.0074568	μ / m ²
12N-M-W	0.228	μ per area	0.0478	0.0108984	μ / m ²
12N-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
12N-M-F	0.024	μ per area	0.0478	0.0011472	μ / m ²
11S-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
11S-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
11S-M-F	0.021	μ per area	0.0478	0.0010038	μ / m ²
10N-M-W	0.026	μ per area	0.0478	0.0012428	μ / m ²
10N-M-H	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
10N-M-F	0.019	μ per area	0.0478	0.0009082	μ / m ²
PH-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
PH-M-H	0.022	μ per area	0.0478	0.0010516	μ / m ²
PH-M-F	0.027	μ per area	0.0478	0.0012906	μ / m ²
12SW-M-W	< 0.010	μ per area	0.0478	< 0.000478	μ / m ²
12SW-M-H	0.250	μ per area	0.0478	0.01195	μ / m ²
12SW-M-F	0.030	μ per area	0.0478	0.001434	μ / m ²
12SE-M-W	0.031	μ per area	0.0478	0.0014818	μ / m ²
12SE-M-H	0.013	μ per area	0.0478	0.0006214	μ / m ²
12SE-M-F	0.036	μ per area	0.0478	0.0017208	μ / m ²

*Obtained by directly converting total/area sampled into mg/m².

** The area sampled was a 209 square centimeter area.



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-01
Client Sample 2N-M-H (A)

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-02
Client Sample 2N-M-H (B)

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-03
Client Sample 2N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-04
Client Sample 3S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.011	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-05
Client Sample 3S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.070	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-06
Client Sample 3S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.120	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-07
Client Sample 3N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.206	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-08
Client Sample 3N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	BRL	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-09
Client Sample 3N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.036	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-10
Client Sample 2S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	BRL	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-11
Client Sample 2S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-12
Client Sample 2S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.012	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-13
Client Sample 5N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.344	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-14
Client Sample 5N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.068	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-15
Client Sample 5N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.044	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-16
Client Sample 4S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	BRL	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-17
Client Sample 4S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.023	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-18
Client Sample 4S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.037	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-19
Client Sample 4N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.166	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-20
Client Sample 4N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.104	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
 BRL - Below Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-21
Client Sample 4N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.064	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-22
Client Sample 6S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.236	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-23
Client Sample 6S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.032	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-24
Client Sample 6S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.132	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-25
Client Sample 6N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.043	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-26
Client Sample 6N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.043	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-27
Client Sample 6N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.039	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-28
Client Sample 5S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-29
Client Sample 5S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.024	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-30
Client Sample 5S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.078	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

Page 6 of 14



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-31
Client Sample 8N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.168	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-32
Client Sample 8N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.060	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-33
Client Sample 8N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.047	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-34
Client Sample 7S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.015	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-35
Client Sample 7S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.041	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers: BRL - Below Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-36
Client Sample 7S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.037	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-37
Client Sample 7N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.096	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-38
Client Sample 7N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.130	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-39
Client Sample 7N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.060	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-40
Client Sample 9S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	BRL	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-41
Client Sample 9S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-42
Client Sample 9S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.011	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-43
Client Sample 9N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-44
Client Sample 9N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.038	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-45
Client Sample 9N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.016	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers: BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-46
Client Sample 8S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.017	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-47
Client Sample 8S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.014	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-48
Client Sample 8S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.156	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-49
Client Sample 12N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.228	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-50
Client Sample 12N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	BRL	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-51
Client Sample 12N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.024	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-52
Client Sample 11S-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-53
Client Sample 11S-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-54
Client Sample 11S-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.021	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-55
Client Sample 10N-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.026	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-56
Client Sample 10N-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-57
Client Sample 10N-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.019	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-58
Client Sample PH-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-59
Client Sample PH-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.022	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Lab ID: R02090550-60
Client Sample 12SW-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	BRL	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-61
Client Sample 12SW-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.250	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-62
Client Sample 12SW-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.030	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-63
Client Sample PH-M-F

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.027	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-64
Client Sample 12SE-M-W

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.031	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Lab ID: R02090550-65
Client Sample 12SE-M-H

Collection 9/12/2002
Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY, TOTAL Mercury	0.013	SW7471 0.010		µg, Total	1	Analyst: JDC 9/19/2002 8:30:00 AM

Qualifiers:
BRL - Below Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107



Date: 02-Oct-02

CLIENT: ATC Associates
Project: 125 Cedar Street - Mercury Wipes

Lab Order: R02090550

Lab ID: R02090550-66
Client Sample 12SE-M-F

Collection 9/12/2002

Matrix: WIPE

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

MERCURY, TOTAL		SW7471				Analyst: JDC
Mercury	0.036	0.010		µg, Total	1	9/19/2002 8:30:00 AM

Qualifiers:
 BRL - Below Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range



THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL PROTECTION
JOEL A. MIELE, SR., P.E. Commissioner

PHONE (718) 595-4418
FAX (718) 595-4422

ROBERT C. AVALTRONI
Deputy Commissioner

Bureau of
Air, Noise, & Hazardous
Materials

59-17 Junction Boulevard, 11th Floor, Corona, New York 11368-5107

