

8:25 No.002 P.14

Dec 25.00

TEL:



AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-11-005
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.013433

PROJECT: NYC DEP, 130 William Street
DATE OF REPORT: 11/01/02
DATE OF ANALYSIS: 11/01/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (microg/cm ²)	TOTAL ASBESTOS AIR CONC. (microg/cm ³)	TOTAL ASBESTOS FILTER CONC. (microg/cm ²)	AIR CONC. FOR STRUCT. 0.55µm < 5µm	AIR CONC. FOR STRUCT. 5-5.0µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIF.
01	T02-11-005-3700	Decon	1620	4	0.0537	0.0044	<0.0044	<18.61	NA	NA	NA	NA
02	T02-11-005-3701	East side window	1620	4	0.0537	0.0044	<0.0044	<18.61	NA	NA	NA	NA
03	T02-11-005-3702	South side window	1620	4	0.0537	0.0044	<0.0044	<18.61	NA	NA	NA	NA
04	T02-11-005-3703	East side of set back 1	1620	4	0.0537	0.0044	<0.0044	<18.61	NA	NA	NA	NA
05	T02-11-005-3704	East side of set back 2	1620	4	0.0537	0.0044	<0.0044	<18.61	NA	NA	NA	NA

ANALYST
E. Dimitrakas

LABORATORY DIRECTOR
Spiro Dongans

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES) is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

P.O. _____

CONTACT:

COMMENTS:

T02-11-005

SAMPLE TYPE CODES	
1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

NYC-WTC_000110493