

***** -IND. XMT JOURNAL- ***** DATE NOV-07-2002 ***** TIME 10:12 *****

DATE/TIME = NOV-07-2002 10:12
 JOURNAL No. = 12
 COMM.RESULT = OK
 PAGE(S) = 001/001
 DURATION = 00:00'31
 FILE No. = 219
 MODE = MEMORY TRANSMISSION
 DESTINATION = 92433772
 RECEIVED ID = CONTRACT INSPECT / 718 243 3772
 RESOLUTION = STD

-NYCDEP BANHM ASB/LEAD TRU-

***** -

- ***** -

718 595 3648- *****



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Flushing, New York
11373-5108

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

October 28, 2002

Mr. John Malvasio
Department of Subways – MOW
New York City Transit
370 Jay Street, Room 1125B
Brooklyn, New York 11201
Fax: (718)243-6772

Subject: Subway Entrance Closure at the Northeast Corner of John and Nassau
Streets

Dear Mr. Malvasio:

As you are aware from our previous correspondences, the NYC DEP has been removing debris from the collapse of the WTC from exterior building surfaces since June 2002. A NYSDOL licensed asbestos contractor with NYC DEP and NYSDOL certified workers performs the cleaning activities and an independent air monitor performs air sampling. The NYC DEP monitors the cleaning activities.

The building at 39 John Street, AKA, 72-78 Nassau Street is scheduled for cleaning of exterior surfaces. We are requesting your assistance and cooperation for closure of the subway entrance at the northeast corner of John Street and Nassau Street for the cleaning of the building facades. This program is coming to a close and we would appreciate your help in expediting this request. The DEP would like to start the cleaning on Sunday, November 10, 2002 at 8:00 a.m. We expect the work to take approximately six hours.

Thank you in advance for your time and effort. If you have any questions or require additional information, please contact me at (718) 595-3721.

Sincerely,

Penny Theodoresky for.

R. Radhakrishnan, P.E.
Director
Asbestos Control Program

cc. Eric Kim, NYCDOT



718, 595-4418

Refax: new # 11/7/02
(718) 243-6772
✓ (718) 243-3772
FAX REPLY TO
(718) 595-3744
Attn: Penny.



**Department of
Environmental
Protection**

39-17 Junction Boulevard
Flushing, New York
11373-5106

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

Mr. John Malvasio
Department of Subways - MOW
New York City Transit
370 Jay Street, Room 1125B
Brooklyn, New York 11201
Fax: (718)243-6772

Subject: Subway Entrance Closure at the North
Streets

Dear Mr. Malvasio:

As you are aware from our previous correspondence, we have been removing debris from the collapse of the WTC since June 2002. A NYSDOL licensed asbestos abatement contractor performs the cleaning and NYSDOL certified workers perform the air sampling. The NYC DEP monitors the work.

The building at 39 John Street, AKA, 72-73, is currently undergoing cleaning of exterior surfaces. We are requesting your assistance and cooperation for closure of the subway entrance at the northeast corner of John Street and Nassau Street for the cleaning of the building facades. This program is coming to a close and we would appreciate your help in expediting this request. The DEP would like to start the cleaning on Sunday, November 10, 2002 at 8:00 a.m. We expect the work to take approximately six hours.

Thank you in advance for your time and effort. If you have any questions or require additional information, please contact me at (718) 595-3721.

Sincerely,

R. Radhakrishnan for.

R. Radhakrishnan, P.E.
Director
Asbestos Control Program

cc. Eric Kim, NYCDOT



Refax: new # 11/7/02
(718) 243-6772

FAX REPLY TO
(718) 595-3744

*****718 595 3648*****

-NYCDEP BANNING ASB/LEAD TRU-

000/001 00:22:36"

92436772

8 BUSY 001

DURATION PAGES STATION NAME/TEL.NO.

COM RBR NO.

FILE NO. = 210

END=NOV-07 09:32 START=NOV-07 09:10

MODE = MEMORY TRANSMISSION

*****-COMM. JOURNAL-***** DATE NOV-07-2002 ***** TIME 09:33 *** P.01



**Department of
Environmental
Protection**

39-17 Junction Boulevard
Flushing, New York
11373-5106

**Christopher O. Ward
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental
Compliance**

Tel (718) 595-4418
Fax (718) 595-4422

October 28, 2002

Mr. John Malvasio
Department of Subways - MOW
New York City Transit
370 Jay Street, Room 1125B
Brooklyn, New York 11201
Fax: (718)243-6772

**Subject: Subway Entrance Closure at the Northeast Corner of John and Nassau
Streets**

Dear Mr. Malvasio:

As you are aware from our previous correspondences, the NYC DEP has been removing debris from the collapse of the WTC from exterior building surfaces since June 2002. A NYSDOL licensed asbestos contractor with NYC DEP and NYSDOL certified workers performs the cleaning activities and an independent air monitor performs air sampling. The NYC DEP monitors the cleaning activities.

The building at 39 John Street, AKA, 72-78 Nassau Street is scheduled for cleaning of exterior surfaces. We are requesting your assistance and cooperation for closure of the subway entrance at the northeast corner of John Street and Nassau Street for the cleaning of the building facades. This program is coming to a close and we would appreciate your help in expediting this request. The DEP would like to start the cleaning on Sunday, November 10, 2002 at 8:00 a.m. We expect the work to take approximately six hours.

Thank you in advance for your time and effort. If you have any questions or require additional information, please contact me at (718) 595-3721.

Sincerely,

R. Radhakrishnan

R. Radhakrishnan, P.E.
Director
Asbestos Control Program

cc. Eric Kim, NYCDOT



Refax: new # 11/7/02
(718) 243-6772

FAX REPLY TO
(718) 595-3744

*****718 595 3648*****

-NYCDEP BANNING ASB/LEAD TRU-

001 00:00:22:36

92436772

8

BUSY

001

PAGES DURATION

STATION NAME/TEL.NO.

ABBR NO.

COM

STN NO.

FILE NO. = 210

END=NOV-07 09:32

START=NOV-07 09:10

MODE = MEMORY TRANSMISSION

*****-COMM. JOURNAL-***** DATE NOV-07-2002 ***** TIME 09:33 *** P.01

NOV-07-2002 11:08

TO: ERIC KIM
FROM: Penny
FYI



New York City Transit

DIVISION OF INFRASTRUCTURE

CONTRACT INSPECTION

TELEFAX ROUTING SHEET

FROM: John Malvasio

TO: R. Radhakrishnan

RE: It is ok to close the stair on
Sunday November 10. Please make
arrangements To collect water
or cover the stairs to stop
water



JUST THE FAX MAN.

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT

MY OFFICE AT (718) 243-4358/4210

FAX TELEPHONE #: (718) 243-3772



New York City Transit

DIVISION OF INFRASTRUCTURE


CONTRACT INSPECTION

TELEFAX ROUTING SHEET

FROM: John Malvasio

TO: R. Radhakrishnan

RE: It is ok to close the stair on
Sunday November 10- Please make
arrangements To collect water
or cover the JUST THE FAX MAM.
stairs to stop
-water



IF YOU HAVE ANY QUESTIONS PLEASE CONTACT

MY OFFICE AT (718) 243-4358/4210

FAX TELEPHONE #: (718) 243-3772

PERMIT NUMBER:PERMITTEE (IRM) #: 12470CONTRACT #: ROF - REM 2BOROUGH: ☒ **SM** ☐ **BB** ☐ **Q** ☐ **X** ☐ **SS** ☐ **MEC** ☐ **ENEC** ☐ **OEC** ☐ **EXEC** ☐ **REC** ☐ **OCMC#**SPONSORING AGENCY: ☒ **DEP** ☐ **DDC** ☐ **DOT** ☐ **NYSDC** ☐ **NYSDC** ☐ **HPD** ☐ **PARIS** ☐ **SCA** ☐ **DMTA** ☐ **PA of NYCTD**PROJECT ENGINEER NAME: R. RADHAKRISHNAN, P.E. TELEPHONE #: (718) 595-3718NAME OF CONTRACTOR: BENJAMIN KURZBAN / SON CONTROL TELEPHONE #: (718) 531-2900BUSINESS ADDRESS: 1248 RALPH AVENUE, BROOKLYN, NY 11236

RESIDENT ENGINEER NAME: _____ TELEPHONE #: ()

PROJECT DESCRIPTION: BUILDING EXTERIOR CLEAN-UP ACTIVITIES TO REMOVE DEBRIS FROM COLLAPSE OF WTCCONTRACT START DATE: 5/15/02 CONTRACT COMPLETION DATE: 9/15/02 11/30/02

TYPE OF PAVEMENT:

ROADWAY:

SIDEWALK:

TYPE OF PERMIT(S) REQUESTED (Check All Applicable):

☐ 111-MAJOR INSTALLATION-SERER☐ 126-TEST PITTS, CORES OR BORING☐ CRANE/SHOVEL ON STREET☐ 112-RAPID TRANSIT CONSTRUCTION☐ 132-INSTALL FENCE☐ 205-PLACE SHANTY/TRAILER ON STREET☐ 113-REPAIR WATER☐ 135-FINAL RESTORATION☐ 208-TEMPORARY PEDESTRIAN WALK☐ 114-REPAIR SEWER☐ 136-DEP-MAJOR INSTALLATIONS-WATER☐ 211-TEMPORARY ROADWAY CLOSING☐ 115-REPAIR WATER/SERER☐ 137-DEP-MAJOR INSTALLATIONS-SEWER☐ 214-PLACE CONTAINER ON STREET☐ 116-FUEL OIL LINE☐ 201-PLACE MATERIAL ON STREET☐ 215-TEMPORARY SIDEWALK CLOSING☐ 118-RESET, REPAIR OR REPLACE CURB☐ 202-CROSSING SIDEWALK☐ 401-REPAIR SIDEWALK☐ 119-PAVE STREET☐ 203-PLACE CRANE/SHOVEL ON STREET☐ 402-CONSTRUCT NEW SIDEWALK☐ 120-TREE PIT☐ 204-PLACE EQUIPMENT OTHER THAN☐ 403-REPLACE SIDEWALK VENTILATORS☐ 121-CONSTRUCT OR ALTER MANHOLE AND/OR CASTING

OTHER TYPE OF PERMIT: _____

ON STREET	FROM STREET	TO STREET	LINEAR FEET	WORK START	WORK END
(57 ANN STREET) ANN STREET	NASSAU STREET	WILLIAM ST		11/09/02	11/11/02
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
Post-it® Fax Note 7671 To ERIC KIM Co./Dept. NYC DOT Phone # Fax # (212) 788-8286 Date 11/04/02 # of pages 1 From P. THEODORE WYLS Co. NYC DEP Phone # (718) 595-3657 Fax # (718) 595-3744					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					

SPECIAL STIPULATIONS: _____

OCMC APPROVAL BY: _____

DATE: _____

☐ MORE LOCATIONS ON REVERSE

THE PERMIT TO BE GRANTED SUBJECT TO THE FOLLOWING CONDITIONS:

THE APPLICANT AGREES TO COMPLY WITH ALL LAWS AND RULES OF THE DEPARTMENT AND OTHER APPLICABLE LAWS AND RULES. NO PERMIT SHALL BE ISSUED UNLESS THE APPLICANT HAS ON FILE ALL INSURANCE (BONDS).

APPROVED FOR THE COMMISSIONER BY: _____

SUBMITTED BY: NYC DEP ACPDATE: 11/4/02

DATE: _____

SIGNED BY: P. Theodore WylsTEL: 718, 595-3657

AUTHORIZED REPRESENTATIVE OF APPLICANT

PERMIT NUMBER:PERMITTEE (IRM #): 12470CONTRACT #: ROF - REM 2BOROUGH: ☒ M ☐ B ☐ Q ☐ X ☐ S☐ MEC ☐ ENEC ☐ DEC ☐ EXEC ☐ REC OCMC#SPONSORING AGENCY: ☒ DEP ☐ DDC ☐ DOT ☐ NYSDOT ☐ NYSED ☐ HED ☐ PARKS ☐ SCA ☐ MTA ☐ PA of NYCTDPROJECT ENGINEER NAME: R. RADHAKRISHNAN, P.E. TELEPHONE #: (718) 595-3718NAME OF CONTRACTOR: BENJAMIN KURZBAN / SON CONTROL TELEPHONE #: (718) 531-2900BUSINESS ADDRESS: 1248 RALPH AVENUE, BROOKLYN, NY 11236

RESIDENT ENGINEER NAME: _____ TELEPHONE #: ()

PROJECT DESCRIPTION: BUILDING EXTERIOR CLEAN-UP ACTIVITIES TO REMOVE DEBRIS FROM COLLAPSE OF WTCCONTRACT START DATE: 5/15/02 CONTRACT COMPLETION DATE: 9/15/02 11/30/02

TYPE OF PAVEMENT:

ROADWAY:

SIDEWALK:

TYPE OF PERMIT(S) REQUESTED (Check All Applicable):

☐ 111-MAJOR INSTALLATION-SERER☐ 126-TEST PITS, CORES OR BORING☐ CRANE/SHOVEL ON STREET☐ 112-RAPID TRANSIT CONSTRUCTION☐ 132-INSTALL FENCE☐ 205-PLACE SHANTY/TRAILER ON STREET☐ 113-REPAIR WATER☐ 135-FINAL RESTORATION☐ 208-TEMPORARY PEDESTRIAN WALK☐ 114-REPAIR SEWER☐ 136-DEP-MAJOR INSTALLATIONS-WATER☐ 211-TEMPORARY ROADWAY CLOSING☐ 115-REPAIR WATER/SEWER☐ 137-DEP-MAJOR INSTALLATIONS-SEWER☐ 214-PLACE CONTAINER ON STREET☐ 116-FUEL OIL LINE☐ 201-PLACE MATERIAL ON STREET☐ 401-REPAIR SIDEWALK☐ 118-RESET, REPAIR OR REPLACE CURB☐ 202-CROSSING SIDEWALK☐ 402-CONSTRUCT NEW SIDEWALK☐ 119-PAVE STREET☐ 203-PLACE CRANE/SHOVEL ON STREET☐ 403-REPLACE SIDEWALK VENTILATORS☐ 120-TREE PIT☒ 204-PLACE EQUIPMENT OTHER THAN☐ 121-CONSTRUCT OR ALTER MANHOLE AND/OR CASTING

OTHER TYPE OF PERMIT: _____

OF STREET	FROM STREET	TO STREET	LINEAR FEET	WORK START	WORK END
(67 ANN STREET) ANN STREET	NASSAU STREET	WILLIAM ST		11/09/02	11/11/02
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					

SPECIAL STIPULATIONS: _____

OCMC APPROVAL BY: _____ DATE: _____

☐ MORE LOCATIONS ON REVERSE

THE PERMIT TO BE GRANTED SUBJECT TO THE FOLLOWING CONDITIONS:

THE APPLICANT AGREES TO COMPLY WITH ALL LAWS AND RULES OF THE DEPARTMENT AND OTHER APPLICABLE LAWS AND RULES. NO PERMIT SHALL BE ISSUED UNLESS THE APPLICANT HAS ON FILE ALL INSURANCE (BONDS).

APPROVED FOR THE COMMISSIONER BY: _____

SUBMITTED BY: NYC DEP ACPDATE: 11/4/02

DATE: _____

SIGNED BY: [Signature]TEL: 718, 595-3657
 AUTHORIZED REPRESENTATIVE OF APPLICANT

PERMIT NUMBER:

PERMITTEE (ITEM) #: 12470 CONTRACT #: ROF-REM2
BOROUGH: ☒ M ☐ B ☐ Q ☐ X ☐ S ☐ MEC ☐ ENEC ☐ DEC ☐ EXEC ☐ REC OCMC#
SPONSORING AGENCY: ☒ DEP ☐ DDC ☐ DOT ☐ NYSDEC ☐ NYSED ☐ HPD ☐ PARKS ☐ SCA ☐ MTA ☐ PA of NYCTD
PROJECT ENGINEER NAME: R. RADHAKRISHNAN, P.E. TELEPHONE #: (718) 595-3718
NAME OF CONTRACTOR: BENJAMIN KURZBAN & SON, CONTRAL TELEPHONE #: (718) 531-2900
BUSINESS ADDRESS: 1248 RALPH AVENUE, BROOKLYN, NY 11236
RESIDENT ENGINEER NAME: _____ TELEPHONE #: ()
PROJECT DESCRIPTION: BUILDING EXTERIOR CLEAN-UP ACTIVITIES TO REMOVE DEBRIS FROM COLLAPSE OF WTC
CONTRACT START DATE: 5/15/02 CONTRACT COMPLETION DATE: 9/15/02 11/30/02

TYPE OF PAVEMENT: ROADWAY: _____ SIDEWALK: _____

TYPE OF PERMIT(S) REQUESTED (Check All Applicable):

- | | | |
|--|---|--|
| ☐ 111-MAJOR INSTALLATION-SEWER | ☐ 126-TEST PITS, CORES OR BORING | ☐ CRANE/SHOVEL ON STREET |
| ☐ 112-RAPID TRANSIT CONSTRUCTION | ☐ 132-INSTALL FENCE | ☐ 205-PLACE SHANTY/TRAILER ON STREET |
| ☐ 113-REPAIR WATER | ☐ 135-FINAL RESTORATION | ☐ 208-TEMPORARY PEDESTRIAN WALK |
| ☐ 114-REPAIR SEWER | ☐ 136-DEP-MAJOR INSTALLATIONS-WATER | ☐ 211-TEMPORARY ROADWAY CLOSING |
| ☐ 115-REPAIR WATER/SEWER | ☐ 137-DEP-MAJOR INSTALLATIONS-SEWER | ☐ 214-PLACE CONTAINER ON STREET |
| ☐ 116-FUEL OIL LINE | ☐ 201-PLACE MATERIAL ON STREET | ☒ 215-TEMPORARY SIDEWALK CLOSING |
| ☐ 118-RESET, REPAIR OR REPLACE CURB | ☐ 202-CROSSING SIDEWALK | ☐ 401-REPAIR SIDEWALK |
| ☐ 119-PAVE STREET | ☐ 203-PLACE CRANE/SHOVEL ON STREET | ☐ 402-CONSTRUCT NEW SIDEWALK |
| ☐ 120-TREE PIT | ☒ 204-PLACE EQUIPMENT OTHER THAN STREET | ☐ 403-REPLACE SIDEWALK VENTILATORS |
| ☐ 121-CONSTRUCT OR ALTER MANHOLE AND/OR CASTING | | |

OTHER TYPE OF PERMIT: _____

ON STREET	FROM STREET	TO STREET	LINEAR FEET	WORK START	WORK END
(57 ANN STREET) ANN STREET	NASSAU STREET	WILLIAM ST		11/09/02	11/11/02
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					

SPECIAL STIPULATIONS: _____

OCMC APPROVAL BY: _____ DATE: _____ ☐ MORE LOCATIONS ON REVERSE

THE PERMIT TO BE GRANTED SUBJECT TO THE FOLLOWING CONDITIONS:
THE APPLICANT AGREES TO COMPLY WITH ALL LAWS AND RULES OF THE DEPARTMENT AND OTHER APPLICABLE LAWS AND RULES.
NO PERMIT SHALL BE ISSUED UNLESS THE APPLICANT HAS ON FILE ALL INSURANCE (BONDS).

APPROVED FOR THE COMMISSIONER BY: _____ SUBMITTED BY: NYC DEP ACP DATE: 11/4/02

DATE: _____ SIGNED BY: Phredorella TEL. # 718, 595-3657
AUTHORIZED REPRESENTATIVE OF APPLICANT

ON STREET	FROM STREET	TO STREET	LINEAR FEET	START DATE	COMPLETION DATE
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
TRAFFIC STIPULATIONS:					
SPECIAL STIPULATIONS:					