

WTC Visual Survey Form

Premise Address: 22 THAMES ST

Block: 10 **Residential** ☐ **Commercial** ☒ **Name of Building:** AMEX

Lot: 125 **Mix Use** ☐ **Other** ☐ **AKA's:** Greenwich street

of Stories: 10 **Building Owner/Management:** CAROL HOOPER **Telephone Number:** (212) 306-1180

Name: AMEX **FAX:** ()

Address: 86 Trinity Place

On Site Contact: Thomas S Sacharewsky **Telephone Number:** (212) 306-1663

Building Owner Management Activities

Interior Survey Performed ☒ Yes ☐ No

Exterior Survey Performed ☒ Yes ☐ No

General Clean Up ☒ Yes ☐ No **Locations:** _____

ACM Clean Up ☐ Yes ☒ No **Locations:** _____

Air Monitoring ☐ Yes ☒ No **Locations:** _____

Copies of All Reports and Data Requested ☒ Yes

Visual Inspection Results:

Facade:

		Inspected	Debris		
North	☒ N/A	☐ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
South	☒ N/A	☐ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
East	☐ N/A	☒ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☒ > 1"
West	☐ N/A	☒ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☒ > 1"

Facade Description: Brick windows etc...

Roof

Debris: ☐ No Visible /Fine Layer ^{Light dust} ☐ ½ to 1" of dust ☒ > 1" of dust.

Description: to test + clear

Setbacks N/A ☐

Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"

Comments

Date: 1/12/2002

Inspection Team: Name: Carey Hutchinson Agency: DEP

Name: _____ Agency: _____

WTC Visual Survey Form

Premise Address: 22 THAMES ST		
Block: 51	Residential ☐ Commercial ☒	Name of Building:
Lot: 14	Mix Use ☐ Other ☐	AMEX
# of Stories: 10	AKA's: 125 Greenwich	
Building Owner/Management:		Telephone Number: (212) 306-1180
Name: Carol Hoover VP (AMEX)		FAX: ()
Address: 80 Trinity Place		
On Site Contact:		Telephone Number: (212) 306-1663
Name: Thomas S. Sacharewsky		
Building Owner Management Activities		
Interior Survey Performed ☒ Yes ☐ No		
Exterior Survey Performed ☒ Yes ☐ No		
General Clean Up ☒ Yes ☐ No Locations: _____		
ACM Clean Up ☐ Yes ☒ No Locations: _____		
Air Monitoring ☐ Yes ☒ No Locations: _____		
Copies of All Reports and Data Requested ☒ Yes		

Visual Inspection Results:

Facade:

		Inspected	Debris		
North	☒ N/A	☐ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
South	☒ N/A	☐ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
East	☐ N/A	☒ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☒ > 1"
West	☐ N/A	☒ Yes ☐ No	☐ No Visible/Fine Layer	☐ ½ to 1"	☒ > 1"

Facade Description:

~~800-222-2222~~ et...

Roof

Debris: ☐ No Visible /Fine Layer ^{Light dust} ☐ ½ to 1" of dust ☒ > 1" of dust.

Description:

to test + clean

Setbacks N/A ☐

Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"
Floor: _____	Debris: ☐ No Visible/Fine Layer	☐ ½ to 1"	☐ > 1"

Comments

Date: 1/12/2002

 Inspection Team: Name: Carol Lutchmanin Agency: JEP
 Name: _____ Agency: _____

```

01/30/02                N.Y.C. DEPARTMENT OF BUILDINGS                BISPIQ31
      MULTI-AGENCY COMPOSITE PROPERTY & OWNER INFORMATION QUERY
22..... THAMES STREET..... 1 MANHATTAN      10006 BIN# 1001034
DCP GEOGRAPHICAL INFORMATION:
THAMES STREET          18 - 22                HEALTH AREA : 77      TAX BLK: 51...
GREENWICH STREET       125 - 129              CENSUS TRACT:  13    TAX LOT: 14...
                                           COMMUNITY BD: 101   CONDO :
                                           MULTI STRUCT: 01   CUI NO :
DOF OWNER NAME & ADDRESS FROM BILLING FILE:  DOF OWNER NAME FROM PROPERTY FILE
  OWNER NAME : AMERICAN STOCK EXCHANGE INC    AMERICAN STOCK EXCHAN
  CORP. NAME :                                LPC LANDMARK STATUS: NO
  ADDRESS    : 15201    DIAMONBACK DR         DOB LOCAL LAW STATUS: NO
              ROCKVILLE MD 20850
DOF BUILDING INFORMATION:                    TRANS LAND VALUE: 7,500,000
  BLDG SIZE; 0081.00  X  0114.00              TAX EXEMPT FLAG : NO
  LOT  SIZE: 0082.67  X  0119.25              TAX EXEMPT CLASS:
  BLDG CLASS : 02 OFFICE BUILDING              CITY OWNERSHIP  : NO
  STORIES    : 0                             UPDATE DATE    : 01/12/02
FOR CITY    } MGMT TYPE:      MGMT CODE:      MGMT CODE NAME:
OWNERSHIP   }                MGMT HOLDER CODE: MGMT HOLDER CODE NAME:
-----
PF1 =PREV  PF2 =MAIN  PF7 = NEW ADDRESS  PF8 = NEW BLK/LOT  PF9 = NEW BIN

```

Page: 1 Document Name: Extra

01/30/02 N.Y.C. DEPARTMENT OF BUILDINGS BISPIQ31
MULTI-AGENCY COMPOSITE PROPERTY & OWNER INFORMATION QUERY
22..... THAMES STREET..... 1 MANHATTAN 10006 BIN# 1001034
DCP GEOGRAPHICAL INFORMATION:
THAMES STREET 18 - 22 HEALTH AREA : 77 TAX BLK: 51...
GREENWICH STREET 125 - 129 CENSUS TRACT: 13 TAX LOT: 14...
COMMUNITY BD: 101 CONDO :
MULTI STRUCT: 01 CUI NO :
DOF OWNER NAME & ADDRESS FROM BILLING FILE: DOF OWNER NAME FROM PROPERTY FILE
OWNER NAME : AMERICAN STOCK EXCHANGE INC AMERICAN STOCK EXCHAN
CORP. NAME : LPC LANDMARK STATUS: NO
ADDRESS : 15201 DIAMONBACK DR DOB LOCAL LAW STATUS: NO
ROCKVILLE MD 20850
DOF BUILDING INFORMATION: TRANS LAND VALUE: 7,500,000
BLDG SIZE: 0081.00 X 0114.00 TAX EXEMPT FLAG : NO
LOT SIZE: 0082.67 X 0119.25 TAX EXEMPT CLASS:
BLDG CLASS : 02 OFFICE BUILDING CITY OWNERSHIP : NO
STORIES : 0 UPDATE DATE : 01/12/02
FOR CITY } MGMT TYPE: MGMT CODE: MGMT CODE NAME:
OWNERSHIP } MGMT HOLDER CODE: MGMT HOLDER CODE NAME:

PF1 =PREV PF2 =MAIN PF7 = NEW ADDRESS PF8 = NEW BLK/LOT PF9 = NEW BIN

Date: 1/30/ 2 Time: 08:27:22 AM

Date: 2/5/ 2 Time: 12:44:21 PM



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 12, 2002

American Stock Exchange Inc.
86 Trinity Place
New York, NY 10006

**Subject: 22 THAMES STREET
American Stock Exchange**

Dear Sir/ Madam:

In September 2001, the New York City Department and Environmental Protection (NYC DEP) and the Department of Health (NYC DOH) advised building owners regarding building maintenance and re-occupancy issues following the collapse of the World Trade Center. The steps included the professional assessment of building contamination for possible hazardous components, including asbestos, and a retrospective filing, as required, if applicable.

The NYC DEP is hereby requesting copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. Please forward the requested documents to our offices within FIVE BUSINESS DAYS. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,


R. Radhakrishnan, P.E.
Director

Asbestos Control Program



DEP HELP



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 8, 2002

AMERICAN STOCK EXCHANGE INC
15201 DIAMONDBACK DRIVE
ROCKVILLE, MD 20850

Subject: 125 GREENWICH STREET
22 THAMES STREET
86 TRINITY PLACE

Dear Sir/ Madam:

The New York City Department of Environmental Protection in cooperation with the New York State Department of Labor and the United States Environmental Protection Agency has continued inspections/surveys of buildings in the vicinity of the World Trade Center.

During the recent inspections/surveys, visible debris from the collapse of the Towers was observed on the roofs and facades of the above referenced buildings. In accordance with previously issued guidelines, copies of which are enclosed, these accumulations must be assessed by a NYC DEP certified investigator to determine whether the material is asbestos-containing material and then cleaned up appropriately.

Building owners are responsible for the cleaning of building exteriors, grounds, and common area. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

R. Radhakrishnan, P.E.

Director

Asbestos Control Program



www.nyc.gov/dep



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 12, 2002

American Stock Exchange Inc.
86 Trinity Place
New York, NY 10006

**Subject: 125 GREENWICH STREET
18-22 Thames Street**

Dear Sir/ Madam:

In September 2001, the New York City Department and Environmental Protection (NYC DEP) and the Department of Health (NYC DOH) advised building owners regarding building maintenance and re-occupancy issues following the collapse of the World Trade Center. The steps included the professional assessment of building contamination for possible hazardous components, including asbestos, and a retrospective filing, as required, if applicable.

The NYC DEP is hereby requesting copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. Please forward the requested documents to our offices within FIVE BUSINESS DAYS. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

R. Radhakrishnan, P.E.
Director
Asbestos Control Program





**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 12, 2002

American Stock Exchange Inc.
86 Trinity Place
New York, NY 10006

**Subject: 22 THAMES STREET
American Stock Exchange**

Dear Sir/ Madam:

In September 2001, the New York City Department and Environmental Protection (NYC DEP) and the Department of Health (NYC DOH) advised building owners regarding building maintenance and re-occupancy issues following the collapse of the World Trade Center. The steps included the professional assessment of building contamination for possible hazardous components, including asbestos, and a retrospective filing, as required, if applicable.

The NYC DEP is hereby requesting copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. Please forward the requested documents to our offices within FIVE BUSINESS DAYS. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,


R. Radhakrishnan, P.E.
Director

Asbestos Control Program



LICENSE AGREEMENT

This License Agreement made this 30th day of OCT 2002 by and between the CITY OF NEW YORK (hereinafter called "the City"/Licensee), acting by and through the Department of Environmental Protection of the City of New York (hereinafter called "DEP"), with an office at 59-17 Junction Boulevard, Corona, New York 11368-5107 and V.S.G.F. Realty LLC ("Landowner/Licensors") the owner of the premises at 21-29 Thames Street (the "Premises").

WHEREAS, the facades, roofs and setbacks ("exterior areas") of many structures in close proximity to the site of the former World Trade Center have been found to contain debris, refuse and other deposits ("the foreign material") of unknown origin;

WHEREAS, the owners of said structures are desirous of having the foreign material removed;

WHEREAS, the City believes that it is in the interest of the public to undertake a clean up of these exterior areas;

WHEREAS, the City's willingness to undertake such a cleanup should not in any way be construed as an acknowledgment or admission that the City is any way responsible for any condition, environmental or otherwise, that may exist in or on the exterior areas or that the foreign material is a risk to the public health or safety;

NOW THEREFORE, it is hereby agreed by and between the parties to this agreement, for and in consideration of One Dollar and other good and valuable consideration, the receipt of which is hereby acknowledged,

1. **Permission to Perform Cleaning Work.** Subject to the terms and conditions hereof, Licensors hereby grants permission to Licensee and its authorized contractor(s) to perform the cleaning work on the exterior areas of the structure(s) located on the Premises, as described in the Scope of Work attached hereto as Exhibit A and made a part hereof (the "Cleaning Work").

2. **Grant of Access.** Subject to the terms and conditions hereof, Licensee and its agents, contractors and employees shall have the right, at all times while this License Agreement is in effect, to enter in and on the Premises, and to cross the Premises, with personnel, material and equipment, for the purpose of performing the Cleaning Work. It is expressly understood that the right granted under this Section 2 includes:

(a) the right to access all portions of the Premises deemed necessary by Licensee or its contractor(s) in order to properly perform the Cleaning Work, including (without limitation) roofs, parapets, window ledges, and other building exterior surfaces; and

Post-It® Fax Note	7671	Date	10/29/02	# of pages	15
To	Elizabeth	From	Mr. Radhakrishnan		
Co./Dept.		Co.	NYC DEP		
Phone #		Phone #	718-595-3721		
Fax #	516-466-4952	Fax #	718-595-3744		

(b) the right to temporarily occupy portions of the ground outside of the building located on the Premises, with personnel, material and equipment, in order to perform the Cleaning Work; and

(c) the right to erect, maintain, and store temporary scaffolding on the Premises, and to utilize such scaffolding for the purpose of performing the Cleaning Work.

3. **Limitations And Conditions:**

- a) In no event shall the Licensee, its agents, contractors, or subcontractors enter the Licensor's property for the purposes of performing the Cleaning Work other than between the hours of 8:00 a.m. and 8:00 p.m.
- b) Licensee shall provide the Licensor with written notification of its intention to begin the Cleaning Work at least two (2) days prior to the commencement of such Work.
- c) Licensee shall pay the entire cost of all work, labor, and material in connection with the Cleaning Work undertaken by it hereunder except that the Licensor shall supply and pay for all power and water usage in connection with the Cleaning Work.
- d) Licensee, its agents, contractors, and employees, shall perform all Cleaning Work promptly and in a workmanlike manner with a minimum of disturbances to the Licensor's property.
- e) Licensee shall maintain such flags, lights, barricades and enclosures as required for the safety of persons, property and traffic flow.
- f) All Cleaning Work shall be performed by qualified contractors in accordance with applicable federal, state and local rules and regulations;
- g) Any contractor or subcontractors performing the Cleaning Work on behalf of the Licensee shall obtain, prior to the commencement of any Cleaning Work, insurance in the amounts and types as set forth herein in Exhibit B;
- h) All City employees, and any contractor or subcontractor performing any activities on the City's behalf, shall, at all times, wear proper identification which, at a minimum shall include, an identification card with the name and photograph of the person.

4. **Reimbursement.** Licensor shall reimburse Licensee for the removal of the foreign material provided for in this license from any compensation it receives from any source for the

cleaning of debris accumulations from the exterior surfaces of the structure(s) located on the Premises. Such sources shall include, but are not limited to, the Small Business Administration, private insurance, or any other local, state or federal assistance program. Licensor shall make claim for any applicable insurance coverage for these premises and shall report to Licensee any insurance settlements or other source of funding for the Cleaning Work that has been performed at Licensee's expense.

5. **Termination.** This license shall be terminable by the Licensor or Licensee on ten days written notice to the address set forth below by fax or certified mail. In the event of a default by either party, the license may be terminated immediately, without any prior notice.

6. **Waiver of Claims.** Licensor agrees that no claims or cause of action for damages shall accrue by reason of revocation or termination of this License.

7. **Term.** This license shall commence as of the latest date appearing at the end of the signature page and remain effect for a period of ninety (90) days unless or until terminated or revoked as hereinabove provided.

8. **Cleaning Work Not An Admission of Liability.** It is expressly understood and agreed by Licensor and Licensee that Licensee's performance of the Cleaning Work hereunder is not, and shall not be construed as,

(I) an admission or agreement by the Licensee that it is liable for the deposit of any dust, debris or other material in or on the Premises as a result of the events of September 11, 2001, at the World Trade Center complex, or the subsequent debris removal activity related thereto; or

(II) an admission or agreement by the Licensee that it is liable for any condition, environmental or otherwise, that may exist in or on the Premises as of the date hereof.

9. **Landmarks.** If the Premises are a designated landmark, Landowner gives its permission for DEP to file the "Application Form for Work On Designated Properties" with the New York City Landmarks Preservation Commission on Landowner's behalf.

10. **Notices:** Notices and correspondence regarding this License shall be directed by Certified Mail, Return Receipt Requested to the Licensor, at the following address:

YL Real Estate Developers
111 Great Neck Road
Suite 205, 2nd Floor
Great Neck, NY 11021

and notices to the Licensee shall be addressed to R. Radhakrishnan, P.E., NYCDEP-ACP, 59-17 Junction Boulevard, 8th Floor, Corona, NY 11368-5643, with a copy to General Counsel, NYCDEP, 59-17 Junction Boulevard, 19th floor, Corona, New York 11368-5643.

IN WITNESS WHEREOF, the parties have caused this License Agreement to be executed and acknowledged on the day and year which first appears above.

Dated: 10/30/2002

Licensor

By: X

Deputy Commissioner, DEP

Licensee

By: [Signature]

Dated: 11-6-02

Approved as to Form

Acting Corporation Counsel

DATED: _____

STATE OF NEW YORK)
COUNTY OF Nassau)s.:

Yair Levy

On this 31st day of October 2002, before me personally came the individual described in and who executed the foregoing instrument and acknowledged to me that he/she resides at 19 Sinclair Drive, Kama PT. and that he/she executed the foregoing instrument as the owner/licensor of the property NY 11024

Christine Victor
NOTARY PUBLIC
STATE OF NEW YORK

CHRISTINE VICTOR
Notary Public, State of New York
No. 01VI5072787
Qualified in Queens County
Commission Expires Feb. 10, 2003

OCT-29-2002 14:46

NYCDEP BANHM ASB/LEAD TRU

718 595 3648 P.06

STATE OF NEW YORK)
)s.:
COUNTY OF QUEENS)

On this 7th day of November 2002, before me personally came Robert C. Avaltroni and acknowledged to me that he/~~she~~ is the ~~El~~ Deputy Commissioner of the New York City Department of Environmental Protection, and that he/~~she~~ authorized to executed the foregoing instrument and that he/she did so on behalf of the City of New York pursuant to authority of law duly delegated.

Francis S. Schiano
NOTARY PUBLIC
STATE OF NEW YORK

FRANCIS S. SCHIANO
NOTARY PUBLIC, State of New York
No. 02SC4741070
Qualified in Richmond County
Commission Expires October 31, 2005

Exhibit A**New York City Department of Environmental Protection
Bureau of Environmental Compliance****Asbestos Control Program****Building Exterior Clean-up****Scope of Work**

All work performed shall be in compliance with all applicable, relevant, and appropriate regulations, including but not limited to those of the United States Environmental Protection Agency (USEPA), the United States Department of Labor Occupational Safety and Health Administration (OSHA), the New York State Department of Labor (NYS DOL), the New York State Department of Environmental Conservation (NYS DEC), the New York State Historic Preservation Office (SHPO), the New York City Department of Sanitation (DOS), the New York City Department of Health (DOH), the New York City Landmarks Preservation Commission (NYC LPC), and the New York City Department of Environmental Protection (DEP).

Background

The DEP with assistance from representatives of the NYS DOL and US EPA performed follow-up site visits at buildings in the vicinity of the World Trade Center. The visual assessments disclosed the presence of various amounts of debris with various dispersal patterns at the building exteriors. The majority of buildings had isolated areas of debris specifically at the perimeter of the roofs, at the base of parapet walls, and in gutters. Debris was also visible at horizontal surfaces on some of the building facades. For some buildings, building facades facing the street were cleaned while the facades at the rear remained dirty.

The observed debris was characteristic of the debris from the impact of September 11, 2001. The debris appears to have reformed into a dense mass (caked). During the DEP follow-up visits, samples of the debris were collected from various roofs. The uneven dispersal identified above was also evident in the sample collection. Samples collected from various buildings indicated that some of the debris was asbestos-containing material (ACM). Based on these results and the most stringent assessment and evaluation, this material may be ACM and shall be cleaned by NYS DOL licensed contractors with DEP and NYSDOL certified workers.

Purpose

A NYS DOL licensed asbestos contractor with DEP and NYSDOL certified workers shall perform the clean-up of building roofs, setbacks, and/or building facades within the vicinity of the WTC. The scope of work for the clean-up activities is attached. The clean-up activities shall consist of collection of debris and wet cleaning/HEPA vacuuming until the surfaces are clean of visible debris.

Contract Term and Specifications

The contract shall be in force for 120 consecutive calendar days from the DEP commencement date. Services shall be directed by the DEP. Contractors shall be prepared to mobilize within 72 hours of the contract award. The DEP expects contractors to provide four to five crews with a minimum of five handlers per day at each of the areas. Multiple building roofs shall be cleaned simultaneously.

Work shall not be performed at any building found to be structurally unsound.

An ACP7 form signed by the contractor and air-monitoring firm shall be submitted directly to the DEP representative on site. The DEP shall provide notification to the NYS DOL. The size of the project, specified area, shall be indicated on the ACP7 form.. Building owners shall provide written authorization to the DEP for the work activities.

DEP will coordinate activities with building owners and other city agencies.

The sites and specific areas to be cleaned shall be determined and specified by the DEP.

The contractor shall restrict access by the public to the work area (s) during clean-up activities. Caution tape and warning signs shall be used to identify work areas. Access shall be limited to the contractor, his employees, and Federal, State or local officials.

The contractor shall provide all necessary equipment, to remove, bag, transport, and dispose collected waste. The contractor is responsible for supplying all necessary equipment.

The specific clean-up procedures for building roofs are attached. The DEP shall consider substitution of the specified methodologies only if the request is received in writing. Any substitutions must receive prior approval by the DEP.

For large asbestos clean-up projects, a partial decontamination system (changing room and shower) shall be required at an entry/exit from each work area. A remote decontamination system shall be acceptable with DEP on-site approval.

Contractor Qualifications

The contractor shall have on staff and assigned to the contract a sufficient number of properly trained and certified workers. See above.

Roof Clean-Up

Application: This procedure utilizes wet methods and careful hygiene protocol for cleaning roofs contaminated with asbestos containing material (ACM).

1. The entire roof shall be considered the work area for entry/access determinations. All abatement will be performed by NYSDOL licensed contractors with NYC DEP certified workers.

For non-gravel or stone covered roofs with localized accumulations of visible debris, the clean-up areas shall be specified ("specified area") by DEP.

For gravel/stone covered roof surfaces, the entire roof shall be included in the specified roof area for clean-up. The gravel/stone shall be taken to a clean-up staging area on the roof and washed. Water shall be collected, filtered, and discharged into the drain/sewer as applicable.

2. A changing area consisting of two adjacent step-off pads located on the roof immediately adjoining the roof entrance/exit. This area shall consist of a clean pad and a change pad. The clean pad shall be adjacent to the building interior access way (or at the point of entry to the roof for exterior access). The change pad shall be adjacent to the contaminated roof areas. Each pad (change pad and clean pad) shall consist of two layers of 10-mil reinforced plastic on the roof/access way surface and shall be large enough to facilitate changing and decontamination as described herein. A minimum of 4' x 4' is recommend, though the exact configuration will be specific to the roof.
3. Workers shall first step from the building interior (or exterior at the point of entry to the roof) directly onto the clean pad. On the clean pad, each worker shall be double suited with disposable coveralls, plastic booties, gloves, and head coverings. Rubber boots may be used instead of the plastic booties. The boots shall be wet wiped and HEPA vacuumed prior to leaving the roof. Each worker shall wear a minimum of a half-face air-purifying respirator equipped with HEPA cartridges.
4. All penetrations at the roof within 10 feet of the specified roof area included in the clean-up shall be cleaned by wet methods/HEPA vacuum and sealed with 6-mil polyethylene sheeting.
5. Roof cleanup shall begin at the entrance/exit and proceed in a path working away from the entrance/exit. Water shall be the primary engineering control to minimize the potential for fiber release.
6. Roof surfaces shall be wetted and then wet cleaned using wet wiping techniques with water, mops, rags, brushes, etc. HEPA vacuuming may also be used as alternative to or in combination with wet cleaning.
7. Throughout the procedure, all personnel entering or existing the roof shall observe the personal decontamination practices. Attention shall be paid to limiting unnecessary walking on or disturbance of material on the roof. These personal decontamination procedures shall be strictly adhered to, in order to minimize the potential for spreading contamination to the interior of the buildings.
8. Solid nonporous objects, such as metal patio furniture, plant potters, and plastic furniture cushions, shall be wet wiped with damp rags. Wooden objects such as decking shall be HEPA vacuumed, wet wiped, and lightly brushed with a bristle brush utilizing simultaneous misting and local HEPA exhaust. Woven materials shall either be disposed as ACM or bagged and removed off-site for proper laundering in accordance with 29 CFR 1901.1001. Potted plants with visual contamination should be disposed as ACM waste unless the owner requests decontamination. Potted plants will be repeatedly rinsed, and provisions shall be made to catch the runoff water (i.e. into ACM disposal bags or by using rags and HEPA wet-vacuums).
9. After completion of the above, the specified area roof shall be carefully washed.

10. Some common outdoor spaces (i.e. alleys, yards, setbacks) may be included in this clean-up. They have been included in the quantity estimates and shall be cleaned using the same procedures as the roof clean-up.
11. Air Monitoring shall be performed by NYSDOL licensed a Third Party Air Monitoring firm with certified workers. The Third Party Air monitoring firm shall perform a visual inspection to confirm the absence of ACM or debris after the areas are completely dry. Clearance air monitoring shall not be required if all samples collected during the work were found to be below 70 s/mm^2 .

Building Facade Clean-up

Work shall be performed by a NYSDOL licensed asbestos contractor with NYCDEP and NYSDOL asbestos certified workers.

The contractor performing the cleaning should be experienced in cleaning building facades.

The clean up area shall be specified ("specified area") by DEP. The area below the façade cleaning shall be covered with a layer of polyethylene sheeting. All debris must be collected for disposal as ACM directly upon removal from the surface. (i.e. All waste must be double bagged in ACM waste labeled bags.) Running water or water runoff on the building façade is not permitted.

Building occupants shall be notified prior to the façade cleaning. Access to the street below the façade cleaning shall be restricted and marked with caution tape. Cleaning shall not be performed during wind speeds greater than 20 mph.

All HVAC systems and air conditioners shall be turned off. All windows shall be closed during the cleaning of the building. Some air conditioners and windows may require sealing with duct tape to prevent water penetration.

In cases where equipment is rigged from the roof: All clean-up activities on the roof must be completed prior to rigging equipment from the roof.

All horizontal surfaces and all windows on the facade shall be cleaned of large bulk material by wetting and hand brushing or scraping with non-metallic bristle brushes or non-metallic scrapers, by wet wiping and/ or by HEPA vacuuming from top to bottom. Only water shall be used for wet wiping and low-pressure washing. Detergents, solvents, additives, and any other chemical cleaning agents are prohibited. The removed material shall be immediately placed into containers (e.g. bags). Windows shall be wet wiped. Free running water shall not be evident during this procedure. Power for HEPA vacuums shall be supplied through ground fault interrupters.

After completion of debris removal, the specified area shall be carefully washed. A low pressure washing technique, moving from top to bottom, shall be employed to minimize water bounce-back. Facades shall be washed with a low-pressure wash not to exceed 250 psi.

At the completion of work, a visual inspection of the abated surfaces and sidewalk shall be performed to verify the absence of visible debris.

Air monitoring shall be performed by an independent NYSDOL licensed third party air monitoring firm with certified workers.

In order to minimize disruption to the public and to the building occupants, it is recommended this work be performed during off-hours.

EXHIBIT B

**SUPPLY and SERVICE CONTRACT
GENERAL CONDITIONS
SCHEDULE A**

Page 1 of 4

<u>Reference</u>	<u>Item</u>	<u>Requirements</u>
Section 28 of Information for Bidders	Bid Deposit or	<u>N/AP</u> % of Bid
	Bid Bond	<u>N/AP</u> % of Bid
Article 4 of Agreement	Period of Performance	<u>120</u> Consecutive Calendar Days
Article 5b of Agreement	Partial Payment	<u>X</u> will be allowed
		<u> </u> will not be allowed
Article 6.1 of Agreement	Performance Bond	<u>N/AP</u> % of Bid
	Payment Bond (Completion/Labor & Material)	<u>N/AP</u> % of Bid
Article 6.3 of Agreement	Liquidated Damages	\$ <u>N/A</u>
Article 6.4 of Agreement	Maintenance and Guaranty Security	<u>N/A</u> % of Contract Price
Article 6.4 of Agreement	Guaranty Period	<u>N/A</u> year(s)
Article 6.5 of Agreement	Retained Percentage	<u>10</u> % of Voucher
Article 12.8 of Agreement	Subcontracting	Not to exceed <u>45</u> % of Bid

.....CONTINUED ON NEXT PAGE.

cleaning of debris accumulations from the exterior surfaces of the structure(s) located on the Premises. Such sources shall include, but are not limited to, the Small Business Administration, private insurance, or any other local, state or federal assistance program. Licensor shall make claim for any applicable insurance coverage for these premises and shall report to Licensee any insurance settlements or other source of funding for the Cleaning Work that has been performed at Licensee's expense.

5. **Termination.** This license shall be terminable by the Licensor or Licensee on ten days written notice to the address set forth below by fax or certified mail. In the event of a default by either party, the license may be terminated immediately, without any prior notice.

6. **Waiver of Claims.** Licensor agrees that no claims or cause of action for damages shall accrue by reason of revocation or termination of this License.

7. **Term.** This license shall commence as of the latest date appearing at the end of the signature page and remain effect for a period of ninety (90) days unless or until terminated or revoked as hereinabove provided.

8. **Cleaning Work Not An Admission of Liability.** It is expressly understood and agreed by Licensor and Licensee that Licensee's performance of the Cleaning Work hereunder is not, and shall not be construed as,

(I) an admission or agreement by the Licensee that it is liable for the deposit of any dust, debris or other material in or on the Premises as a result of the events of September 11, 2001, at the World Trade Center complex, or the subsequent debris removal activity related thereto; or

(II) an admission or agreement by the Licensee that it is liable for any condition, environmental or otherwise, that may exist in or on the Premises as of the date hereof.

9. **Landmarks.** If the Premises are a designated landmark, Landowner gives its permission for DEP to file the "Application Form for Work On Designated Properties" with the New York City Landmarks Preservation Commission on Landowner's behalf.

10. **Notices:** Notices and correspondence regarding this License shall be directed by Certified Mail, Return Receipt Requested to the Licensor, at the following address:

YL Real Estate Developers
111 Great Neck Road
Suite 205, 2nd Floor
Great Neck, NY 11021

and notices to the Licensee shall be addressed to R. Radhakrishnan, P.E., NYCDEP-ACP, 59-17 Junction Boulevard, 8th Floor, Corona, NY 11368-5643, with a copy to General Counsel, NYCDEP, 59-17 Junction Boulevard, 19th floor, Corona, New York 11368-5643.

Exhibit A**New York City Department of Environmental Protection
Bureau of Environmental Compliance****Asbestos Control Program****Building Exterior Clean-up****Scope of Work**

All work performed shall be in compliance with all applicable, relevant, and appropriate regulations, including but not limited to those of the United States Environmental Protection Agency (USEPA), the United States Department of Labor Occupational Safety and Health Administration (OSHA), the New York State Department of Labor (NYS DOL), the New York State Department of Environmental Conservation (NYS DEC), the New York State Historic Preservation Office (SHPO), the New York City Department of Sanitation (DOS), the New York City Department of Health (DOH), the New York City Landmarks Preservation Commission (NYC LPC), and the New York City Department of Environmental Protection (DEP).

Background

The DEP with assistance from representatives of the NYS DOL and US EPA performed follow-up site visits at buildings in the vicinity of the World Trade Center. The visual assessments disclosed the presence of various amounts of debris with various dispersal patterns at the building exteriors. The majority of buildings had isolated areas of debris specifically at the perimeter of the roofs, at the base of parapet walls, and in gutters. Debris was also visible at horizontal surfaces on some of the building facades. For some buildings, building facades facing the street were cleaned while the facades at the rear remained dirty.

The observed debris was characteristic of the debris from the impact of September 11, 2001. The debris appears to have reformed into a dense mass (caked). During the DEP follow-up visits, samples of the debris were collected from various roofs. The uneven dispersal identified above was also evident in the sample collection. Samples collected from various buildings indicated that some of the debris was asbestos-containing material (ACM). Based on these results and the most stringent assessment and evaluation, this material may be ACM and shall be cleaned by NYS DOL licensed contractors with DEP and NYSDOL certified workers.

Purpose

A NYS DOL licensed asbestos contractor with DEP and NYSDOL certified workers shall perform the clean-up of building roofs, setbacks, and/or building facades within the vicinity of the WTC. The scope of work for the clean-up activities is attached. The clean-up activities shall consist of collection of debris and wet cleaning/HEPA vacuuming until the surfaces are clean of visible debris.

Contract Term and Specifications

The contract shall be in force for 120 consecutive calendar days from the DEP commencement date. Services shall be directed by the DEP. Contractors shall be prepared to mobilize within 72 hours of the contract award. The DEP expects contractors to provide four to five crews with a minimum of five handlers per day at each of the areas. Multiple building roofs shall be cleaned simultaneously.

Work shall not be performed at any building found to be structurally unsound.

An ACP7 form signed by the contractor and air-monitoring firm shall be submitted directly to the DEP representative on site. The DEP shall provide notification to the NYS DOL. The size of the project, specified area, shall be indicated on the ACP7 form.. Building owners shall provide written authorization to the DEP for the work activities.

DEP will coordinate activities with building owners and other city agencies.

The sites and specific areas to be cleaned shall be determined and specified by the DEP.

The contractor shall restrict access by the public to the work area (s) during clean-up activities. Caution tape and warning signs shall be used to identify work areas. Access shall be limited to the contractor, his employees, and Federal, State or local officials.

The contractor shall provide all necessary equipment, to remove, bag, transport, and dispose collected waste. The contractor is responsible for supplying all necessary equipment.

The specific clean-up procedures for building roofs are attached. The DEP shall consider substitution of the specified methodologies only if the request is received in writing. Any substitutions must receive prior approval by the DEP.

For large asbestos clean-up projects, a partial decontamination system (changing room and shower) shall be required at an entry/exit from each work area. A remote decontamination system shall be acceptable with DEP on-site approval.

Contractor Qualifications

The contractor shall have on staff and assigned to the contract a sufficient number of properly trained and certified workers. See above.

Roof Clean-Up

Application: This procedure utilizes wet methods and careful hygiene protocol for cleaning roofs contaminated with asbestos containing material (ACM).

1. The entire roof shall be considered the work area for entry/access determinations. All abatement will be performed by NYSDOL licensed contractors with NYC DEP certified workers.

For non-gravel or stone covered roofs with localized accumulations of visible debris, the clean-up areas shall be specified ("specified area") by DEP.

For gravel/stone covered roof surfaces, the entire roof shall be included in the specified roof area for clean-up. The gravel/stone shall be taken to a clean-up staging area on the roof and washed. Water shall be collected, filtered, and discharged into the drain/sewer as applicable.

2. A changing area consisting of two adjacent step-off pads located on the roof immediately adjoining the roof entrance/exit. This area shall consist of a clean pad and a change pad. The clean pad shall be adjacent to the building interior access way (or at the point of entry to the roof for exterior access). The change pad shall be adjacent to the contaminated roof areas. Each pad (change pad and clean pad) shall consist of two layers of 10-mil reinforced plastic on the roof/access way surface and shall be large enough to facilitate changing and decontamination as described herein. A minimum of 4' x 4' is recommend, though the exact configuration will be specific to the roof.
3. Workers shall first step from the building interior (or exterior at the point of entry to the roof) directly onto the clean pad. On the clean pad, each worker shall be double suited with disposable coveralls, plastic booties, gloves, and head coverings. Rubber boots may be used instead of the plastic booties. The boots shall be wet wiped and HEPA vacuumed prior to leaving the roof. Each worker shall wear a minimum of a half-face air-purifying respirator equipped with HEPA cartridges.
4. All penetrations at the roof within 10 feet of the specified roof area included in the clean-up shall be cleaned by wet methods/HEPA vacuum and sealed with 6-mil polyethylene sheeting.
5. Roof cleanup shall begin at the entrance/exit and proceed in a path working away from the entrance/exit. Water shall be the primary engineering control to minimize the potential for fiber release.
6. Roof surfaces shall be wetted and then wet cleaned using wet wiping techniques with water, mops, rags, brushes, etc. HEPA vacuuming may also be used as alternative to or in combination with wet cleaning.
7. Throughout the procedure, all personnel entering or existing the roof shall observe the personal decontamination practices. Attention shall be paid to limiting unnecessary walking on or disturbance of material on the roof. These personal decontamination procedures shall be strictly adhered to, in order to minimize the potential for spreading contamination to the interior of the buildings.
8. Solid nonporous objects, such as metal patio furniture, plant potters, and plastic furniture cushions, shall be wet wiped with damp rags. Wooden objects such as decking shall be HEPA vacuumed, wet wiped, and lightly brushed with a bristle brush utilizing simultaneous misting and local HEPA exhaust. Woven materials shall either be disposed as ACM or bagged and removed off-site for proper laundering in accordance with 29 CFR 1901.1001. Potted plants with visual contamination should be disposed as ACM waste unless the owner requests decontamination. Potted plants will be repeatedly rinsed, and provisions shall be made to catch the runoff water (i.e. into ACM disposal bags or by using rags and HEPA wet-vacuums).
9. After completion of the above, the specified area roof shall be carefully washed.

10. Some common outdoor spaces (i.e. alleys, yards, setbacks) may be included in this clean-up. They have been included in the quantity estimates and shall be cleaned using the same procedures as the roof clean-up.
11. Air Monitoring shall be performed by NYSDOL licensed a Third Party Air Monitoring firm with certified workers. The Third Party Air monitoring firm shall perform a visual inspection to confirm the absence of ACM or debris after the areas are completely dry. Clearance air monitoring shall not be required if all samples collected during the work were found to be below 70 s/mm^2 .