



April 1, 2001

The First Choice for Environmental Testing & Consulting

Gateway Plaza Management Corporation
375 South End Avenue
New York, New York 10280

Subject: Random Air Sampling-Ambient Air Monitoring: **Gateway Plaza Buildings**
Sampling Date(s): March 7, 8, 11, 12, 13, 14, 15, 18, 19, 20, 21, 22, 25, 26, 27

Gentlemen:

Please find enclosed the air monitoring report performed at the above referenced address in the 100, 200, 300, 400, 500 and 600 buildings. Air sampling was conducted via Transmission Electron Microscopy (TEM) analysis at the request of the owner.

ATC Associates (ELAP #10879) analyzed the samples using the Transmission Electron Microscopy (TEM) Methodology. **The results indicated that the areas achieved the acceptance criteria below <70 structures per mm2 set by the federal regulations.** (Please See Attached TEM Report)

According to the EPA, "In evaluating data from the World Trade Center and the surrounding areas, EPA is using a protective standard under AHERA, the Asbestos Hazard Emergency Response Act, to evaluate the risk from asbestos in the outdoor and indoor air. This is a very stringent standard that is used to determine whether children may re-enter a school building after asbestos has been removed or abated. It is based on assumptions of long-term exposure. EPA has chosen to use this standard, because it is the most stringent and protective, even though it is unlikely that the public will be exposed to asbestos from the World Trade Center site for extended periods of time.

To determine asbestos levels, air filters are collected from monitoring equipment through which air in the school building has passed and viewed through a microscope. The number of structures -- material that has asbestos fibers on or in it -- is then counted. The measurements must be 70 or fewer structures per square millimeter before children are allowed inside.

There is also a federal standard for asbestos exposure under OSHA, the Occupational Safety and Health Act, which is used to protect workers on-the-job. The standard is .1 fiber per cubic centimeter averaged over an eight-hour day. To be as protective as possible, EPA is using the school re-entry standard in tests around the World Trade Center.

Levels above 70 structures per square millimeter do NOT imply an immediate health threat. Asbestos exposure becomes a health concern when high concentrations of asbestos fibers are inhaled over a long period. Illness is very unlikely to result from a single, high-level exposure, or from a short period of exposure to lower levels."

The air samples were collected by Michael Kammas (License #AH 97-17055), Nyron Williams (License #AH 98-10213) and Robert Nelson (License #AH 97-11694) NY State Department of Labor Project Monitors.

Sincerely,

Michael Kammas
ALC Environmental Incorporated

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

ENTERED

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Consulting

#697

Client: **GATEWAY PLAZA**
 Sampled By: **6973**
 Date: **03-07-02**

Asbestos Air Sampling Data Form

Rotometer #: **7700R**

Project #:

Work Area: **BUILDING 600 18th FLOOR**

Sample #	Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
				Start	Stop		Start	Stop			
1		Room 11		09:05	10:35	190	10	10	1900		
2		Room 11		09:36	11:06	190	10	10	1900		
3		Room 11		09:37	11:07	190	10	10	1900		
4		Room 11		09:38	11:08	190	10	9	1805		
5		Room 11		09:39	11:09	190	10	10	1900		
6		Room 11		10:45	12:15	190	10	10	1900		
7		Room 11		10:46	12:16	190	10	9	1805		
8		Room 11		10:47	12:17	190	10	10	1900		

Analysis: ☒ TEM/AMBERA ☐ TEM Philadelphia ☐ PCM MICRO 7400

Relinquished: **7/2/02** Date: **03-07-02**

Analyst: **ATC-TEM** Date: **03-07-02**

Received: **ATC Lab** Date: **03/01/02**

Disposal By: **11:10**

115 West 30th Street • 14th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellini • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19101 • 215.732.9499 • 888.784.8378 • Fax: 215.732.9559
 www.ALCEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg. 600, 17th Floor, NY, NY

Received: 3/7/02

5:10:00 PM

ATC Group #: 6973

Analysis Date: 3/8/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
1 6973 -1	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	
2 6973 -2	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	
3 6973 -3	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	
4 6973 -4	1805.00	0.0450	0	None Detected	0	0	0.0047 <22.24 <0.0047	
5 6973 -5	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	
6 6973 -6	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	
7 6973 -7	1805.00	0.0450	0	None Detected	0	0	0.0047 <22.24 <0.0047	
8 6973 -8	1900.00	0.0450	0	None Detected	0	0	0.0045 <22.24 <0.0045	

ROMAN PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarent
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 3/7/02 5:10:00 PM
 ATC Group #: 6973
 Analysis Date: 3/8/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600, 17th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ²)	(S/cc)	
9 6973 -9	1900.00	0.0450	0	None Detected	0	0	0.0045	<22.24	<0.0045	
10 6973 -10	1900.00	0.0450	0	None Detected	0	0	0.0045	<22.24	<0.0045	

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

#6984

Client: GATEWAY PLAZA Asbestos Air Sampling Data Form
 Sampled By: NGRAN WILLIAMS Date: 03-08-03 Project #:
 Work Area: BUILDING 600 - 20th FLOOR Rotometer #:
 Sample # Lab # Sample Location Code Time Start Stop Total Minutes Flow Rate Start Stop Volume # Fibers /100 Fields Results (Use)

Sample #	Lab #	Sample Location	Code	Time	Start	Stop	Total Minutes	Flow Rate	Start	Stop	Volume	# Fibers /100 Fields	Results (Use)
1		IN CORRIDOR BY ROOM <u>PI</u>		09:25	12:35	190	10	10	1900				
2		IN CORRIDOR BY ROOM <u>PI</u>		09:26	12:36	190	10	9	1805				
3		IN CORRIDOR BY ELEVATOR #9		09:27	12:37	190	10	10	1900				
4		IN CORRIDOR BY ROOM <u>PI</u>		09:28	12:38	190	10	10	1900				
5		IN CORRIDOR BY ROOM <u>PI</u>		09:29	12:39	190	10	10	1900				
6		IN CORRIDOR BY ROOM <u>PI</u>		12:44	15:54	190	10	10	1900				
7		IN CORRIDOR BY ? ROOM <u>PI</u>		12:45	15:55	190	10	10	1900				
8		IN CORRIDOR BY ELEVATOR #9		12:46	15:56	190	10	9	1805				

Analysis: ☒ TEM AHRA ☐ TEM PHENOL ☐ PCM MICRO 7400
 Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. During Sampling
 A. Aggressive D. Domestic L. Inside Work Area O. Outside Work Area B. Examination T. TWA
 Transposed ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)
 Relinquished NGRAN WILLIAMS Date/Time 03-08-03 Received ATC Lab Date/Time 03/08/03
 Analyst Disposal By/Date

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.6378 • Fax: 215.732.9559
 www.ALCEnvironmental.com



#6984

The First Choice for Environmental Testing & Consulting

Client: GATEWAY PLAZA Date: 03-08-02

Sampled By: NYRON WILLIAMS Rotometer #: AMBIENT Project #:

Work Area: BUILDING 600 - 30th FLOOR

Sample #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/ecs)
			Start	Stop		Start	Stop			
9	IN CORRIDOR BY ROOM <u>PI</u>		10:47	15:57	190	10	10	1900		
10	IN CORRIDOR BY ROOM <u>PI</u>		12:48	15:58	190	10	10	1900		
11	FIELD BLANK									
12	FIELD BLANK									
13	SEALED BLANK									

Code: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Purings
 Analysis: ☒ TERM AHERA ☐ TERM PHENOL ☐ PCN NORTH 7400
 Relinquished: NYRON WILLIAMS Date/Time: 03-08-02 Received: ATC Lab Date/Time: 03/08/02 12:30
 Analyst: WJW Disposal By/Date: 3/8/02 9:00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellvue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.784.8378 • Fax: 215.732.9559
 www.ALCEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Saret
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/8/02 5:30:00 PM
ATC Group #: 6984
Analysis Date: 2/9/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6984 -1	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
2 6984 -2	1805.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047	
3 6984 -3	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
4 6984 -4	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
5 6984 -5	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
6 6984 -6	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
7 6984 -7	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
8 6984 -8	1805.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/8/02

5:30:00 PM

ATC Group #: 6984

Analysis Date: 3/9/02

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
9 6984 -9	1000.00	0.0450	0	None Detected	0	0.0045	< 22.24	< 0.0045	
10 6984 -10	1000.00	0.0450	0	None Detected	0	0.0045	< 22.24	< 0.0045	

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

Gateway Plaza

Sampled By:

R. Nelson

Date:

3/11/02

Work Area:

15th Floor

Rotometer #:

511

Project #:

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	15 th Floor Hall		12:02	15:07	180	10	10	1800		
04	15 th Floor Hall		12:03	15:03	180	10	10	1800		
05	15 th Floor Hall		12:04	15:04	180	10	10	1800		
06	15 th Floor Hall		12:05	15:05	180	10	10	1800		
07	15 th Floor Hall		12:06	15:06	180	10	10	1800		
08	15 th Floor Hall		15:07	18:07	180					

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggressive 7. Dermal 8. Inside Work Area 9. Outside Work Area 10. Excursion 11. TWA

Analysis

☒ TEM AHERA
☐ TEM Philadelphia

☐ PCM NIOSH 7400

Temperature

☐ ASAP
☒ 2 Day (4hr)

☐ Same Day (12hr)

Relinquished

Robert Nelson Date/Time 3/11/02

Received

ATC To

Date/Time 3/12/02

Analyst

ATC Disposal By/Date 3/12 11:30

9130000

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia • 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

Sampled By:

Work Area:

Date:

Rotometer #:

Project #:[illegible]

Analysis

☒ TEMAHIRA
☐ TEM PHILADELPHIA

PCN NIOSH 7400

Timeline

□ 1884

□

Relinquished

Analylist

Received

Digital | Pv/Data

57 25

3/13/11

Date: 3/1/10

DATE TIME 8/12/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Atlantic Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management
15th Floor.

Received: 3/12/02

9:30:00 AM

ATC Group #: 7039

Analysis Date: 3/12/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
03 7039 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
04 7039 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
05 7039 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
06 7039 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
07 7039 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
08 7039 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
09 7039 -7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
10 7039 -8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101167-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management
15th Floor.

Received: 3/12/02 9:30:00 AM
ATC Group #: 7039
Analysis Date: 3/12/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
11 7039 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
12 7039 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLW/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

7056 Gateway Plaza

Sampled By:

R. Nelson

Date:

3/13/02

Work Area:

Building 600 / 10th Floor

Rotometer #:

511

Project #:

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	12th Floor - Apartment P11		09:30	13:30	240	10	10	2400		
04	12th Floor - Apartment P11		09:31	13:31	240	10	10	2400		
05	13th Floor - Apartment P11		09:32	13:32	240	10	10	2400		
06	13th Floor - Apartment P11		09:33	13:33	240	10	10	2400		
07	14th Floor - Hall ?		09:34	13:34	240	10	10	2400		
08	15th Floor - Apartment P11		13:36	17:37	241	16	10	2410		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggravative 7. Inside Work Area 8. Outside Work Area 9. B. Background T. TWA

Analysis: ☒ TEM/ AHERA ☐ PCM NIOSH 7400 ☐ ASAP ☐ Same Day (12hr)

Relinquished: Robert Nelson Date/Time: 3/13/02 Received: RN Date/Time: 3/13/02
 Analyst: AEC-TECH By: RN Disposal By/Date: 3/13/02 / 5:00

115 West 10th Street • 14th Floor • New York, New York 10011 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Academy • Suite 600 • 240 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.AEC-Environmental.com



The First Choice for Environmental Testing & Consulting

Client: 7056 Asbestos Air Sampling Data Form
Sampled By: Gateway Plaza
Work Area: R. Nelson Date: 3/13/02
Rotometer #: 511 Project #:

Sample #	Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
				Start	Stop		Start	Stop			
09		12 th floor - Apartment PII		13:37	17:38	241	10	10	2410		
10		12 th floor - Apartment PII		13:38	17:39	241	10	10	2410		
11		12 th floor - Apartment PII		13:39	17:40	241	10	10	2410		
12		12 th floor - Hall		13:40	17:41	241	10	10	2410		

Coden 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal

Analyte ☒ TEM AHBA ☐ PCM NIOSH 7400 ☐ ASAP ☐ Same Day (12hr) ☐ 2 Day (48hr)

Relinquished [Signature] Date/Time 3/13/02 15:00
Analyst ATL-TEC [Signature] Received Disposal By/Date 3/13/02 15:00

115 West 10th Street • 1st Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747

115 West 30th Street • Third floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747

Home Office • Division • Suite 600 • 240 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax 215 732 9550

[illegible]

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southern Ave., Bldg. 600, 12th Floor, NY, NY

Received: 3/13/02

3:00:00 PM

ATC Group #: 7056

Analysis Date: 3/13/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	Notes
03 7056 -1	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
04 7056 -2	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
05 7056 -3	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
06 7056 -4	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
07 7056 -5	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
08 7056 -6	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036
09 7056 -7	2400.00	0.0450	0	None Detected	0	0.0036	<22.24	<0.0036

ROMAN PEYSAKHOV

Analyzed by: *RK*

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLW/TEM #101187-0, NY State ELAP #10879

Page 1 of 2

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/13/02 3:00:00 PM
ATC Group #: 7056
Analysis Date: 3/13/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg. 600, 12th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5 µ	5µ		(S/mm ²)	(S/cc)	
10 7056 -8	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
11 7056 -9	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
12 7056 -10	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	

ROMAN PEYSAKHOV

Analyzed by: *RP*

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

#7064

Asbestos Air Sampling Data Form

Client: Gateway Plaza Date: 3/13/02 Project #:

Sampled By: R. Nelson Rotometer #: 571

Work Area: Building 600 10th Floor

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	10 th Floor - Apartment PII		09:00	13:02	242	10	10	2420		
04	10 th Floor - Apartment PII		09:01	18:03	242	10	10	2420		
05	10 th Floor - Apartment PII		09:02	13:05	243	10	10	2430		
06	10 th Floor - Apartment PII		09:03	13:06	243	10	10	2430		
07	10 th Floor - Hall ?		09:04	18:08	244	10	10	2440		
08	10 th Floor - Apartment PII		13:11	17:15	244	10	10	2440		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggressive 7. Inside Work Area 8. Excavation 9. Outside Work Area 10. Same Day (12hr) 11. ASAP 12. 2 Day (48hr)

Analysis: ☒ TEM/AMBER ☐ PCM NIOSH 7400 ☐ Same Day (12hr) ☐ ASAP ☐ 2 Day (48hr)

Relinquished: Robert Nelson Date/Time: 3/13/02 Received: AEC Lab Date/Time: 03/13/02
Analyst: Disposal By/Date: 3/15/02

115 West 30th Street • 10th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
Home Office: The McGraw-Hill Companies • 200 N. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

#702

Asbestos Air Sampling Data Form

Project #:

Project #:

[illegible]

Codes	1. Pre-Test	3. Final	5. Personal	Δ. Aggressive	Λ. Inside Work Area	Ε. Excursion
	2. Project	4. Investigative		Δ. Dominant	Ο. Outside Work Area	T. TWA

PCN NIOSH 7440

Turnaround	☐ ASAP	☐ Same Day (12hr)
	☒ 2 Day (48hr)	☐

Relinquished	Date/Time	Received	Date/Time
<i>Robert Nelson</i>	<i>3/16/82</i>	<i>ATC Lab</i>	<i>3/16/82</i>
Analyst		Disposal By/Date	
		<i>W. D.</i>	<i>3/16/82</i>

212 279 1001 • New York 10001 • Fax: 212 279 6747

... call from the publisher • Suite 600 • 100 S. Broad Street • Philadelphia, PA 19102 • 215 712 9499 • 888 780 8378 • Fax: 215 732 4550

www.journalofappliedcorporatefinance.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental

115 W. 30th Street
New York NY 10001

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/13/02 10:00:00 PM
ATC Group #: 7064
Analysis Date: 3/14/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	Notes
03 7064 -1	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
04 7064 -2	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
05 7064 -3	2430.00	0.0450	0	CHRYSTILE	0	0.0035	22.24	0.0035
06 7064 -4	2430.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
07 7064 -5	2440.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
08 7064 -6	2440.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
09 7064 -7	2440.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Page 1 of 2

Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 3/13/02 10:00:00 PM
 ATC Group #: 7064
 Analysis Date: 3/14/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
10 7064 -8	2440.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
11 7064 -9	2440.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
12 7064 -10	2440.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependant on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0. NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: Gateway Plaza

Sampled By: R. Nelson

Work Area: Building 600, 17th Floor

Date: 10/12

Rotometer #: 8983-80194

Project #: 3/14/02

Sample #	Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
				Start	Stop		Start	Stop			
01		Field Blank									
02		Field Blank									
03		17th Floor - Apartment PII		09:53	13:05	242	10	10	2420		
04		17th Floor - Apartment PII		09:54	13:06	242	10	10	2420		
05		17th Floor - Apartment PII		09:06	13:08	242	10	10	2420		
06		17th Floor - Apartment PII		09:08	13:10	242	10	10	2420		
07		17th Floor - Hall		09:10	13:12	242	10	10	2420		
08		17th Floor - Apartment 17B		13:15	17:18	243	10	10	2430		

☒ 1. Pre-Test
☐ 2. Project
☒ 3. Final
☐ 4. Investigative
☐ 5. Personal
☐ 6. Aggressive
☐ 7. Dismant
☐ 8. Inside Work Area
☐ 9. Outside Work Area
☐ 10. Excursion
☐ 11. TWA
☐ 12. ASAP
☒ 13. Same Day (12hr)
☐ 14. 2 Day (48hr)

Received By/Date: Robert Nelson 3/14/02
 Date/Time: 10/12/02 13:15
 Disposal By/Date: 3/16 8:00

115 West 30th Street • 10th Floor • New York, New York 10001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: 1500 Locust • Suite 100 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.712.9499 • 800.709.8370 • Fax: 215.732.9559
 www.AECEnvironmental.com



The First Choice for Environmental Testing & Consulting

Asbestos Abatement Sampling Data Form

Client: Waterbury Plaza Date: 3/14/02
 Sampled By: R. Kleban Rotometer #: 511 Project #: _____

Project #:

Date:

115

Rotometer #:

•

100

Webster

R. B.

By: _____

Sampled

[illegible]

Code	1. Pre-Ten	2. Project	3. Fund	5. Personnel	A. Aggressive	D. Dormant	I. Inside Work Area	O. Outside Work Area	R. Racism	T. TWA
Code	1. Pre-Ten	2. Project	3. Fund	5. Personnel	A. Aggressive	D. Dormant	I. Inside Work Area	O. Outside Work Area	R. Racism	T. TWA

☒ TEM AHENA
☐ TEM Philadelphia
☐ PCOM NICOSH 7400
 Transmitted
☐ ASAP
☒ 2 Day (48hr)
☐ Same Day (12hr)

Relinquished	Date/Time	Received	Date/Time
<i>Ernest Nelson</i>	<i>3/14/02</i>		

115 West 30th Street • 10th Floor • New York, New York 10001 • 212 279 1001 • 808-466-3620 • Fax: 212 279 6747

Leave Office: Philadelphia • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732-9499 • 888 784-8378 • Fax: 215 732-9550

THE JOURNAL OF THE



New York, New York 10010
 www.atc-enviro.com
 212.353.8280
 Fax 212.353.8306

March 16, 2002

ALC Environmental
 115 W. 30th Street
 New York, NY 10001
 Attn: Mr. Joshua Sarett

Re: Report of TEM Analysis

Dear Mr. Sarett:

Following are the results of transmission electron microscopy (TEM) analysis of air samples from our Group No. 7088.

Client: Gateway Plaza Mgmt. Corp.
 Project Name: Building 600
 Location: 17th Floor
 Samples received: 03/15/02

These results will confirm and document the data transmitted today to you. The analyses were performed in strict conformance with the methodology of the AHERA Final Rule (CFR October 30, 1987) for clearance of abatement sites.

The results of the sample analyses are as indicated on the attached document.

Results reported as Struct/cc are a function of air volume collected in the field and are, as such, not verifiable by this laboratory. This report may be reproduced only in its entirety and not without prior permission of this laboratory. The analyses were supervised by Dr. Michael A. Gorycki, Director of Electron Microscopy.

We are pleased to note that our TEM lab has received full accreditation from NVLAP, as is currently required for recognized analysis of TEM air samples for AHERA projects, and also approval under the NY State DOH ELAP program. These analyses were performed by ATC d/b/a ATC Associates Inc.

Please contact me regarding any questions relating to these materials.

Very truly yours,

Michael A. Gorycki, Ph.D.
 Director of Electron Microscopy

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/15/02

6:30:00 PM

ATC Group #: 7088

Analysis Date: 3/16/02

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm²)	Notes
03 7088 -1	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
04 7088 -2	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
05 7088 -3	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
06 7088 -4	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
07 7088 -5	2420.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
08 7088 -6	2430.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035
09 7088 -7	2430.00	0.0450	0	None Detected	0	0.0035	<22.24	<0.0035

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-D, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/15/02 6:30:00 PM
ATC Group #: 7088
Analysis Date: 3/16/02

Fax: (212) 279-6747 Phone: (212) 279-1001


Project: Gateway Plaza Management

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
10 7088 -8	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
11 7088 -9	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
12 7088 -10	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:



Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0. NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

7089

Asbestos Air Sampling Data Form

Client: 7089 Gateway Plaza Date: 3/15/02 Project #: 1
 Sampled By: R. Nelson Rotometer #: 30195-80
 Work Area: Building 600

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	9th floor - Apartment PII		09:15	13:20	245	10	10	2450		
04	9th floor - Apartment PII		09:17	13:22	245	10	10	2450		
05	9th floor - Apartment PII		09:19	13:24	245	10	10	2450		
06	9th floor - Apartment PII		09:21	13:26	245	10	10	2450		
07	9th floor - Hall		09:23	13:28	245	10	10	2450		
08	9th floor - Apartment PII		13:35	17:37	242	10	10	2420		

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400
☐ ASAP ☐ Same Day (12hr)
☐ 2 Day (48hr)

Relinquished: R. Nelson Date/Time: 3/15/02 Received: H. O'Neil Date/Time: 3/15/02
 Analyst: [Signature] Disposal By/Date: 3/15/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

Sampled By:

Work Area:

Antony Plaza
R. No. 11

Br. id.

Building 1001

Date:

Rotometer #:

Rotometer #:

•

Project #:

Project #:

[illegible]

**B. Excursion
T. TWY**

Work Area

117
0.

A. Aggreardyp
D. Dormen!

5. Personal
6. During

1

3. Kind

4. Love

Subject

1. **File**
2. **Proc**

10

☐ ASAP ☐ Same Day (12hr)
☒ 2 Day (48hr) ☐

परामर्श

☐ PCM NIOSH 7400

☒ TEM VHERA
☐ TEM PHERA

Analysis

Data/Time

1

Proper

3/15/02

Date _____

Thom

Chen

Inquiries

Reliability

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Received: 3/15/02

6:30:00 PM

ATC Group #: 7089

Analysis Date: 3/16/02

Project:

375 Southard Ave., Bldg. 600, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5 µm	5µ		(S/mm ²)	(S/cc)	
03 7089 -1	2450.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
04 7089 -2	2450.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
05 7089 -3	2450.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
06 7089 -4	2450.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
07 7089 -5	2450.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
08 7089 -6	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
09 7089 -7	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 3/15/02 6:30:00 PM
 ATC Group #: 7089
 Analysis Date: 3/16/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project:

375 Southerd Ave., Bldg. 600, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5µ	5µ		(S/mm ²)	(S/cc)	
10 7089 -8	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
11 7089 -9	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	
12 7089 -10	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035	


MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:



Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

7129 Gateway Plaza

Sampled By:

R. Adkins

Date:

3/18/02

Work Area:

Building 200 / 17th Flr

Rotometer #:

511

Project #:

1

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	17th Floor - Apartment PII		11:45	13:45	240	10	10	2400		
04	17th Floor - Apartment PII		11:47	15:47	240	10	10	2400		
05	17th Floor - Apartment PII		11:49	15:49	240	10	10	2400		
06	17th Floor - Apartment PII		11:51	15:41	240	10	10	2400		
07	17th Floor - Hall		11:53	15:53	240	10	10	2400		
08	17th Floor Apartment PII		15:55	18:30	155	10	10	1550		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggregative 7. Inside Work Area 8. Excursion 9. Outside Work Area 10. TWA

Analysis: ☒ TEM/HERA ☐ TEM/Philadelphia ☐ ARAP ☐ Same Day (12hr) ☐ 2 Day (48hr)

Relinquished: Robert Miller Date/Time: 3/18/02 Received: AEC Date/Time: 3/19/02
 Analyst: [Signature] Disposed By/Date: 3/18 18:45 16:00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: Caterer Plaza Date: 3/8/02
 Rotometer #: 2411 Project #: 571

Client: CRANFORD HIGHWAY Project #: 571
 Rotometer #: 2 441 641

Client: CRANFORD HIGHWAY Project #: 571
 Rotometer #: 2 441 641

[illegible]

Code	1	Pre-Test	3. Final	5. Personal	A. Aggressive D. Dormant	I. Inside Work Area O. Outside Work Area	E. Excursion T. TWA
3. Final							
5. Personal							
A. Aggressive							
D. Dormant							
I. Inside Work Area							
O. Outside Work Area							
E. Excursion							
T. TWA							

2. Project 4. Intergovernmental

☒ TEMAHIRA

☐ ASAP

☒ 2 Day (40hr)

☐ Same Day (12hr)

☐ Turnaround

☐ Turnaround

☒ TEMAHIRA

Relinquished Robert A. Walker Date/Time 3/18/02 Received HTC JD Date/Time 3/19/02
Analyst [Signature] Disposal By/Date 3/18 18:55 16:400
80001 • 212 370 1001 • 888 466 3620 • Fax: 212 279 6747

115 West 30th Street • 11th Floor • New York, New York 10001 • Tel: 212-213-1500 • Fax: 212-213-1501

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19106
www.AICEEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/19/02 4:00:00 PM
ATC Group #: 7129
Analysis Date: 3/19/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southcd Ave., Bldg. 200 NY, NY 17th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ²)	(S/cc)	
03 7129 -1	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
04 7129 -2	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
05 7129 -3	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
06 7129 -4	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
07 7129 -5	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036	
08 7129 -6	1550.00	0.0562	0	None Detected	0	0	0.0044	<17.79	<0.0044	
09 7129 -7	1550.00	0.0562	0	None Detected	0	0	0.0044	<17.79	<0.0044	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Saret
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/19/02 4:00:00 PM
ATC Group #: 7129
Analysis Date: 3/19/02

Fax: (212) 279-6747 Phone: (212) 279-1001
Project: Gateway Plaza Management
375 Southard Ave., Bldg. 200 NY, NY 17th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	Notes
10 7129 -8	1560.00	0.0562	0	None Detected	0 0	0.0044	<17.79	<0.0044
11 7129 -9	1540.00	0.0562	0	None Detected	0 0	0.0044	<17.79	<0.0044
12 7129 -10	1550.00	0.0562	0	None Detected	0 0	0.0044	<17.79	<0.0044

MARK PEYSAKHOV

Analyzed by:




MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Sampled By: various Plaza Date: 3/19/02 Project #: 511

Work Area: Building 6001 Rotometer #: 511

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	Floor - Apartment									
04	Floor - Apartment		10:30	14:32	242	10	10	2420		
05	Floor - Apartment		10:38	14:34	242	10	10	2420		
06	Floor - Apartment		10:34	14:36	242	10	10	2420		
07	Floor - Hall		10:36	14:38	242	10	10	2420		
08	Floor - Apartment		10:38	14:40	242	10	10	2420		
			14:45	18:46	241	10	10	2410		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal

Analysis: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400

Relinquished: Robert Nelson Date/Time: 3/19/02 Received: ATC JH Date/Time: 3/19/02

Analyst: Robert Nelson Disposal By/Date: 3/18 15:35 26:00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Consulting

[illegible]

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.A1CEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 3/19/02 4:00:00 PM
 ATC Group #: 7130
 Analysis Date: 3/19/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	Notes
03 7130 -1	2420.00	0.0450	0	None Detected	0	0.0035	<22.24 <0.0035	
04 7130 -2	2420.00	0.0450	0	None Detected	0	0.0035	<22.24 <0.0035	
05 7130 -3	2420.00	0.0450	0	None Detected	0	0.0035	<22.24 <0.0035	
06 7130 -4	2420.00	0.0450	0	None Detected	0	0.0035	<22.24 <0.0035	
07 7130 -5	2420.00	0.0450	0	None Detected	0	0.0035	<22.24 <0.0035	
08 7130 -6	2410.00	0.0450	0	None Detected	0	0.0036	<22.24 <0.0036	
09 7130 -7	2410.00	0.0450	0	None Detected	0	0.0036	<22.24 <0.0036	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/19/02 4:00:00 PM
ATC Group #: 7130
Analysis Date: 3/19/02

Fax: (212) 279-6747 Phone: (212) 279-1001
Project: Gateway Plaza Management
375 Southern Blvd., Bldg. 600, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
10 7130 -8	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
11 7130 -9	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
12 7130 -10	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036

MARK PEYSAKHOV

Analyzed by:




MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: 7200 Gateway Plaza Date: 3/26/02 Project #: 3/26/02
 Sampled By: R. Nelson Rotometer #: 511

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	7th Floor - Apartment P11		11:00	14:03	183	10	10	10	1830	
04	7th Floor - Apartment P11		11:02	14:05	183	10	10	10	1830	
05	7th Floor - Apartment P11		11:04	14:07	183	10	10	10	1830	
06	7th Floor - Apartment P11		11:06	14:09	183	10	10	10	1830	
07	7th Floor - Hall P11		11:08	14:11	183	10	10	10	1830	
08	7th Floor - Apartment P11		14:15	17:15	180	10	10	10	1800	

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggravative 7. D. Dormant 8. Inside Work Area 9. Outside Work Area 10. Excursion T. TWA

Analysis: ☒ TEM AHURA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☐ Same Day (12hr)

Relinquished: Robert Nelson Date/Time: 3/26/02 Received: AIC Date/Time: 3/25/02
 Analyst: AIC-TEM Disposal By/Date: 12/20

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559
 www.AICEnvironmental.com

Asbestos Air Sampling Data Form

Gateway Plaza

Date:

Project #:

Photometer #:

Sampled By: R. Nelson
Work Area: Building 600 / 7th Floor

[illegible][illegible]

☒ TEM ATERA:
☐ TEM PLEDEBILIS

PCM NORTH 7400

[illegible]

☐ ASAP ☒ 2 Day

☐ ☐ Same Day (12hr)

Relinquished Analyst

Robert Nelson Date/Time 3/22/02
STT-TEM 304 3/25/02

Received 6/1
Disposal By/Date

Date/Time 8/25/02
12pm

15 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.AICEEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/25/01 12:00:00 PM
ATC Group #: 7200
Analysis Date: 3/25/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southern Ave., Bldg. 600 NY, NY 7th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
03 7200 -1	1830.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047
04 7200 -2	1830.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047
05 7200 -3	1830.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047
06 7200 -4	1830.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047
07 7200 -5	1830.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047
08 7200 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
09 7200 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarcit
 ALC Environmental
 115 W. 30th Street
 New York NY 10001
 Fax: (212) 279-6747 Phone: (212) 279-1001

Received: 3/25/01 12:00:00 PM
 ATC Group #: 7200
 Analysis Date: 3/25/02

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600 NY, NY 7th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
10 7200 -8	1800.00	0.0450	0	None Detected	0 0	0.0048	<22.24	<0.0048	
11 7200 -9	1800.00	0.0450	0	None Detected	0 0	0.0048	<22.24	<0.0048	
12 7200 -10	1800.00	0.0450	0	None Detected	0 0	0.0048	<22.24	<0.0048	

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Client:

Gateway Plaza

Deatos Air Sampling Data Form

Sampled By:

R. Nallal

Work Area:

Building 600 / 6th Floor

Date:

3/21/02

Rotometer #:

0.51

Project #:

0.51

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	6 th Floor - Apartment PII		09:31	13:32	241	10	10	2410		
04	6 th Floor - Apartment PII		09:33	13:34	241	10	10	2410		
05	6 th Floor - Apartment PII		09:35	13:36	241	10	10	2410		
06	6 th Floor - North Hall		09:36	13:37	241	10	10	2410		
07	6 th Floor - South Hall		09:37	13:38	241	10	10	2410		
08	6 th Floor - Apartment PII		13:40	17:43	243	10	10	2430		

Codes 1. Pre-Test
2. Project3. Final
4. Investigative

5. Personal

A. Aggressive
D. DormantI. Inside Work Area
O. Outside Work AreaB. Excursion
T. TWA

Analysis

E. TEM AHRA

F. TEM Fieldable

PCM NUOSH 7400

T. TWA

ASAP

2 Dry (48hr)

Scrub Dry (12hr)

Relinquished

Robert M. Nallal

Date/Time 3/21/02

Received AIC

FD

Date/Time 3/25/02

Analyst

AIC-TECH

Date/Time 3/25/02

Disposal By/Date

12 per

115 West 30th Street • 11th Floor New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.AICEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Received: 3/25/02

12:00:00 PM

ATC Group #: 7198

Analysis Date: 3/25/02

Fax: (212) 279-6747

Phone: (212) 279-1001


Project: Gateway Plaza Management

375 Southern Ave., Bldg. 600 NY, NY 6th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
03 7198 -1	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
04 7198 -2	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
05 7198 -3	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
06 7198 -4	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
07 7198 -5	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
08 7198 -6	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
09 7198 -7	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/25/02 12:00:00 PM
ATC Group #: 7198
Analysis Date: 3/25/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg. 600 NY, NY 6th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
10 7198 -8	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
11 7198 -9	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
12 7198 -10	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client:

1201

Gateway Plaza

Date:

3/22/02

Sampled By:

R. Nelson

Rotometer #:

511

Project #:

Work Area:

Building 600 5th Floor

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	5 th Floor - Apartment PII		09:30	13:30	240	10	10	2400		
04	5 th Floor - Apartment PII		09:31	13:32	241	10	10	2410		
05	5 th Floor - Apartment PII		09:32	13:34	242	10	10	2420		
06	5 th Floor - Apartment North Hall		09:34	13:36	242	10	10	2420		
07	5 th Floor - Apartment South		09:35	13:37	242	10	10	2420		
08	5 th Floor - Apartment PII		13:40	17:42	242	10	10	2420		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggressive D. Dormant 7. Inside Work Area 8. Outside Work Area 9. Excavation T. TWA

Analysis

☒ TEM AHRA
☐ TEM Philadelphia

☐ PCM NIOSH 7400

Turnover

☐ ABAF
☒ 2 Dry (48hr)

☐ Same Day (12hr)

Relinquished

Robert Nelson

Date/Time 3/22/02

Received: AYC

Date/Time 3/25/02

12pm

Analyst

ATC-JEM By

Disposal By/Date 3/25/02

Date/Time 3/25/02

12pm

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.AICEnvironmental.com

The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: Gateway Plaza Date: 3/22/02
 Sampled By: R. Nelson Rotometer #: 511 Project #:

Sampled By: R. Nelson Rotometer #: 511 Project #:

Work Area: Building 600/5th Floor

[illegible]

Index	1	Pre-Test	3. Final	5. Personal	A. Aggressive	I. Inside Work Area	E. Excursion
					D. Document	O. Outside Work Area	T. TWA

2. Project 4. Language

☒ TERM AHERA

Transcribed

☐ ASAP

☒ 2 Days (48hr)

☐ Same Day (12hr)

Introduction

☐ ☐ Same Dry (12hr)[illegible]

Analyst ATL-TE/M By: ANG 7:20
 10001 • 313 378 1001 • 888 466 3620 • Fax: 212 279 6747

115 West 30th Street • 11th Floor • New York, New York 10018
Tel: (212) 333-0498 • Fax: (212) 333-0559

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215/541-7177 • 800/638-8383

www.ACEEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 3/25/02 12:00:00 PM
 ATC Group #: 7201
 Analysis Date: 3/25/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600 NY, NY 5th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
03 7201 -1	2400.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
04 7201 -2	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
05 7201 -3	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
06 7201 -4	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
07 7201 -5	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
08 7201 -6	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
09 7201 -7	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036

ROMAN PEYSAKHOV

Analyzed by: *RP*

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001


Received: 3/25/02 12:00:00 PM
ATC Group #: 7201
Analysis Date: 3/25/02

Fax: (212) 279-6747 Phone: (212) 279-1001
Project: Gateway Plaza Management
375 Southern Ave., Bldg. 600 NY, NY 5th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
10 7201 -8	2410.00	0.0450	0	None Detected	0	0	0.0036 <22.24 <0.0036	
11 7201 -9	2400.00	0.0450	0	None Detected	0	0	0.0036 <22.24 <0.0036	
12 7201 -10	2400.00	0.0450	0	None Detected	0	0	0.0036 <22.24 <0.0036	

ROMAN PEYSAKHOV

Analyzed by: 

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Client: 1011 Gateway Plaza Date: 3/25/02 Project #: 1

Sampled By: R. Nelson Rotometer #: 511

Work Area: Building 200 / 28th Floor

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	28th Floor - Apartment PII		09:30	13:50	260	10	10	2600		
04	28th Floor - Apartment PII Living Room		09:32	13:52	260	10	10	2600		
05	28th Floor - Apartment PII Bed Room		09:34	13:54	260	10	10	2600		
06	28th Floor - Apartment PII Living Room		09:34	13:54	260	10	10	2600		
07	28th Floor - Apartment PII Master Bedroom		09:38	13:58	260	10	10	2600		
08	28th Floor - Apartment PII Small Bedroom		09:40	14:00	260	10	10	2600		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal

Analysis: ☒ TEM AHRA ☐ PCM NIOSH 7400 ☐ TEM Philadelphia

Reinforced: Robert Nelson Date/Time: 3/25/02 Received: ATC Date/Time: 3/26/02

Analyst: ATC Disposal By/Date: 3/25 13:30 11:30a

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.712.9499 • 888.789.8378 • Fax: 215.732.9559

www.AECEnvironmental.com



The First Choice for Environmental Testing & Consulting

Client: 1214 Gateway Plaza
 Sampled By: R. Nelson
 Work Area: Building 200/28th Floor
 Date: 3/25/02
 Project #: 511
 Rotometer #: 511

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
09	28 th Floor - Apartment PII		14:02	17:47	225	10	10	2250		
10	28 th Floor - Apartment PII Living Room		14:04	17:50	224	10	10	2240		
11	28 th Floor - Apartment PII Bed room		14:06	17:52	226	10	10	2260		
12	28 th Floor - Apartment PII Living Room		14:08	17:54	226	10	10	2260		
13	28 th Floor - Apartment PII Master Bedroom		14:09	17:56	227	10	10	2270		
14	28 th Floor - Apartment PII Small Bedroom		14:10	17:58	228	10	10	2280		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal
 Analysis: ☒ TEM AHIERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400
 Rolling/Labelled: Robert Nelson Date/Time: 3/25/02
 Analylist: Robert Nelson Date/Time: 3/26/02
 Disposal/By/Date: 3/26/02 11:30 am

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.712.9499 • 888.789.8378 • Fax: 215.712.9559
 www.AECEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/26/02

11:30:00 AM

ATC Group #: 7214

Analysis Date: 3/26/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
03 7214 -1	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
04 7214 -2	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
05 7214 -3	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
06 7214 -4	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
07 7214 -5	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
08 7214 -6	2600.00	0.0450	0	None Detected	0	0	0.0033	<22.24	<0.0033
09 7214 -7	2250.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State ELAP #10879

Page 1 of 2

Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/26/02

11:30:00 AM

ATC Group #: 7214

Analysis Date: 3/26/02

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5µ	5µ		(S/mm ²)	(S/cc)	
10 7214 -8	2240.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038	
11 7214 -9	2260.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038	
12 7214 -10	2260.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038	
13 7214 -11	2270.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038	
14 7214 -12	2280.00	0.0450	0	None Detected	0	0	0.0038	<22.24	<0.0038	

MARK PEYSAKHOV

Analyzed by:




MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Page 2 of 2



The First Choice for Environmental Testing & Consulting

Client: 7226 Gateway Plaza Date: 3/26/02 Project #: 511
 Sampled By: R. Nelson Rotometer #: 511
 Work Area: Building 200/28th Floor

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
01	Field Blank									
02	Field Blank									
03	Apartment # <u>P11</u> Master Bedroom		10:15	13:30	195	10	10	1950		
04	Apartment # <u>P11</u> Small Bedroom		10:17	13:32	195	10	10	1950		
05	Apartment # <u>P11</u> Living Room		10:19	13:34	195	10	10	1950		
06	Apartment # <u>P11</u> Kitchen		10:21	13:36	195	10	10	1950		
07	Apartment # <u>P11</u> Master Bedroom		13:40	17:30	230	10	10	2300		
08	Apartment # <u>P11</u> Small Bedroom		13:42	17:32	230	10	10	2300		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative
 Analysis: ☒ TEM AHBA ☐ TEM Philadelphia ☐ PCM NIOSH 7400
 Relinquished: Robert Nelson Date/Time: 3-26-02 Received: 10/1 Date/Time: 3-27-02
 Analyst: ATC-TEM By: 11:10 Disposal By/Date: 11:10

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559
 www.AECEnvironmental.com

Asbestos Air Sampling Data Form

The First Choice for Environmental Testing & Consulting

Client

Catherine Plazac 7326

Date:

Refractometer #:

Project #:

Sampled By:

R. Nelson

Work Area: Building 200 1st Floor

[illegible]

Codex . 1. Pro-Test
2. Project

3. Final.

S. Personal

A. Aggressive

Outside Work Area

TWA

Analysis

☒ TIM AHERA
☐ TIM PHILLIPS

NEW MODEL 7400

CONCLUSIONS

☐ 2 Dry (40hr)

1

Rollingquished Analyst

Received

Received
Date/Time 3/26/02
Disposal By/Date 5/27/02

Date/Time

3.27.2 7A2

ATC-TEL 108 RPOY 11:10
115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
212.279.1000 • 800.780.8178 • Fax: 215.732.9559

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19106
www.AICEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southard Ave., Bldg. 200 NY, NY 28th Floor

Received: 3/27/02

6:00:00 AM

ATC Group #: 7226

Analysis Date: 3/27/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
03 7226 -1	1950.00	0.0450	0	None Detected	0	0	0.0044	<22.24	<0.0044
04 7226 -2	1950.00	0.0450	0	None Detected	0	0	0.0044	<22.24	<0.0044
05 7226 -3	1950.00	0.0450	0	None Detected	0	0	0.0044	<22.24	<0.0044
06 7226 -4	1950.00	0.0450	0	None Detected	0	0	0.0044	<22.24	<0.0044
07 7226 -5	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037
08 7226 -6	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037
09 7226 -7	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037

ROMAN PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/27/02 6:00:00 AM
ATC Group #: 7226
Analysis Date: 3/27/02

Fax: (212) 279-6747 **Phone:** (212) 279-1001

Project: Gateway Plaza Management
375 Southern Ave., Bldg. 200 NY, NY 28th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	Notes
10 7226 -3	2300.00	0.0450	0	None Detected	0 0	0.0037	<22.24 <0.0037	

ROMAN PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879



The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: 7244 Gateway Plaza Date: 3/27/02 Project #: 511

Sampled By: R. Nelson Rotometer #: 511

Work Area: Building 200, 11th Floor

Sample #	Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
				Start	Stop		Start	Stop			
01		Field Blank									
02		Field Blank									
03		Apartment PII Bedroom	PII	09:42	13:43	241	10	10	2410		
04		Apartment PII Adj. to Kitchen	PII	09:43	13:44	241	10	10	2410		
05		Apartment PII Living Room	PII	09:45	13:47	242	10	10	2420		
06		Apartment PII Small Bedroom	PII	09:47	13:49	242	10	10	2420		
07		Apartment PII Master Bedroom	PII	09:48	13:51	243	10	10	2430		
08		Apartment PII Bedroom	PII	13:55	17:45	230	10	10	2300		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive D. Dormant L. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☐ 2 Dry (4hr) ☐ Same Day (12hr)

Rolling/Quashed: Robert Nelson Date/Time: 3/27/02 Received: ATC Date/Time: 3/28/02

Analyst: Robert Nelson Disposal By/Date: 3/28/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.A/CEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Received: 3/28/02

2:00:00 PM

ATC Group #: 7244

Analysis Date: 3/28/02

Project: Gateway Plaza

375 Southern Ave., Bldg. 200 NY, NY, 12th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
03 7244 -1	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
04 7244 -2	2410.00	0.0450	0	None Detected	0	0	0.0036	<22.24	<0.0036
05 7244 -3	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
06 7244 -4	2420.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
07 7244 -5	2430.00	0.0450	0	None Detected	0	0	0.0035	<22.24	<0.0035
08 7244 -6	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037
09 7244 -7	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 3/28/02 2:00:00 PM
ATC Group #: 7244
Analysis Date: 3/28/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza
375 Southerd Ave., Bldg. 200 NY, NY, 12th Floor

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ³)	(S/cc)	
10 7244 -8	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037	
11 7244 -9	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037	
12 7244 -10	2300.00	0.0450	0	None Detected	0	0	0.0037	<22.24	<0.0037	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This reports relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879