



March 8, 2002

The First Choice for Environmental Testing & Consulting

Gateway Plaza Management Corporation
375 South End Avenue
New York, New York 10280

Subject Random Air Sampling-Ambient Air Monitoring Gateway Plaza Buildings
Sampling Date(s) February 11, 12, 13, 14, 15, 18, 19, 20, 21, 22, 25, 26, 27, 28, March 1, 4, 5, 6

Gentlemen

Enclosed, please find the report for air monitoring performed at the above referenced address in the 100, 200, 300, 400, 500 and 600 buildings. Air sampling was conducted via Transmission Electron Microscopy (TEM) analysis at the request of the owner.

ATC Associates (ELAP #10879) analyzed the samples using the Transmission Electron Microscopy (TEM) Methodology. **The results indicated that the areas achieved the acceptance criteria below <70 structures per mm² set by the federal regulations.** (Please See Attached TEM Report)

According to the EPA, "In evaluating data from the World Trade Center and the surrounding areas, EPA is using a protective standard under AHERA, the Asbestos Hazard Emergency Response Act, to evaluate the risk from asbestos in the outdoor and indoor air. This is a very stringent standard that is used to determine whether children may re-enter a school building after asbestos has been removed or abated. It is based on assumptions of long-term exposure. EPA has chosen to use this standard, because it is the most stringent and protective, even though it is unlikely that the public will be exposed to asbestos from the World Trade Center site for extended periods of time.

To determine asbestos levels, air filters are collected from monitoring equipment through which air in the school building has passed and viewed through a microscope. The number of structures - material that has asbestos fibers on or in it - is then counted. The measurements must be 70 or fewer structures per square millimeter before children are allowed inside.

There is also a federal standard for asbestos exposure under OSHA, the Occupational Safety and Health Act, which is used to protect workers on-the-job. The standard is .1 fiber per cubic centimeter averaged over an eight-hour day. To be as protective as possible, EPA is using the school re-entry standard in tests around the World Trade Center.

Levels above 70 structures per square millimeter do NOT imply an immediate health threat. Asbestos exposure becomes a health concern when high concentrations of asbestos fibers are inhaled over a long period. Illness is very unlikely to result from a single, high-level exposure, or from a short period of exposure to lower levels."

The air samples were collected by Alvin B. Blake (Certificate #AH 01-03528), and Michael Kammas (Certificate #AH 97-17055) NY State Department of Labor Project Monitors.

Sincerely,

Michael Kammas
ALC Environmental Incorporated

ENTERED

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALC-Environmental.com

Scope of Work

2.1 Air Sampling Procedures

ALC's licensed technicians collected air samples using the TEM Methodology.

The air samples were collected using high volume air sampling pumps. Once the pumps were in place, the air sampling technician recorded the location, time, date, sample numbers, pump number, flow rate, start and stop times and his initials.

The air sampling cassette was independent of the pump motor. This is to prevent the vibrations of the motor from affecting the fibers in the cassette. A separate stand or tripod was used to hold the cassette in place. The cassette was angled 45 degrees downward from the horizontal stand. This is to insure that no asbestos will drop into the cassette while sampling.

Using a rotameter, we calibrated each pump to the required flow rate, noting this rate on the sample record. After calibrating the pumps, the end cap from the cassette was removed; the pump was then run for the required amount of time.

The sampling pumps were checked periodically to ensure they were still operating, the cassettes were still in place, and no one had disturbed the equipment. If at any time, the area being sampled was suspected of having high fiber counts, the filter inside the cassettes was examined for "overloading", or an excessive amount of fibers and/or debris on the filter.

When the pre-determined volume of air was collected, the technician then calibrated the sampling pump again to determine the current flow rate. This rate will often be different from the flow rate measured at the beginning of the sampling period. That difference is usually due to the clogging of the filter, thereby adding increased resistance to the flow of air.

Once the pre-determined volume of air was reached, the time was recorded on the chain of custody form as well as on the cassette. Before the pump was turned off, the cassette was angled upward and the cap replaced on the end plug. The cassettes were placed in sealed containers, labeled with an identifying code and a sample log was kept. The samples were then submitted to the laboratory to be analyzed for asbestos content. A chain of custody record was completed and accompanied the samples to the laboratory.

2.2 Asbestos Analysis and Methodology

Each air sample is cross-referenced by field designation and lab internal code to ensure proper, consistent handling through a chain of custody. Sample preparation takes place within a HEPA Filter clean bench to avoid any possible contamination. Air sampling was conducted at a level approximating the breathing zone of persons anticipated to be present in the area during normal operations. Samples collected represent the typical airborne fiber concentration of the area.

3. Findings and Conclusions

One hundred and one (101) air samples were collected and analyzed via TEM Methodology. The results indicated that the areas achieved the acceptance criteria below <70 structures per mm² set by the above regulations.

4. Limitations and Exclusions

All the professional opinions presented in this report are based solely on the scope of work conducted and sources referred to in our report. The data presented by ALC in this report was collected and analyzed using generally accepted industry methods and practices at the time the report was generated. This report represents the conditions, locations, and materials that were observed at the time the fieldwork was conducted. No inferences regarding other conditions, locations, or materials, at a later or earlier time may be made based on the contents of the report. No other warranty, express or limited is made. ALC's liability and that of its contractors and subcontractors, arising from any services rendered hereunder, shall not exceed the total fee paid by the client to ALC for this project. This report was prepared for the sole use of our client. The use of this report by anyone other than our client or ALC is strictly prohibited without the expressed written consent of ALC. Portions of this report may not be used independent of the entire report.

0013

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02-11-02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING 300 GATEWAY PLAZA 375 SOUTH 8TH AVE MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING/BEDROOM	4	10:12 A.M.	11:10 P.M.	180	10	10	1800		
2	APT PII BATH RM FOYER	4	10:12 A.M.	11:12 P.M.	180	10	10	1800		
3	HALL-WAY 8TH FLOOR OUTSIDE APT PII	4	10:14 A.M.	11:14 P.M.	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:16 A.M.	11:16 P.M.	180	10	10	1800		
5	APT PII BED ROOM	4	10:18 A.M.	11:18 P.M.	180	10	10	1800		
6	APT PII LIVING/BEDROOM	4	11:11 P.M.	12:11 P.M.	180	10	10	1800		
7	APT PII BATH ROOM FOYER	4	1:13 P.M.	4:13 P.M.	180	10	10	1800		
8	HALL-WAY 8TH FLOOR OUTSIDE APT PII	4	1:15 P.M.	4:15 P.M.	180	10	10	1800		

Codes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Aggressive D. Dormant 6. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ Tethered ☐ ASAP ☐ 2 Dry (48hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 2/11/02 Received By: R. Brudina Date/Time: 2.11.02
 Analyst: ATC-TEM By RLY Disposal By/Date: 11:25

115 West 10th Street • 1st Floor • New York, New York 10001 • 212 279 1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: 1500 Locust • Suite 1000 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9550

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

0073

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/11/02
 Sampled By: ALVIN BLAKE Rotometer #: 0.01 Project #:
 Work Area: BUILDING 300 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:17 PM	4:17 PM	180	10	10	1800		
10	APT PII BED ROOM	4	1:19 PM	4:19 PM	180	10	10	1800		
11	FIELD BLANK	/	/	/						
12	FIELD BLANK	/	/	/						

Codes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Aggressive 6. Dormant 7. Inside Work Area 8. Outside Work Area 9. Excursion 10. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 2/11/02 Received By: R. Broadman Date/Time: 2.11.02
 Analyst: ATC-TEM BY PKY 2/13/02 Disposal By/Date: _____

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: 15th Floor • Suite 100 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9550

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306

Attn: Mr. Joshua Sarcit
ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Received: 2/11/02

10:00.00 PM

ATC Group #: 6643

Analysis Date: 2/12/02

Project: Gateway Plaza Management

375 South End Ave., Bldg 300, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm')	(S/cc)	Notes
1 6643 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
2 6643 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
3 6643 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
4 6643 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
5 6643 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
6 6643 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
7 6643 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
8 6643 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	

ROMAN PEYSAKHOV

Analyzed by: *RR*

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm'. This report may not be reproduced, except in full, without written approval by ATC Associates, Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/11/02 10:00:00 PM

ATC Group #: 6643

Analysis Date: 2/12/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 300, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
9 6643 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048
10 6643 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048

ROMAN PEYSAKHOV

Analyzed by: *R. Pey*

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP P-MTEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02/12/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 200 GATEWAY PLAZA, 275 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹⁵ _{AM}	1 ¹⁵ _{PM}	180	10	10	1800		
2	APT PII BED ROOM #1	4	10 ¹⁷ _{AM}	1 ¹⁷ _{PM}	180	10	10	1800		
3	HALL-WAY 7 th FLR OUTSIDE ELEVATORS	4	10 ¹⁹ _{AM}	1 ¹⁹ _{PM}	180	10	10	1800		
4	APT PII LIVING / BED ROOM	4	10 ²¹ _{AM}	1 ²¹ _{PM}	180	10	10	1800		
5	APT PII KITCHEN	4	10 ²³ _{AM}	1 ²³ _{PM}	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ¹⁶ _{PM}	4 ¹⁶ _{PM}	180	10	10	1800		
7	APT PII BED ROOM #1	4	1 ¹⁸ _{PM}	4 ¹⁸ _{PM}	180	10	10	1800		
8	HALL-WAY 7 th FLOOR OUTSIDE APT PII	4	1 ²⁰ _{PM}	4 ²⁰ _{PM}	180	10	10	1800		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHBERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ABAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished Analylist: A. BLAKE Date/Time: 2/12/02 Received: ATC Lab / Phipps Date/Time: 02/12/02 1:30
 Disposal By/Date: _____

The First Choice for Environmental Testing & Consulting

#6656

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747

Home Office: 11th Floor • Suite 1001 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9559

ALC Environmental Inc.

Asbestos Air Sampling Data Form

Client:

GATEWAY PLAZA MANAGEMENT CORP

Date: 02/12/02

Sampled By:

ALVIN BLAKE

Rotometer #:

Project #:

Work Area:

BUILDING - 200 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING/BD ROOM	4	1:22 P.M.	4:22 P.M.	180	10	10	1800		
10	APT PII BATHROOM + FOYER	4	1:24 P.M.	4:24 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/	/						
12	FIELD BLANK	/	/	/						

Codes

1. Pre-Test
2. Project

3. Final
④ Investigative

5. Personal

- A. Aggressive
D. Dormant

- I. Inside Work Area
O. Outside Work Area

- B. Excursion
T. TWA

Analysis

☒ TEM AHRA
☐ TEM Philadelphia

☐ PCM NIOSH 7400

Turnaround

- ☐ ASAP
☐ 2 Day (48hr)

☒ Same Day (12hr)

Relinquished
Analyst

A. BLAKE

Date/Time 2/12/02

Received

ATC Lab

Date/Time October 18, 2005

Disposal By/Date

The First Choice for Environmental Testing & Consulting

#6656

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747
Home Office: 1500 Locust • Suite 600 • 200 S. Broad Street • Philadelphia PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9550

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarcin
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/12/02 6:25:00 PM

ATC Group #: 6656

Analysis Date: 2/13/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 200, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²)	(S/cc)	Notes
6656 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6656 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6656 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6656 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6656 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6656 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
7 6656 -7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
8 6656 -8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLW/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W. 30th Street
New York

NY 10001

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg 200, New York, NY

Received: 2/12/02 6:25:00 PM

ATC Group #: 6656

Analysis Date: 2/13/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ²)	(S/cc)	
9 6656-9	1500.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6656-10	1500.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by



MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for: NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02/13/02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING #300 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ²⁰ AM	1 ²⁰ PM	180	10	10	1800		
2	APT PII BED ROOM - 1	4	10 ²² AM	1 ²² PM	180	10	10	1800		
3	HALL-WAY 2ND FLOOR OUTSIDE APT PII	4	10 ²⁴ AM	1 ²⁴ PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10 ²⁶ AM	1 ²⁶ PM	180	10	10	1800		
5	APT PII BED ROOM - 1	4	10 ²⁸ AM	1 ²⁸ PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ²⁴ PM	4 ²¹ PM	180	10	10	1800		
7	APT PII BED ROOM - 2	4	1 ²³ PM	4 ²³ PM	180	10	10	1800		
8	HALL-WAY 2ND FLR OUT SIDE APT PII	4	1 ²⁵ PM	4 ²⁵ PM	180	10	10	1800		

The First Choice for Environmental Testing & Consulting

#6669

1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area H. Excursion T. TWA

by: ☒ TBM AHERA ☐ TBM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Inspected by: A. BLAKE Date/Time: 02/13/02 Received by: ATC Lab / R. Ryan Date/Time: 02/13/02 1830
 Analyst: ATC-TEM By: R. Ryan Date/Time: 2/14/02 10:00 Disposal By/Date: _____

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: 1500 Arch Street • Suite 600 • 2015 Broad Street • Philadelphia, PA 19102 • 215.232.9499 • 888.789.8378 • Fax: 215.232.9559

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02/13/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 300 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT P11 LIVING ROOM	4	1:27 P.M.	4:27 P.M.	180	10	10	1800		
10	APT P11 BEDROOM - 2	4	1:29 P.M.	4:29 P.M.	180	10	10	1800		
11	FIELD BLANK	✓	✓							
12	FIELD BLANK	✓	✓							



#6669

The First Choice for Environmental Testing & Consulting

1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Aggressive 6. Aggressive 7. Inside Work Area 8. Excursion 9. Outside Work Area 10. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ Turnaround ☐ ASAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Analyst: A. BLAKE Date/Time: 02/13/02 Received: ATC Lab 10:00 AM Date/Time: 02/13/02 1:50
 Analysis: ATC-TEM By RKM 2/14/02 Disposal By/Date: 10:00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747

Home Office: 15th Floor • Suite 100 • 200 S. Broad Street • Philadelphia PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9559

www.ALC-Environmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Saret
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 2/13/02 6:30:00 PM

ATC Group #: 6669

Analysis Date: 2/14/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg 300, New York, NY

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	Notes
1 6669 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6669 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6669 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6669 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6669 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6669 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6669 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6669 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by: *RRK*

MICHAEL A. GORYCKI, Ph.D

Approved by: _____

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/13/02 6:30 00 PM

ATC Group #: 6669

Analysis Date: 2/14/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 300, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5µ	5µ		(S/mm ²)	(S/cc)	
9 6669 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6669 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

ROMAN PEYSAKHOV

Analyzed by

RR

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NVLAP PLW/TEM #101187-0, NY State ELAP #10879

0000

Asbest Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02/14/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING 6400 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹⁰ AM	11 ¹⁰ AM	180	10	10	1800		
2	APT PII BED ROOM	4	10 ¹² AM	12 ¹² PM	180	10	10	1800		
3	HALL-WAY 10th Floor OUTSIDE APT PII	4	10 ¹⁴ AM	12 ¹⁴ PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10 ¹⁸ AM	12 ¹⁸ PM	180	10	10	1800		
5	APT PII BED ROOM	4	10 ²⁰ AM	12 ²⁰ PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	12 ²² PM	2 ²² PM	180	10	10	1800		
7	APT PII BED ROOM	4	12 ²⁴ PM	2 ²⁴ PM	180	10	10	1800		
8	HALL-WAY 9th Floor OUTSIDE ELEVATORS	4	12 ²⁶ PM	2 ²⁶ PM	180	10	10	1800		

Codes: 1. Pre-Test 3. Final 5. Personal A. Aggressive I. Inside Work Area E. Excursion
 2. Project 4. Investigative D. Dormant O. Outside Work Area T. TWA

Analysis: ☒ TMA AHERA ☐ TMA Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished: A. BLAKE Date/Time: 2/14/02 Received: R. Soudina Date/Time: 2/14/02
 Analyst: [Signature] Disposal By/Date: 2/15/02 11:30

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747
 Home Office: 15th. Independence • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9559

www.ALC-Environmental.com

The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP. Date: 02/14/02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING 4-00 GATEWAY PLAZA 375 SOUTH END AVE. MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:28 PM	4:28 PM	180	10	10	1800		
10	APT PII BED ROOM	4	1:30 PM	4:30 PM	180	10	10	1800		
11	FIELD BLANK	✓								
12	FIELD BLANK	✓								

Notes: 1. Pre-Test 2. Final Investigation 3. Personal 4. Aggressive 5. Inside Work Area 6. Excursion
 2. Project 3. Investigative 4. Dormant 5. Outside Work Area 6. TWA
 Analysis: ☒ TEM/AM/BSA ☐ TEM/Philadelphia ☐ PCM NIOSH 7400 ☐ Traceround ☐ ASAP ☒ Same Day (12hr)
☐ 2 Day (48hr)

Collected by: A. BLAKE Date/Time: 02/14/02 Received: R. G. ... Date/Time: 2/14/02
 Analyzed by: ... Disposal By/Date: 2/15/02 11:30

115 West 30th Street • 1st Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax 212.279.6747

Home Office: 1500 Locust • Suite 600 • 200 S. Broad Street • Philadelphia PA 19102 • 215.212.9499 • 888.709.8378 • Fax 215.212.9550

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306

Attn: Mr. Joshua Sarett
ALC Environmental

115 W. 30th Street

New York

NY 10001

Received: 2/14/02 8:00:00 PM

ATC Group #: 6690

Analysis Date: 2/15/02

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 South End Ave., Bldg. 400, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6690 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
2 6690 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
3 6690 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
4 6690 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
5 6690 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
6 6690 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
7 6690 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
8 6690 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarent
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/14/02 8:00 00 PM

ATC Group #: 6690

Analysis Date: 2/15/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg 400, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/min ²)	(S/cc)	Notes
9 6690 -9	1600.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
10 6690 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.


Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2-15-02
 Sampled By: ALVIN BLAKS Rotometer #: 001 Project #:
 Work Area: BUILDING + 500 GATEWAY PLAZA - 375 SOUTH 6TH AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII KID'S TV ROOM	4	10:05 A.M.	1:05 P.M.	180	10	10	1800		
2	APT PII LIVING ROOM	4	10:07 A.M.	1:07 P.M.	180	10	10	1800		
3	HALL - WAY 2ND FLR OUT SIDE ELEVATORS	4	10:09 A.M.	1:09 P.M.	180	10	10	1800		
4	APT PII LIVING / BED ROOM	4	10:11 A.M.	1:11 P.M.	180	10	10	1800		
5	APT PII KITCHEN	4	10:12 A.M.	1:12 P.M.	180	10	10	1800		
6	APT PII - LIVING + KIDS' PLAY ROOM	4	1:14 P.M.	4:14 P.M.	180	10	10	1800		
7	APT PII KIDS' BED ROOM	4	1:16 P.M.	4:16 P.M.	180	10	10	1800		
8	HALL - WAY 2ND FLR OUTSIDE APT PII	4	1:18 P.M.	4:18 P.M.	180	10	10	1800		

Codes: 1. Pre-Test 2. Project 3. Personal 4. Final Investigative

A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400

Turnover: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished Analyst: A. BLAKS Date/Time: 2/15/02 Received: ATC Lab / 2/15/02 Disposal By/Date: 2/15/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3670 • Fax: 212 279 6747
 Home Office: The Millers • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9550
 www.environmental.com

#6693
 The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/15/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING + 500 GATEWAY PLAZA, 375 SOUTH END AVE, MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:20 P.M.	4:20 P.M.	180	10	10	1800		
10	APT PII BEDROOM - 1	4	1:22 P.M.	4:22 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/							
12	FIELD BLANK	/	/							

#6693

The First Choice for Environmental Testing & Consulting

Codes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personnel 5. Aggressive 6. Dormant 7. Inside Work Area 8. Outside Work Area 9. Excursion 10. TWA

Analysis: ☒ TBM AHERA ☐ PCM NIOSH 7400 ☐ TBM Philadelphia

Retention: A. BLAKE Date/Time 2/15/02 Received ATC Lab Date/Time 2/15/02 1900
 Analyst: [Signature] Disposal By/Date 2/15/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax 212 279 6747
 Home Office: 15th Floor • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax 215 732 9559

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax (212) 353-8306

Attn: Mr. Joshua Sarett
ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Received: 2/5/02

7:00:00 PM

ATC Group #: 6693

Analysis Date: 2/16/02

Project: Gateway Plaza Management

375 South End Ave. Bldg 500, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5µ	5µ		(S/mm ²)	(S/cc)	
1 6693 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
2 6693 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
3 6693 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
4 6693 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
5 6693 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
6 6693 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
7 6693 -7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
8 6693 -8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Saret
ALC Environmental
115 W. 30th Street
New York NY 10001

Received: 2/15/02 7:00:00 PM

ATC Group #: 6693

Analysis Date: 2/16/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 500, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	Structures 0.5µ-5 µ	Analytical Sensitivity (f/cc)	Asbestos Concentration (f/mm ³)	Notes
9 6693-9	1800.00	0.0450	0	None Detected	0	0.0048	< 22.24	< 0.0048
10 6693-10	1800.00	0.0450	0	None Detected	0	0.0048	< 22.24	< 0.0048

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0 NY State E-LAP #10879

6100

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02-18-02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 600 - GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹⁰ AM	1 ¹⁰ P.M.	180	10	10	1800		
2	APT PII BED ROOM	4	10 ¹² AM	1 ¹² P.M.	180	10	10	1800		
3	HALLWAY 30th Floor OUTSIDE ELEVATORS	4	10 ¹⁴ AM	1 ¹⁴ P.M.	180	10	10	1800		
4	APT PII LIVING ROOM	4	10 ¹⁶ AM	1 ¹⁶ P.M.	180	10	10	1800		
5	APT PII BED ROOM #1	4	10 ¹⁸ AM	1 ¹⁸ P.M.	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ²⁰ P.M.	4 ²⁰ P.M.	180	10	10	1800		
7	APT PII BED ROOM	4	1 ²² P.M.	4 ²² P.M.	180	10	10	1800		
8	HALLWAY - 30th Floor APT PII	4	1 ²⁴ P.M.	4 ²⁴ P.M.	180	10	10	1800		

Codes: 1. Pre-Test 3. Final 5. Personal A. Aggressive I. Inside Work Area R. Excursion
 2. Project 4. Investigative D. Dormant O. Outside Work Area T. TWA

Analysis: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ASAP ☒ Same Day (12hr)
☐ 2 Day (48hr)

Relinquished By: A. BLAKE Date/Time: 2/18/02 Received By: R. Drouling Date/Time: 2.18.02
 Analyst: [Signature] Disposal By/Date: 2/18/02 10:15 18:00


115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279.1001 • 888 466.3620 • Fax: 212 279.6747
 Home Office: 15th Floor • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 232.9499 • 888 789.8378 • Fax: 215 232.9559

www.ALC-Environmental.com

The First Choice for Environmental Testing & Consulting

6136

Client: GATEWAY PLAZA Asbestos Air Sampling Data Form
 Sampled By: ALVIN BLAKE MANAGEMENT CORP Date: 02-18-02
 Work Area: BUILDING - 600 GATEWAY PLAZA Rotameter #: 001 Project #: 375 SOUTH BND AVE MANHATTAN
 Sample # _____ Sample _____ Code _____ Time _____

[illegible]

Codes	1. Pre-Test	3. Final	5. Personal	A. Aggressive	1. Inside Work Area	B. Excursion
	2. Project	④ Investigative		D. Dormant	O. Outside Work Area	T. TWA

Analysis ☒ TEM AHRA ☐ TEM Phthaldehyde ☐ PCM NIOSH 7400 ☐ TEM AHRA ☐ TEM Phthaldehyde ☐ PCM NIOSH 7400

Thermostat ☐ ASAP ☐ 2 Dry (48hr) ☒ Same Dry (12hr)

Relinquished A. SLARKS Date/Time 2/18/02 Received R. Dvudina Date/Time 2.18.02
 Analytisi [Signature] Disposal By/Date 2/18 10:15 18/00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888.466.3620 • Fax: 212 279.6747

Home Office • 15, Delaware • Suite 101 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 800 789 8378 • Fax 215 732 9559

www.AtlantisInternational.com

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarent

ALC Environmental

115 W. 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 South End Ave., Bldg. 600, New York, NY

Received: 2/18/02

6 00 00 PM

ATC Group #: 6736

Analysis Date: 2/19/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6736 -1	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6736 -2	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6736 -3	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6736 -4	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6736 -5	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6736 -6	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
7 6736 -7	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
8 6736 -8	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0 NY State ELAP #10879

Attn: Mr. Joshua Saren
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/18/02 6:00:00 PM
ATC Group #: 6736
Analysis Date: 2/19/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg 600, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-3 µ	5µ		(S/mm ²)	(S/cc)	
9 6736-9	800.0	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	
10 6736-10	800.0	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/19/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 100 - GATEWAY PLAZA 375 SOUTH ST. 8TH FLOOR MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10:00 AM	1:00 PM	180	10	10	1800		
2	APT PII BEDROOM - 3	4	10:02 AM	1:02 PM	180	10	10	1800		
3	HALLWAY 4TH FLOOR OUTSIDE APT PII	4	10:04 AM	1:04 PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:06 AM	1:06 PM	180	10	10	1800		
5	APT PII BEDROOM	4	10:08 AM	1:08 PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	1:01 PM	4:01 PM	180	10	10	1800		
7	APT PII BEDROOM #2	4	1:03 PM	4:03 PM	180	10	10	1800		
8	HALLWAY 4TH FLOOR OUTSIDE APT PII	4	1:05 PM	4:05 PM	180	10	10	1800		

Notes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Personal 6. Aggressive 7. Inside Work Area 8. Excursion 9. D. Dormant 10. Outside Work Area 11. TWA

Analysis: ☒ TBM AHBRA ☐ TBM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Collected by: A. BLAKE Date/Time: 2/19/02 Received by: R. DiDonna Date/Time: 2/19/02
 Analyst: ATE-TEM By: RKY Disposal By/Date: 13:20

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: 1500 Locust • Suite 600 • 200 S. Broad Street • Philadelphia PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2-19-02
 Sampled By: ALVIN BLANK Rotometer #: 001 Project #:
 Work Area: BUILDING - 100 GATEWAY PLAZA 375 SOUTH ST AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Use)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:07 P.M.	4:07 P.M.	180	10	10	1800		
10	APT PII BEDROOM	4	1:09 P.M.	4:09 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/	/	/	/	/	/		
12	FIELD BLANK	/	/	/	/	/	/	/		

Codes: 1. Pre-Test 2. Project 3. Final Investigative 5. Personal A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished By: A. BLANK Date/Time: 2/19/02 Received By: R. Doudina Date/Time: 2/19/02
 Analyst: ATC-TEM BY RBY Disposal By/Date: _____

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: 15th & Locust • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental

115 W. 30th Street

New York NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 South End Ave., Bldg. 600, New York, NY

Received: 2/19/02

9:00:00 PM

ATC Group #: 6754

Analysis Date: 2/20/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
1 6754 -1	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6754 -2	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6754 -3	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6754 -4	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6754 -5	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6754 -6	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6754 -7	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6754 -8	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York NY 10001

Received: 2/19/02 9:00:00 PM
 ATC Group #: 6754
 Analysis Date: 2/20/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 South End Ave., Bldg. 600, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	* Structures		Analytical Sensitivity	Asbestos Concentration		Notes
					0.5µ-5µ	5µ	(S/cc)	(S/mm ²)	(S/cc)	
9 6754 .9	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6754 .10	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

ROMAN PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLW-TEM #101187-0 NY State ELAP #10879

6768

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02/20/02
 Sampled By: ALVIN BLAKE Rotometer #: .001
 Work Area: BUILDING # 600 - GATEWAY PLAZA 375 SOUTH END AVE. MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10:06 AM	10:06 PM	180	10	10	1800		
2	APT PII BED ROOM	4	10:08 AM	10:08 PM	180	10	10	1800		
3	HALL-WAY 22 FLOOR BESIDE ELEVATORS	4	10:10 AM	11:10 PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:12 AM	11:12 PM	180	10	10	1800		
5	APT PII BED ROOM	4	10:14 AM	11:14 PM	180	10	10	1800		
6	APT PII KITCHEN	4	10:16 AM	11:16 PM	180	10	10	1800		
7	APT PII LIVING ROOM	4	11:16 AM	11:16 PM	180	10	10	1800		
8	APT PII BED ROOM	4	11:18 AM	11:18 PM	180	10	10	1800		

Test: 1. Pre-Test 2. Project 3. Personal 4. Investigative 5. Personal A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area R. Excursion T. TWA
 Analyst: ☒ TEMAHIRA ☐ TRN Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Authorized: A. BLAKE Date/Time: 2/20/02 Received: R. Droulik Date/Time: 2.21.02
 Analyst: ATC-TEM By: MG Date: 2/20/02 Disposal By/Date: _____

The First Choice for Environmental Testing & Consulting

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888.466.3620 • Fax: 212 279.6747

Home Office: 1500 Locust • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9559

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02-20-02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING - 600 GATEWAY PLAZA, 375 SOUTH END AVE MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	HALL-WAY 22 Floor OUTSIDE APT PII	4	1:20 PM	4:20 PM	180	10	10	1800		
10	APT PII LIVING Room	4	1:22 PM	4:22 PM	180	10	10	1800		
11	APT PII BEDROOM 1	4	1:24 PM	4:24 PM	180	10	10	1800		
12	APT PII BEDROOM 2	4	1:28 PM	4:28 PM	180	10	10	1800		
13	FIELD BLANK	/	/	/	/	/	/	/		
14	FIELD BLANK	/	/	/	/	/	/	/		

Codes: 1. Pre-Test 2. Project 3. Final Investigative 3. Personal 4. Aggressive 4. Dormant 1. Inside Work Area 0. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished: ALVIN BLAKE Date/Time: 2/20/02 Received: R. Drodzina Date/Time: 2.21.02
 Analyst: ATC-TEM By: M. G. G. 2/21/02 Disposal By/Date: _____

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarcit
 ALC Environmental
 115 W 30th Street
 New York NY 10001

Received: 2/21/02 5:00:00 AM
 ATC Group #: 6768
 Analysis Date: 2/21/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 South End Ave., Bldg 600, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	Notes
1 6768 -1	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6768 -2	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6768 -3	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6768 -4	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6768 -5	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6768 -6	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6768 -7	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6768 -8	800.0	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

MICHAEL GORYCKI

Analyzed by:

MICHAEL A. GORYCKI, Ph.D

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #01187-C, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/21/02 5:00 00 AM
ATC Group #: 6768
Analysis Date: 2/21/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 600, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5µ	5µ		(S/mm ²)	(S/cc)	
9 6768-9	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6768-10	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
11 6768-11	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
12 6768-12	800.0	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

MICHAEL GORYCKI

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0 NY State ELAP #10879

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/21/02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING - 200 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII BED ROOM - 1	4	10:05 AM	10:05 PM	180	10	10	1800		
2	APT PII BED ROOM - 2	4	10:07 AM	10:07 PM	180	10	10	1800		
3	HALLWAY 5TH FL OUTSIDE APT PII	4	10:08 AM	10:09 PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:11 AM	10:11 PM	180	10	10	1800		
5	APT PII BED ROOM	4	10:13 AM	10:13 PM	180	10	10	1800		
6	APT PII BED ROOM - 1	4	10:06 PM	10:06 PM	180	10	10	1800		
7	APT PII BED ROOM - 2	2A	10:08 PM	10:08 PM	180	10	10	1800		
8	HALLWAY 5TH FLOOR OUTSIDE ELEVATORS	4	10:10 PM	10:10 PM	180	10	10	1800		

Codes: 1. Pre-Test 2. Project 3. Pinal 4. Investigative 5. Personal A. Aggressive D. Dominant I. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AIRBA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ABAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished: A. BLAKE Date/Time: 2/21/02 Received: ALC Date/Time: 2/22/02
 Analyst: [Signature] Disposal By/Date: 2/22/02 10:50

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 1620 • Fax: 212 279 6747

Home Office: 1500 Locust • Suite 100 • 200 S. Broad Street • Philadelphia PA 19102 • 215 732 9499 • 800 789 8378 • Fax: 215 732 9559

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Saret

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 2/22/02

6:00:00 AM

ATC Group #: 6781

Analysis Date: 2/22/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6781-1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6781-2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6781-3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6781-4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6781-5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6781-6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
7 6781-7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
8 6781-8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for: NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarent
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/22/02 6:00:00 AM
ATC Group #: 6781
Analysis Date: 2/22/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mn ²)	(S/cc)	Notes
9 6781 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
10 6781 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by



MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101167-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02-22-02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING 300, GATEWAY PLAZA, 375 SOUTH END AVE, MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fiehls	Results (Ucc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ⁰⁸ AM	1 ⁰⁸ P.M.	180	10	10	1800		
2	APT PII BEDROOM-2	4	10 ¹⁰ AM	1 ¹⁰ P.M.	180	10	10	1800		
3	HALL-WAY 5 th FLOOR OUTSIDE APT PII	4	10 ¹² AM	1 ¹² P.M.	180	10	10	1800		
4	APT PII LIVING ROOM AREA	4	10 ¹⁵ AM	1 ¹⁵ P.M.	180	10	10	1800		
5	APT PII BEDROOM AREA	4	10 ¹⁷ AM	1 ¹⁷ P.M.	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ¹⁹ P.M.	4 ¹⁹ P.M.	180	10	10	1800		
7	APT PII BEDROOM	4	1 ²¹ P.M.	4 ²¹ P.M.	180	10	10	1800		
8	HALL-WAY 4 th FLOOR outside APT PII	4	1 ²² P.M.	4 ²² P.M.	180	10	10	1800		

Code: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive D. Domestic I. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis: ☒ TEM AIHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ TWA ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished: ALVIN BLAKE Date/Time: 2/22/02 Received: ATC Lab Date/Time: 02/22/02 1745
 Analyst: [Signature] Disposal By/Date: 2/23 13:40

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 800 466 3620 • Fax 212 279 6717
 Home Office: 15 Jackson • Suite 100 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 800 789 8170 • Fax 215 732 9559
 www.ALC-Environmental.com

The First Choice for Environmental Testing & Consulting

#6789

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/22/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 300 - GATEWAY PLAZA 375 SOUTH 6TH AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING RM / BED RM	4	1:24 P.M.	4:24 P.M.	180	10	10	1800		
10	APT PII KITCHEN	4	1:26 P.M.	4:26 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/							
12	FIELD BLANK	/	/							

Codes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Aggressive 6. Dormant 7. Inside Work Area 8. Outside Work Area 9. Excursion 10. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☒ 2 Dry (48hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 2/22/02 Received By: ALC Lab Date/Time: 2/22/02 1:30 PM
 Analyst: [Signature] Disposal By/Date: 2/23/02 1:30 PM

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 800 466 3620 • Fax 212 279 6747

Home Office: 1500 Locust • Suite 100 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 800 789 8378 • Fax 215 732 9559

www.ALC-Environmental.com

The First Choice for Environmental Testing & Consulting

#6789

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Received: 2/22/02

5:45 00 PM

ATC Group #: 6789

Analysis Date: 2/23/02

Project: Gateway Plaza Management

375 South End Ave., Bldg. 300, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
1 6789 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6789 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6789 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6789 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6789 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6789 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6789 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6789 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Saren
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/22/02 5:45:00 PM
ATC Group #: 6789
Analysis Date: 2/23/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 South End Ave., Bldg. 300, New York, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	Notes
9 6789-9	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
10 6789-10	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State E-LAP #10879

Asbestos Air Sampling Data Form

Client:

GATEWAY PLAZA MANAGEMENT CORP

Date: 02/25/02

Sampled By:

ALVIN BLAKE

Rotameter #:

001

Project #:

Work Area:

BUILDING 400 GATEWAY PLAZA 375 SOUTH ST AVE MANHATTAN

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10:05 AM	1:05 PM	180	10	10	1800		
2	APT PII BED ROOM	4	10:07 AM	1:07 PM	180	10	10	1800		
3	HALL-WAY 11 FLOOR OUTSIDE ELEVATORS	4	10:09 AM	1:09 PM	180	10	10	1800		
4	APT PII - BY THE WINDOW OF LIVING RM	4	10:11 AM	1:11 PM	180	10	10	1800		
5	APT PII BED ROOM	4	10:13 AM	1:13 PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	1:06 PM	4:06 PM	180	10	10	1800		
7	APT PII BED ROOM	4	1:08 PM	4:08 PM	180	10	10	1800		
8	HALL-WAY 11 FLOOR OUTSIDE ELEVATORS	4	1:10 PM	4:10 PM	180	10	10	1800		

Codes

1. Pre-Test
2. Project

3. Final
4. Investigative

5. Personal

- A. Aggressive
D. Dormant

- I. Inside Work Area
O. Outside Work Area

- B. Excursion
T. TWA

Analysis

☒ TBM ALIEN
☐ TBM Philadelphia

☐ PCM NIOSH 7400

Transmitted

- ☐ ABAP
☐ 2 Day (40hr)

☒ Same Day (12hr)

Relinquished Analyst

A. BLAKE

Date/Time 02/25/02

Received

R. Drexler

Date/Time 2.25.02

Disposal By/Date 2/26 10:50

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9490 • 898.789.8378 • Fax 215.732.9559

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Consult

Asbestos Air Sampling Data Form

Client:

GATEWAY PLAZA MANAGEMENT CORP

Date: 02-25-02

Sampled By:

ALVIN BLAKE

Refractometer #: 0000

Project #:

Work Area:

BUILDING # 400 GATEWAY PLAZA 375 SOUTH 6TH AVE MANHATTAN

[illegible]

Coden

1. Pro-ident
2. Project

3. Final

④ Inventivgalt

3. Personal

A. Aggressive
D. Dominant

L. Inside Work Area
O. Outside Work Area

B. Excursion
T. TWA

Անալիզ

~~1~~ TEM ALIBRA
☐ TEM Philadelphia

U PCM NIOSH 7400

1. **Introduction**

☐ ABAP
☐ 2 Day (40hrs)

~~XXXX~~ **Sund Day (12hr)**

Հելագրամներ

A. BLAKS

Date/Time 02/25/02

11000100

R Shredna Date/Time 2 25 02

Analyst

115 West 30th Street • 11th Floor • New York, New York 10001 • 212 279 1001 • 888 466 3620 • Fax: 212 279 6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215 732 9499 • 888 789 8378 • Fax: 215 732 9559

www.AACEEnvironmental.com



ALC
ENVIRONMENTAL
INCORPORATED

The First Choice for Environmental Testing & Consultancy

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr Joshua Saret

ALC Environmental

115 W 30th Street

New York

NY 10001

Received: 2/25/02

9 00.00 PM

ATC Group #: 6827

Analysis Date: 2/26/02

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southend Ave., Bldg. 400, 26th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6827 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6827 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6827 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6827 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6827 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6827 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
7 6827 -7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
8 6827 -8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/25/02 9:00 00 PM
ATC Group #: 6827
Analysis Date: 2/26/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg. 400, 26th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ³)	(S/cc)	
9 6827 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6827 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-0, NY State ELAP #10879

BUILDING # 200 TWO HUNDRED

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2/26/02
 Sampled By: ALVIN BLAKE Rotometer #:
 Work Area: BUILDING # 200 - GATEWAY PLAZA, 375 SOUTH END AVE MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	1:30 P.M.	4:30 P.M.	180	10	10	1800		
2	APT PII BEDROOM	4	1:32 P.M.	4:32 P.M.	180	10	10	1800		
3	HALL-WAY 26 Floor OUTSIDE	4	1:34 P.M.	4:34 P.M.	180	10	10	1800		
4	APT PII LIVING ROOM	4	1:36 P.M.	4:36 P.M.	180	10	10	1800		
5	APT PII BED ROOM	4	1:38 P.M.	4:38 P.M.	180	10	10	1800		
6	FIELD BLANK	/								
7	FIELD BLANK	/								

Codes: 1. Pre-Test 3. Final 5. Personal A. Aggressive I. Inside Work Area E. Excursion
 2. Project 4. Investigative 6. During D. Dormant O. Outside Work Area T. TWA

Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ASAP ☒ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished A. BLAKE Date/Time 2/26/02 Received ATC Lab 18th floor Date/Time 02/26/02 1752
 Analyst R. P. [Signature] 2/28/02 1500 Disposal By/Date

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

#6838

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Saren

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southern Ave., Bldg. 500, 26th Floor, NY, NY

Received: 2/26/02

5:50:00 PM

ATC Group #: 6838

Analysis Date: 2/28/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6838 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6838 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6838 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6838 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6838 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0 NY State ELAP #10879

BUILDING # 300 (TH. = HUNDRED)

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 02-26-02
 Sampled By: KEVIN BLAKE Rotometer #: Project #:
 Work Area: BUILDING #300 GATEWAY PLAZA 375 SOUTH END AVE MINNAPOLIS MN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹² AM	1 ¹² PM	180	10	10	1800		
2	APT PII CHILDREN BED ROOM	4	10 ¹⁴ AM	1 ¹⁴ PM	180	10	10	1800		
3	HALL-WAY 5TH FLOOR OUTSIDE APT PII	4	10 ¹⁶ AM	1 ¹⁶ PM	180	10	10	1800		
4	APT PII LIVING / BED ROOM	4	10 ²⁰ AM	1 ²⁰ PM	180	10	10	1800		
5	APT PII KITCHEN	4	10 ²² AM	1 ²² PM	180	10	10	1800		
6	HALL-WAY 4TH FLOOR OUTSIDE APT PII	4	10 ²⁴ AM	1 ²⁴ PM	180	10	10	1800		
7	FIELD BLANK	✓	✓	✓						
8	FIELD BLANK	✓	✓	✓						

The First Choice for Environmental Testing & Consulting

#6837

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. During A. Aggressive D. Dormant L. Inside Work Area O. Outside Work Area B. Excursion T. TWA

Analysis

☒ TEM AHERA
☐ TEM Philadelphia

☐ PCM NIOSH 7400

Turnaround

☐ ASAP
☐ 2 Day (48hr)

☒ Same Day (12hr)
☐ 2 Day (48hr)

Relinquished

Analyst

A. BLAKE
P. Dwyer

Date/Time 2/26/02
1500

Received ATC Lab / P. Dwyer
 Disposal By/Date

Date/Time 02/26/02 1752

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

www.ALC-Environmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarcit

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southard Ave., Bldg 300, 26th Floor, NY, NY

Received: 2/26/02

5:50:00 PM

ATC Group #: 6837

Analysis Date: 2/28/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6837 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6837 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6837 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6837 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6837 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6837 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHIOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Client: G850 10/12 Asbestos Air Sampling Data Form 76355-76366
 Sampled By: GATEWAY PLAZA MANAGEMENT CORP Date: 2-27-02
 Work Area: ALVIN BLAKE Rotometer #: 001 Project #: MANHATTAN
BUILDING - 500 GATEWAY PLAZA 375 SOUTH BROAD AVE.



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM/BEDRM	4	10:15 AM	11:15 AM	180	10	10	1800		
2	APT PII KITCHEN	4	10:17 AM	11:17 AM	180	10	10	1800		
3	HALL-WAY 7TH FLOOR OUTSIDE APT PII	4	10:19 AM	11:19 AM	180	10	10	1800		
4	APT PII LIVING ROOM/BEDRM	4	10:21 AM	11:21 AM	180	10	10	1800		
5	APT PII BATHROOM	4	10:23 AM	11:23 AM	180	10	10	1800		
6	APT PII LIVING/BEDROOM	4	11:16 AM	12:16 PM	180	10	10	1800		
7	APT PII BATHROOM	4	11:18 AM	12:18 PM	180	10	10	1800		
8	HALL-WAY 7TH FLOOR OUTSIDE ELEVATORS	4	11:20 AM	12:20 PM	180	10	10	1800		

The First Choice for Environmental Testing & Consulting

GATEWAY
APT
BUILDING

APT
LIVING
KITCHEN
FIELD

FIELD

#6850

ont
et

X TWA
12M

A. B.
C-TEM
115 Wes

Home Office

1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. During
 A. Aggressive D. Dormant 1. Inside Work Area O. Outside Work Area B. Excursion T. TWA
 Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)
 Collected By: A. BLAKE Date/Time: 2/27/02 Received By: Lab Date/Time: 02/27/02 17:00
 Analyzed By: A.C-TEM Date/Time: 2/28/02 Disposed By/Date: _____

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.712.9499 • 888.789.8378 • Fax: 215.712.9550

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 2-27-02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING # 500- GATEWAY PLAZA, 375 SOUTH END AVE MANHATTAN Project #:

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING / BEDROOM	4	1:22 PM	4:22 PM	180	10	10	1800		
10	APT PII KITCHEN	4	1:24 PM	4:24 PM	180	10	10	1800		
11	FIELD BLANK	/	/	/						
12	FIELD BLANK	/	/	/						



The First Choice for Environmental Testing & Consult

#63572

1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive B. Excursion C. TWA D. Normal E. Inside Work Area F. Outside Work Area G. Baseline H. TWA

1. TWA 2. TWA 3. TWA 4. TWA 5. TWA 6. TWA 7. TWA 8. TWA 9. TWA 10. TWA 11. TWA 12. TWA

1. TWA 2. TWA 3. TWA 4. TWA 5. TWA 6. TWA 7. TWA 8. TWA 9. TWA 10. TWA 11. TWA 12. TWA

Signature: A. BLAKE Date/Time: 2/27/02 Received A/C Lab: 1/17/02 Date/Time: 02/27/02
 Analyzed: ATC-TEM RPL Date/Time: 2/28/02 Disposed By/Date:

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6717
 Home Office: The Bellevue • Suite 000 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9490 • 888.789.3178 • Fax: 215.732.9559

www.ALCEnvironmental.com

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Saret

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

375 Southard Ave, Bldg 500, 26th Floor, NY, NY

Received: 2/27/02

5:40:00 PM

ATC Group #: 6850

Analysis Date: 2/28/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6850 -1	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
2 6850 -2	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
3 6850 -3	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
4 6850 -4	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
5 6850 -5	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
6 6850 -6	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
7 6850 -7	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048
8 6850 -8	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/27/02 5:40:00 PM
ATC Group #: 6850
Analysis Date: 2/28/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg 500, 26th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5 µm	5µ		(S/mm ³)	(S/cc)	
9 6850 -9	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	
10 6850 -10	1800.00	0.0450	0	None Detected	0	0	0.0048	<22.24	<0.0048	

ROMAN PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D

Approved by:



Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0 NY State ELAP #10879

Client: GATEWAY PLAZA MANAGEMENT CORP Asbestos Air Sampling Data Form
 Sampled By: ALVIN BLAKE Date: 2-28-02
 Work Area: BUILDING #100 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN Rotameter #: 001 Project #:

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10:30 A.M.	1:30 P.M.	180	10	10	1800		
2	APT PII BED ROOM	4	10:32 A.M.	1:32 P.M.	180	10	10	1800		
3	HALL-WAY 3RD FLOOR OUTSIDE APT 3K	4	10:34 A.M.	1:34 P.M.	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:36 A.M.	1:36 P.M.	180	10	10	1800		
5	APT PII BED ROOM #1	4	10:38 A.M.	1:38 P.M.	180	10	10	1800		
6	HALL-WAY 3RD FLOOR OUTSIDE ELEVATOR	4	1:42 P.M.	4:42 P.M.	180	10	10	1800		
7	APT PII LIVING ROOM	4	1:44 P.M.	4:44 P.M.	180	10	10	1800		
8	APT PII BED ROOM	4	1:46 P.M.	4:46 P.M.	180	10	10	1800		


Codes: 1. Pre-Test 2. Project 3. Final Investigative 4. Personal 5. Aggressive 6. Dormant 7. Inside Work Area 8. Outside Work Area 9. Excursion 10. TWA

Analysis: ☒ TEM AMBERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ TWA/MSD ☒ ASAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Collected By: A. BLAKE Date/Time: 2/28/02 Received By: ATC Lab Date/Time: 2/28/02
 Analyzed By: [Signature] Disposed By: 3/1/02

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9550

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Consult

#6867

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 2/28/02 5:45:00 PM
ATC Group #: 6867
Analysis Date: 3/1/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southard Ave., Bldg 100 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Ash	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6867 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
2 6867 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
3 6867 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
4 6867 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
5 6867 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
6 6867 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
7 6867 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
8 6867 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Saret
 ALC Environmental
 115 W 30th Street
 New York NY 10001

Received: 2/28/02 5:45:00 PM
 ATC Group #: 6867
 Analysis Date: 3/1/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southend Ave., Bldg 100 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µm	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
9 6867-9	1500.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	
10 6867-10	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048	

MARK PEYSAKHOV

Analyzed by



MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP P-MTEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 03-01-02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING 600 - GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹⁰ AM	1 ¹⁰ PM	180	10	10	1800		
2	APT PII BED ROOM	4	10 ¹² AM	1 ¹² PM	180	10	10	1800		
3	HALL-WAY 19th Floor OUTSIDE ELEVATORS	4	10 ¹⁴ AM	1 ¹⁴ PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10 ¹⁶ AM	1 ¹⁶ PM	180	10	10	1800		
5	APT PII BED ROOM - 1	4	10 ¹⁸ AM	1 ¹⁸ PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ²⁰ PM	4 ²⁰ PM	180	10	10	1800		
7	APT PII BED ROOM - 1	4	1 ²² PM	4 ²² PM	180	10	10	1800		
8	HALL-WAY 19th Floor OUTSIDE APT PII	4	1 ²⁴ PM	4 ²⁴ PM	180	10	10	1800		

6881

The First Choice for Environmental Testing & Control

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal A. Aggressive B. Excursion D. Dominant E. Inside Work Area F. Outside Work Area T. TWA

Analysis: ☒ TWA AHERA ☐ TWA Philadelphia ☐ PCM NIOSH 7400 ☐ TWA ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 03/01/02 Received By: AFC Lab Date/Time: 08/01/02 1800
 Analyst: [Signature] Disposal By/Date: 3/2 12:00

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9490 • 888.789.8478 • Fax 215.732.9559

www.AICEnvironmental.com

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 03-01-02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING 600 - GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (U/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:28 P.M.	4:28 P.M.	180	10	10	1800		
10	APT PII BED ROOM	4	1:30 P.M.	4:30 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/	/	/	/	/	/		
12	FIELD BLANK	/	/	/	/	/	/	/		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Aggressive 7. Dominant 8. Inside Work Area 9. Outside Work Area 10. Excursion 11. TWA

Analysis: ☒ TEM AHURA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ TAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 03/01/02 Received By: ATCL 12/12/02 Date/Time: 03/01/02 12:00
 Analyzed By: [Signature] Disposed By/Date: 3/2 12:00

115 West 30th Street - 11th Floor - New York, New York 10001 - 212.279.1001 - 888.466.3620 - Fax: 212.279.6747
 Home Office: The Bellevue - Suite 600 - 200 S. Broad Street - Philadelphia PA 19102 - 215.732.9400 - 888.789.8378 - Fax: 215.732.9550

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Control

6881

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280

Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W. 30th Street
 New York, NY 10001

Received: 3/1/02 6:00:00 AM
 ATC Group #: 6881
 Analysis Date: 3/2/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southern Blvd., Bldg 600 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
1 6881 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6881 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6881 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6881 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6881 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6881 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6881 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6881 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLW/TEM #101187-0, NY State ELAP #10879

Attn: Mr. Joshua Saret
 ALC Environmental
 115 W 30th Street
 New York NY 10001

Received: 3/1/02 6 00.00 AM
 ATC Group #: 6881
 Analysis Date: 3/2/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5	5µ		(S/mm ²)	(S/cc)	
9 6581-9	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	
10 6881-10	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	

MARK PEYSAKHOV

Analyzed by



MICHAEL A. GORYCKI, Ph.D

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysts' accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0, NY State ELAP #10879

Asbestos Air Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 3/4/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING # 400 - GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (Ucc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10 ¹⁰ AM	1 ¹⁰ PM	180	10	10	1800		
2	APT PII BEDROOM	4	10 ¹² AM	1 ¹² PM	180	10	10	1800		
3	HALLWAY 23 FLOOR OUTSIDE ELEVATORS	4	10 ¹⁴ AM	1 ¹⁴ PM	180	10	10	1800		
4	APT 03T LIVING ROOM	4	10 ¹⁶ AM	1 ¹⁶ PM	180	10	10	1800		
5	APT PII BEDROOM	4	10 ¹⁸ AM	1 ¹⁸ PM	180	10	10	1800		
6	APT PII LIVING ROOM	4	1 ¹¹ PM	4 ¹¹ PM	180	10	10	1800		
7	APT PII BED ROOM	4	1 ¹³ PM	4 ¹³ PM	180	10	10	1800		
8	HALLWAY 23RD FLOOR OUTSIDE APT PII	4	1 ¹⁵ PM	4 ¹⁵ PM	180	10	10	1800		

Codes: 1. Pre-Test 3. Flail 5. Personnel A. Aggressive 1. Inside Work Area B. Excursion
 2. Project 4. Investigative D. Dominant O. Outside Work Area T. TWA

Analysis: ☒ TEM AIR/SLR ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ TAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 3/4/02 Received ALC Lab 10:10 Date/Time: 03/04/02 19:20
 Analyst: [Signature] Disposal By/Date: 3/5 10:10

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747

Home Office: The Bellevue • Suite 600 • 260 S. Broad Street • Philadelphia, PA 19102 • 215.732.9409 • 888.789.8378 • Fax: 215.732.9550

www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consult

#6930

Asbestos Sampling Data Form

Client: GATEWAY PLAZA MANAGEMENT CORP Date: 3/4/02
 Sampled By: ALVIN BLAKE Rotometer #: 001 Project #:
 Work Area: BUILDING - 400 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:17 P.M.	4:17 P.M.	180	10	10	1800		
10	APT PII BED ROOM	4	1:19 P.M.	4:19 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/	/	/					
12	FIELD BLANK	/	/	/	/					

#6930

The First Choice for Environmental Testing & Consulting

Notes: 1. Pre-Test 3. Final 5. Personal A. Aggressive I. Inside Work Area E. Excursion
 2. Project 4. Investigative D. Dormant O. Outside Work Area T. TWA
 Analysis: ☒ TEM AHERA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround ☐ ASAP ☒ Same Day (12hr)
☐ 2 Day (48hr)
 Relinquished By: A. BLAKE Date/Time: 3/4/02 Received By: ATC LAB / Rho Date/Time: 03/04/02 19:20
 Analyst: [Signature] Disposal By/Date: 3/5 10:10

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia • 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Saren

ALC Environmental

115 W 30th Street

New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279-1001

Project: Gateway Plaza Management

Received: 3/4/02

7:20:00 PM

ATC Group #: 6930

Analysis Date: 3/5/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ²) (S/cc)	Notes
1 6930 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6930 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6930 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6930 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6930 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6930 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6930 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6930 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

MARK PEYSAKHOV

Analyzed by

MICHAEL A. GORYCKI, Ph.D

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP P-M/TEM #10-187-0, NY State ELAP #10879

Attn: Mr. Joshua Saret
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 11-4-02 2:20:00 PM
ATC Group #: 6930
Analysis Date: 3/5/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management

Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Final Rule (AHERA)

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures in Sample	Analytical Sensitivity (f/cc)	Asbestos Concentration (f/mm ³)	Notes
9 6930-9	1500.00	0.0450	0	None Detected	0	0.0048	< 22.24	< 0.0048
10 6930-10	1500.00	0.0450	0	None Detected	0	0.0048	< 22.24	< 0.0048

MARK PEYSAKHOV

Analyzed by:



MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLMTEM #101187-C NY State ELAP #10879

Client: GATEWAY PLAZA MANAGEMENT CORP Asbestos Air Sampling Data Form
 Sampled By: ALVIN BLAKE Date: 3-5-02
 Work Area: BUILDING - 200 GATEWAY PLAZA 375 SOUTH END AVE MANHATTAN Rotometer #: 001 Project #:

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	APT PII LIVING ROOM	4	10:20 AM	1:20 PM	180	10	10	1800		
2	APT PII BED ROOM - 2	4	10:22 AM	1:22 PM	180	10	10	1800		
3	HALL-WAY 25 FLOOR OUTSIDE ELEVATORS	4	10:24 AM	1:24 PM	180	10	10	1800		
4	APT PII LIVING ROOM	4	10:26 AM	1:26 PM	180	10	10	1800		
5	APT PII BED ROOM 1	4	10:28 AM	1:28 PM	180	10	10	1800		
6	APT PII LIV	4	1:21 PM	4:21 PM	180	10	10	1800		
7	APT PII BED ROOM - 1	4	1:23 PM	4:23 PM	180	10	10	1800		
8	HALL-WAY 25 FLOOR OUTSIDE ELEVATORS	4	1:25 PM	4:25 PM	180	10	10	1800		


Codes: 1. Pre-Test 2. Project 3. Personal 4. Investigative 5. Aggressive 6. Dominant 7. Inside Work Area 8. Outside Work Area 9. Excursion 10. TWA

Analysis: ☒ TUBA AHERA ☐ 1204 Philadelphia ☐ PCM NIOSH 7100 ☐ ASAP ☐ 2 Day (40hr) ☒ Same Day (12hr)

Relinquished By: A. BLAKE Date/Time: 3-5-02 Received By: Thomas Kelly Date/Time: 03-06-02
 Analyst: ATC-TEM By: RMU 3.6.02 Disposal By/Date: 1630

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.0550

www.ALCEnvironmental.com



The First Choice for Environmental Testing & Consult

Client: 695- GATEWAY PLAZA MANAGEMENT CORP Date: 3-5-02
 Sampled By: ALVIN BLAKE Rotometer #: 001
 Work Area: BUILDING 200 GATEWAY PLAZA, 375 SOUTH END AVE, MANHATTAN Project #:



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
9	APT PII LIVING ROOM	4	1:27 P.M.	4:27 P.M.	180	10	10	1800		
10	APT PII BEDROOM-2	4	1:29 P.M.	4:29 P.M.	180	10	10	1800		
11	FIELD BLANK	/	/	/						
12	FIELD BLANK	/	/	/						

Idea: 1. Pre-Test 2. Project 3. Final Investigative 5. Personal A. Aggressive D. Dormant 1. Inside Work Area O. Outside Work Area R. Excursion T. TWA

Analysis: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 ☐ ASAP ☒ Same Day (12hr) ☐ 2 Day (48hr)

Relinquished By: A. BLAKE Date/Time: 3-5-02 Received By: Fabian Kelly Date/Time: 3-6-02
 Analyst: AIC-TEM By RPK Disposal By/Date: 16:30

The First Choice for Environmental Testing & Consulting

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellevue • Suite 600 • 200 S. Broad Street • Philadelphia • 19102 • 215.732.9499 • 898.789.8378 • Fax: 215.732.9559

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Sarett
ALC Environmental
115 W 30th Street
New York NY 10001

Received: 3/6/02 8:00:00 AM
ATC Group #: 6950
Analysis Date: 3/6/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
375 Southern Ave., Bldg 200 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³) (S/cc)	Notes
1 6950 -1	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
2 6950 -2	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
3 6950 -3	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
4 6950 -4	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
5 6950 -5	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
6 6950 -6	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
7 6950 -7	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048
8 6950 -8	1800.00	0.0450	0	None Detected	0	0.0048	<22.24	<0.0048

ROMAN PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #10:187-0 NY State ELAP #10879

Attn: Mr. Joshua Sarett
 ALC Environmental
 115 W 30th Street
 New York NY 10001

Received: 3/6/02 8:00:00 AM
 ATC Group #: 6950
 Analysis Date: 3/6/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southold Ave., Bldg. 200 NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
					0.5µ-5 µm	5µ		(S/mm ²)	(S/cc)	
9 6950-9	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	
10 6950-10	1800.00	0.0450	0	None Detected	0	0	0.0048	< 22.24	< 0.0048	

ROMAN PEYSAKHOV

Analyzed by

RP

MICHAEL A. GORYCKI, Ph.D.

Approved by

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLWTEM #101187-0, NY State ELAP #10875

P.2
(212) 279-6747
ALC Environmental
Jan 22 02 04:30P

Client: GATEWAY PLAZA Asbestos Air Sampling Data Form
 Sampled By: NURON WILLIAMS BLOG 600 Date: 03-06-02
 Work Area: 16th Floor Rotometer #: 1337 Project #: AMBIENT



Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (f/cc)
			Start	Stop		Start	Stop			
1	IN CORRIDOR By ROOM PII		09:30	12:40	190	10	10	1900		
2	IN CORRIDOR By ROOM PII		09:31	12:41	190	10	9	1805		
3	IN CORRIDOR By ELEVATOR # 10		09:37	12:42	190	10	10	1900		
4	IN CORRIDOR By ROOM PII		09:33	12:43	190	10	10	1900		
5	IN CORRIDOR By ROOM PII		09:34	12:44	190	10	10	1900		
6	IN CORRIDOR By ROOM PII		12:46	15:56	190	10	10	1900		
7	IN CORRIDOR By ROOM PII		12:47	15:57	190	10	10	1900		
8	IN CORRIDOR By ELEVATOR # 10		12:48	15:58	190	10	9	1805		

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. During
 A. Aggressive D. Dormant L. Inside Work Area O. Outside Work Area E. Excursion T. TWA
 Analyze: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM NIOSH 7400 Turnaround: ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished NURON WILLIAMS Date/Time 03-06-02 Received ATC Lab Date/Time 03/06/02 18:00
 Analyst ATC-TEM By R. R. R. 3/7/02 Disposal By/Date 2:30

115 West 30th Street • 11th Floor • New York, New York 10001 • 212.279.1001 • 888.466.3620 • Fax: 212.279.6747
 Home Office: The Bellvue • Suite 600 • 200 S. Broad Street • Philadelphia, PA 19102 • 215.732.9499 • 888.789.8378 • Fax: 215.732.9559
 www.ALCEnvironmental.com

The First Choice for Environmental Testing & Consulting

#6952

Client: GATE WAY Asbestos Air Sampling Data Form
Sampled By: NAYRON WILLIAMS BLOG 600 Date: 03-06-02
Work Area: 16TH FLOOR Rotometer #: Project #:
AMBIENT

Sample # Lab #	Sample Location	Code	Time		Total Minutes	Flow Rate		Total Volume	# Fibers /100 Fields	Results (/cc)
			Start	Stop		Start	Stop			
9	IN CORRIDOR BY ROOM PII		12:49	15:51	190	10	10	1900		
10	IN CORRIDOR BY ROOM PII		12:50	16:00	190	10	10	1900		
11	FIELD BLANK									
12	FIELD BLANK									
13	SEALED BLANK									

Codes: 1. Pre-Test 2. Project 3. Final 4. Investigative 5. Personal 6. Purging A. Aggressive D. Dormant I. Inside Work Area O. Outside Work Area E. Excursion T. TWA

Analysis: ☒ TEM AHRA ☐ TEM Philadelphia ☐ PCM INOSH 7400 Turnaround ☐ ASAP ☐ 2 Day (48hr) ☒ Same Day (12hr)

Relinquished: NAYRON WILLIAMS Date/Time: 03-06-02 Received: ATC Lab 6 Disposal By/Date: 3/7/02 Date/Time: 03/06/02 17



ALC
ENVIRONMENTAL
INCORPORATED

The First Choice for Environmental Testing & Consulting

#6952

ATC Associates

104 East 25 Street, New York, NY 10010

Phone: (212) 353-8280 Fax: (212) 353-8306



Attn: Mr. Joshua Saret
 ALC Environmental
 115 W 30th Street
 New York NY 10001

Received: 3/6/02 6:00:00 PM
 ATC Group #: 6952
 Analysis Date: 3/7/02

Fax: (212) 279-6747 Phone: (212) 279-1001

Project: Gateway Plaza Management
 375 Southard Ave., Bldg. 600, 16th Floor, NY, NY

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
 by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration (S/mm ³)	(S/cc)	Notes
1 6952 -1	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
2 6952 -2	1805.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047	
3 6952 -3	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
4 6952 -4	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
5 6952 -5	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
6 6952 -6	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
7 6952 -7	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
8 6952 -8	1805.00	0.0450	0	None Detected	0	0.0047	<22.24	<0.0047	

ROMAN PEYSAKHOV

Analyzed by:

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm³. This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101187-0 NY State ELAP #10879

Attn: Mr. Joshua Sarent
ALC Environmental
115 W. 30th Street
New York

NY 10001

Fax: (212) 279-6747

Phone: (212) 279 1001

Project: Gateway Plaza Management

375 Southard Ave., Bldg. 600, 16th Floor, NY, NY

Received: 3/6/02 6 00.00 PM
ATC Group #: 6952
Analysis Date: 3/7/02

**Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed
by EPA 40 CFR Part 763 Final Rule (AHERA)**

Sample	Volume	Area Analyzed	Non Asb	Asbestos Type(s)	# Structures 0.5µ-5 µ	Analytical Sensitivity (S/cc)	Asbestos Concentration		Notes
							(S/mm ²)	(S/cc)	
9 6952 - 9	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	
10 6952 - 0	1900.00	0.0450	0	None Detected	0	0.0045	<22.24	<0.0045	

ROMAN PEYSAKHOV

Analyzed by

RRy

MICHAEL A. GORYCKI, Ph.D.

Approved by:

Disclaimer: The laboratory is not responsible for data reported in structures/cc, which is dependent on volume collected by non-laboratory personnel. This lab is only responsible for data reported in structures/mm². This report may not be reproduced, except in full, without written approval by ATC Associates Inc. This report may not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. This report relates only to the samples reported above. Quality control data (including 95% confidence limits and laboratory and analysis accuracy and precision) is available upon request.

Accredited for NVLAP PLM/TEM #101167-0 NY State ELAP #10879