

10/02/2002 10:07 FAX

002



ATHENICA

ENVIRONMENTAL SERVICES INC.

Tel. (718) 744-7400
Fax. (718) 744-4045

CLIENT: Warren & Panzer Engineers, P.C.

LABORATORY ID #: T02-10-006

ANALYT. METHODOLOGY: AHERA

FILTER TYPE: M.C.E.

AVERAGE G.O. AREA (mm²): 0.013838

PROJECT: NYCDEP, 250 Broadway

DATE OF REPORT: 10/01/02

DATE OF ANALYSIS: 10/01/02

EFFECTIVE FILTER AREA (mm²): 385

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

LABORATORY RESULTS

CLIENT #	LAB. #	LOCATION	VOLUME (ft ³)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIVITY (micrograms/ft ³)	TOTAL ASBESTOS AIR CONC. (micrograms/ft ³)	TOTAL ASBESTOS FIBER CONC. (micrograms/ft ³)	AIR CONC. FOR STRUCT. 0.55-5µm	AIR CONC. FOR STRUCT. >5.0µm	ASBEST. TYPE CURVS.	ASBEST. TYPE SPECIFY
01	T02-10-006-2710	30 th Floor North side setback - west	1530	4	0.0554	0.0045	0.0045	18.07	<0.0045	0.0045	Chrys.	NA
02	T02-10-006-2711	30 th Floor North side setback - west	1530	4	0.0554	0.0045	<0.0045	<18.07	NA	NA	NA	NA
03	T02-10-006-2712	30 th Floor North side setback center	1530	4	0.0554	0.0045	<0.0045	<18.07	NA	NA	NA	NA
04	T02-10-006-2713	30 th Floor North side setback east	1526.4	4	0.0554	0.0046	<0.0046	<18.07	NA	NA	NA	NA
05	T02-10-006-2714	30 th Floor North side setback east	1402	4	0.0554	0.0050	<0.0050	<18.07	NA	NA	NA	NA

E. Siontari

ANALYST
E. Siontari

[Signature]
LABORATORY DIRECTOR
Athenica Environmental Services

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

