

Can this
be
distributed
to toy
industry?

MINIMUM CONTRACTOR REQUIREMENTS

- d) Established negative air pressure.
 - e) Cleanup all ACM Dust within the affected work area.
 - f) Project decontamination.
 - g) Final air clearance and demobilization.
- 1.6 Ensure that all workers entering the work areas have valid New York City and New York State Asbestos Abatement Handler's certificates in their possession.
 - 1.7 Coordinate with Building Engineer for location of temporary electrical service, as needed, during the work.
 - 1.8 Air monitoring for Owner will be performed by Testing Laboratory. Contractor shall be responsible for air monitoring for the safety of its employees.
 - 1.9 Contractor, subcontractors and their employees shall strictly adhere to all building admittance and exit procedures
 - 1.10 Limit use of the premises to work areas indicated. Access the premises through designated locations only.
 - 1.11 Maintain each respective floor in which cleanup activity will be performed in a safe and weather tight condition throughout the work. Take all precautions necessary to protect any clean unaffected areas adjacent to the work from being contaminated.
 - 1.12 Do not allow any accumulation of waste, rubbish or construction debris in the work area while cleanup work is in progress.
 - 1.13 Do not permit smoking or open fires within the building enclosure or on the premises. Do not permit any alcoholic beverages on site.
 - 1.14 Except for toilet room facilities designated for use by Contractor, use of existing toilets within the building by Contractor will not be permitted.
 - 1.15 Except for the designated elevator, use of elevators by Contractor will not be permitted. Contractor will be permitted to use the designated elevator, if available, for temporary freight service and the transportation of construction personnel during the construction period. Coordinate elevator usage with the Engineer.
 - 1.16 Removal of asbestos waste from the building will be in accordance to any time restriction imposed by the Owner.

2.0 SECTION NOT USED

3.0 TESTING LABORATORY SERVICES

- 3.1 Owner will provide a qualified Testing Laboratory to perform quality assurance testing of the work performed under the Contract Documents to determine general compliance.
- 3.2 Provision of the Testing Laboratory by Owner to perform testing for Owner shall not relieve Contractor from providing its own air testing for compliance with all applicable codes, regulations, requirements and as specified in this Section and elsewhere in the

MINIMUM CONTRACTOR REQUIREMENTS

Contract Documents (e.g. OSHA air monitoring).

- 3.3 Cooperate with Testing Laboratory in all aspects of the testing to expedite results.
- 3.4 Provide Testing Laboratory representative access to the Work in locations requested as necessary to perform testing.
- 3.5 Pay for all re-testing subsequent to unsatisfactory preliminary and final air tests as required in the Contract Documents.
- 3.6 Provide electrical power service to all locations where Testing Laboratory is to perform testing.
- 3.7 All analytical methods shall be in accordance with New York State and New York City requirements, the more stringent to apply.
- 3.8 Transmission Electron Microscopy (TEM) will be performed for background. Phased Contrast Microscopy (PCM) will be performed during the cleanup activities using substantially the procedures outlined in the NIOSH 7400 method using "A" counting rules. This analysis will be carried out at the Testing Laboratory's ELAP approved testing laboratory.
- 3.9 Before start of the Work, the Testing Laboratory will secure air samples at the work site to establish a background level before start of Work.
- 3.10 Samples will be collected by Testing Laboratory at times during the Work as deemed necessary by Testing Laboratory and Engineer.
- 3.11 Testing Laboratory will perform final aggressive clearance air monitoring after Engineer observes that the area has been cleaned in accordance to regulatory requirements.
- 3.12 Owner will pay for daily environmental air testing and initial preliminary and final air clearance testing required by the Contract Documents.
- 3.13 If additional testing is required due to either a breach in the containment or Contractor's non-compliance with the Contract Documents, the testing will be performed by Testing Laboratory.

4.0 WORKER PROTECTION

- 4.1 This Section describes the equipment and procedures required for protecting workers against asbestos contamination and other work place hazards.
- 4.2 Require that each worker always wear a respirator, properly fitted on the face, in the work area from the start of any operation which may cause airborne asbestos fibers until the work area is completely decontaminated. Provide respiratory protection appropriate for the fiber level encountered in the work place or as required for other toxic or oxygen-deficient situations encountered.
- 4.3 Instruct and train each worker involved in asbestos abatement in proper use of protective clothing and require that each worker always wear protective clothing in the work area

MINIMUM CONTRACTOR REQUIREMENTS

from the initiation of work area preparation until the work area is completely decontaminated.

- 4.4 Provide disposable full-body coveralls, disposable head covers, proper foot protection as required by OSHA and require that they be worn by workers in the work area. Provide sufficient number for all required changes, for all workers in the work area.
- 4.5 Provide hard hats and work gloves to all workers and require that they be worn at all times in the work area. Do not remove gloves while in the work area. Dispose of gloves as asbestos contaminated waste at the end of the work. Provide eye protection, where required by OSHA, for all workers.
- 4.6 Provide Type "A" Respirators (Negative Pressure Respirator). Half face or full face type respirators shall be used to reduce the concentrations of airborne asbestos fibers in the respirator below the exposure limits specified by federal, state, and local regulations when the ceiling or the 8-hour time-weighted average airborne concentrations of asbestos fibers are reasonably expected to exceed no more than 10 times those limits.
- 4.7 Provide Type "B" Respirators (Powered Air Purifying Respirators PAPR). A PAPR shall be used to reduce the concentrations of airborne asbestos fibers in the respirator below the exposure limits specified by federal, state, and local regulation when the ceiling or the 8-hour time-weighted average concentrations of asbestos fibers are reasonably expected to exceed 10 times, but not more than 100 times, those limits.
- 4.8 Require that a respirator be worn by anyone in a work area at all times, regardless of activity, which could cause airborne fibers (including construction of decontamination units, construction of airtight barriers/barricades, etc.) until the area has been cleared for re-occupancy. Regardless of airborne fiber levels, require that the minimum level of respiratory protection used be Type "A" respirators with HEPA filters.
- 4.9 Require that workers do not eat, drink, smoke, chew gum or tobacco in the work area.

5.0 WORK AREA PREPARATION

- 5.1 This Section describes the general procedures to be followed prior to the removal of asbestos-containing and or contaminated dust and debris.
- 5.2 Establish temporary electric power, as needed, for negative air filtration, lighting and other equipment.
- 5.3 Coordinate with the Engineer/Environmental Consultant for actual extent of cleanup required at each respective floor/area. Refer to attached floor plans for general extent of cleanup required at each respective area.
- 5.4 Perform the work in accordance with applicable City and State regulations governing demolition activities. The Contractor is solely responsible for complying with regulatory requirements for the safety of structures and persons, and for maintaining safeguards in accordance with applicable regulations.
- 5.5 Construct remote decontamination unit(s) in accordance with applicable Sections of New York City Title 15. Decontamination of workers and waste shall be performed in

MINIMUM CONTRACTOR REQUIREMENTS

accordance with applicable regulatory requirements. Filter all water used for showering and cleaning equipment through a 5-micron filtration system. Dispose of water in the sanitary sewer system.

- 5.6 Provide temporary connection to existing building utilities or provide temporary facilities as required or as necessary to carry out the Work.

6.0 NEGATIVE PRESSURE SYSTEM (IF USED)

- 6.1 If needed provide fully operational diminished air equipment to be used as needed in each work area while cleanup procedures are in affect. The exhaust of the negative pressure system shall be directed outside of the building.
- 6.2 Allow exhaust units to run until completion of work area cleanup.
- 6.5 When a final inspection and the results of final air tests indicate that the area has been decontaminated, HEPA filtration system shall be removed from the work area in conjunction with the isolation barriers.

7.0 SECTION NOT USED

8.0 WORKER DECONTAMINATION PROCEDURES

- 8.1 Require all workers to adhere to the following personal decontamination procedures whenever they leave the work area:
- a) When exiting area, remove outer layer of disposable coveralls, disposable head covers, and disposable footwear covers or boots in the first airlock at the exit of the tent enclosure.
 - b) Still wearing respirators and remaining layer of disposable covering, proceed to remote shower unit and follow procedures as outlined for worker decontamination.

9.0 ASBESTOS REMOVAL

- 9.1 All horizontal surfaces within each respective work shall first be cleaned with a HEPA vacuum followed by wet wiping with amended water. When dry the area shall be cleaned again using a HEPA filtered vacuum.
- 9.2 All items not to be discarded shall be cleaned and decontaminated and left in-place. Coordinate with Tenant Representative prior to discarding any items that cannot be decontaminated.
- 9.3 In areas where clothing items are present, decontaminate the item by first using a HEPA vacuum, followed by wet wiping and followed again by HEPA vacuum after the item has dried.
- 9.4 All non-porous personal items on work desks shall be HEPA vacuumed, wet wiped and again HEPA vacuum. Place all items desk. All porous personal items (suit case, purse, shoes, etc.) shall be HEPA vacuumed, wet wiped and again HEPA vacuumed. Place in

MINIMUM CONTRACTOR REQUIREMENTS

plastic bag.

- 9.5 All other porous items (paper goods, books, files, etc.), which were exposed and covered with dust, clean all exposed horizontal surfaces using HEPA vacuum, wet wipe and again HEPA vacuumed. Place back in original location.
- 9.6 All dust covered floor surfaces shall be HEPA vacuumed first, followed by wet cleaning and again HEPA vacuumed. Repeat this process until all visible of dust has been removed.
- 9.7 HEPA vacuum all exposed surfaces of ceiling tiles in affected areas, followed by wet wiping and again HEPA vacuum.
- 9.8 When cleaning any perimeter area of the floor, remove affected convactor covers in order to HEPA vacuum behind the convactor. Replace cover after cleanup is completed.

10.0 REMOVAL AND DISPOSAL OF ACM FROM THE BUILDING

- 10.1 Remove sealed and labeled containers and dispose of accordingly in an approved sanitary landfill as follows:

- a Polyethylene bags shall be labeled in accordance with 29 CFR 1910.1200(f) of OSHA's Hazard Communication standard (First Label):

**DANGER
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
CANCER AND LUNG DISEASE HAZARD**

- b. Provide a second label in accordance with U.S. Department of Transportation regulation on hazardous waste marking. 49 CFR parts 171 and 172 as follows:

**RQ HAZARDOUS
SUBSTANCE,
SOLID, NOS,
ORM-E, NA 9188
(ASBESTOS)**

- c. Provide a third label in accordance with 40 CFR Part 61 of EPA's Asbestos NESHAP Revisions of November 20, 1990 as follows:

**NAME OF WASTE GENERATOR
LOCATION WHERE THE WASTE WAS GENERATED**

- d. Ensure that no visible emissions are released to the outside air from the site where materials and waste are deposited.
- f Waste from this Project cannot be mixed with, or added to waste from any other project, and cannot be transferred from the original truck. Waste from any other source cannot be added to the original load. Waste truck must proceed directly to the landfill.

MINIMUM CONTRACTOR REQUIREMENTS

- h At disposal site, carefully unload sealed plastic bags from the truck. If bags are intact and drums are not contaminated, the drums may be reused. Treat any drums that have been contaminated as asbestos-containing waste and dispose of in accordance with this procedure.
- i At the completion of hauling and disposal of each load, submit copy of waste manifest, chain of custody form, and landfill receipt to Owner.

11.0 WORK AREA CLEARANCE

- 11.1 The asbestos abatement work area is cleared when the work area is visually clean and clearance air testing by TEM indicates that airborne fiber concentrations have been reduced to the level specified below.
- 11.2 In the event that release criteria as not met, all costs associated with re-testing and re-cleaning shall be borne by the Contractor.
- 11.3 Clearance Air Monitoring and Analysis by TEM:
 - a) Acceptance Criteria: Decontamination of the work site meets the requirements of this test when every work area sample indicates an airborne concentration of fibers of less than 70 structures per millimeter squared. If any sample is above this clearance level, then the decontamination is incomplete and the work area re-cleaned.

END OF MINIMUM CONTRACTOR REQUIREMENTS

ATTACHMENTS TO THESE PROCEDURES WILL INCLUDE THE RESPECT FLOOR PLANS SHOWING THE AREAS AND EXTENT OF CLEANUP REQUIRED BASED ON BULK SAMPLE TESTING PERFORMED ON EACH FLOOR.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211335
CLIENT: ZAR REALTY MANAGEMENT
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOHN LEITNER

DATE COLLECTED: 9/20/01
DATE RECEIVED: 9/20/01
DATE ANALYZED: 9/21/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-01 DB2006	SOUTH SIDE ENGINE ROOM, PUMP 9	CELLULOSE	30.0%
		FIBER GLASS	40.0%
		CEMENT DUST	18.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	2.0%
		TOTAL	100.0%
211335-02 DB2007	ENGINE ROOM RECEIVER	CELLULOSE	10.0%
		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulb, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/21/01
CLIENT:	Zar Realty	DATE REC'D:	9/22/01
LOCATION:	100 Church Street	ANALYZED:	9/22/01
TECHNICIAN:	Joe Cianci		

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-1	Basement MER	CELLULOSE	10.0%
DB2026		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
211335-2	Settled Dust	CELLULOSE	10.0%
DB2027		FIBER GLASS	50.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	Trace
			100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis. Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-8 DB2033		Settled Dust	CELLULOSE	20.00%
			FIBER GLASS	45.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	5.0%
			CHRYSONITILE	Trace
			TOTAL	100.0%
211335-9 DB2034		Settled Dust	CELLULOSE	15.00%
			FIBER GLASS	47.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	5.0%
			CHRYSONITILE	3.0%
			TOTAL	100.0%
211335-10 DB2035		Settled Dust Sample Not Submitted		

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-1-01	DB2267	1st Floor Loading	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-1-02	DB2268	1st Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-1-03	DB2269	1st Floor Building Office	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.


AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-1-04 DB2270		1st Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-1-05 DB2271		1st Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-1-06 DB2272		1st Floor	CELLULOSE	10.0%
			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-1-07 DB2273		1st Floor	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
1-S-01	1st Floor, SW Corner	CELLULOSE	20.0%
DB2099		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		CHYSOTILE	Trace
		TOTAL	100.0%
1-N-01	1st Floor, Room A Desk	CELLULOSE	10.0%
DB2100		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	40.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	80.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
1-N-02		1st Floor, Desk Adjacent To Half Wall	CELLULOSE	10.0%
DB2101			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
M-S-01		Intermediate Level, SW Corner	CELLULOSE	30.0%
DB2102			FIBER GLASS	40.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334

CLIENT: ZAR REALTY

LOCATION: 100 CHURCH STREET

TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01

DATE RECEIVED: 9/22/01

DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-N-01 DB2173	WS 2-203A DESK	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%
2-N-02 DB2174	ROOM 2-181 CONF. TABLE	CELLULOSE	30.0%
		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Sieved = Samples submitted on sieved, Airborne = Samples submitted in Air-O-Cal Casettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-N-03 DB2175	BOXES OUTSIDE ROOM 2-175	CELLULOSE FIBER GLASS CEMENT DUST TOTAL	30.0% 30.0% 40.0% 100.0%
2-N-04 DB2176	WS 2-165C DESK	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	30.0% 30.0% 30.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/plate, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-N-05 DB2177	ROOM 2-151 DESK	CELLULOSE	15.0%
		FIBER GLASS	10.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	40.0%
		POLLEN	5.0%
		TOTAL	100.0%
2-N-06 DB2178	FLEET MER FAN OA INTAKE	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	25.0%
		DECAYED ORGANIC MATTER	5.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-N-07 DB2179	FLEET MER FAN FILTER BANK	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES POLLEN TOTAL	10.0% 20.0% 25.0% 40.0% 5.0% 100.0%
2-N-08 DB2180	NW MER ROOM 308, TOP OF COND. PUMP	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	40.0% 20.0% 30.0% 10.0% 100.0%

Signed for Ambient Group Inc. by:
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/hub. Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018


DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-West-1 DB2117		2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
2-West-2 DB2118		2nd Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,



TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Ciardi	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-West-3 DB2119		2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	5.0%
			RUST	5.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
2-West-4 DB2120		2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-East-5 DB2121		2nd Floor Central File Room	CELLULOSE	20.0%
			FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
2-West-BULK3 DB2122		2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
2-West-Library-1	2nd Floor Settled Dust	CELLULOSE	20.0%
DB2123		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
2-West-Library-2	2nd Floor Settled Dust	CELLULOSE	20.0%
DB2124		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis. Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-West-Library-3 DB2125		2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
2-East-3 DB2126		2nd Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-East-1	DB2127	2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
2-East-2	DB2128	2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-West-6		2nd Floor Settled Dust		
DB2129			CELLULOSE	10.0%
			FIBER GLASS	10.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	40.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
2-West-7		2nd Floor F Stair Entry		
DB2130			CELLULOSE	20.0%
			FIBER GLASS	20.0%
			CARBON PARTICLES	40.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
2-West-1	DB2131	2nd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
2-West-2	DB2132	2nd Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-N-01 DB2186	CABINET OPP. ROOM 3-180	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	TRACE 50.0% 40.0% 10.0% 100.0%
3-N-02 DB2187	ROOM 3-203 DESK	CELLULOSE GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 45.0% 20.0% 25.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-N-03 DB2188	ROOM 3-231 DESK	CELLULOSE	20.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
3-N-04 DB2189	FILE CABINET OPP. ROOM 3-242	CELLULOSE	30.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,
Tarek Fata

TAREK FATA

NO = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-N-05 DB2190	ROOM 3-245 INDUCTION UNIT COVER	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	35.0% 20.0% 15.0% 10.0% 20.0% 100.0%
3-N-06 DB2191	ROOM 3-306 CONF. TABLE	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	5.0% 30.0% 20.0% 20.0% 25.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cel Casettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-N-07 DB2192	ROOM 3-312 DESK	CELLULOSE	20.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-S-1	DB2133	3rd Floor Settled Dust	CELLULOSE	20.0%
			COTTON	10.0%
			FIBER GLASS	20.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%
3-S-2	DB2134	3rd Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	20.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Ciand	ANALYZED:	9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
3-S-3	3rd Floor Settled Dust	CELLULOSE	10.0%
DB2135		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
3-S-4	3rd Floor Settled Dust	CELLULOSE	20.0%
DB2136		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
3-S-5	3rd Floor Settled Dust	CELLULOSE	30.0%
DB2137		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
3-S-6	3rd Floor Settled Dust	WOOD FIBER	20.0%
DB2138		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
3-S-7	3rd Floor Settled Dust	CELLULOSE	20.0%
DB2139		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
3-S-8	3rd Floor Settled Dust	CELLULOSE	20.0%
DB2140		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334 **COLLECTED:** 9/23/01
CLIENT: Zar Realty **DATE REC'D:** 9/23/01
LOCATION: 100 Church Street **TIME REC'D:** 10:00 PM
TECHNICIAN: Joe Cianci **ANALYZED:** 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
3-S-7	3rd Floor Settled Dust	CELLULOSE	20.0%
DB2139		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
3-S-8	3rd Floor Settled Dust	CELLULOSE	20.0%
DB2140		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-S-9 DB2141		3rd Floor Settled Dust	CELLULOSE	40.0%
			FIBER GLASS	10.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
3-S-10 DB2142		3rd Floor Settled Dust	CELLULOSE	40.0%
			FIBER GLASS	10.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Ciandi	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
3-S-11		3rd Floor Settled Dust	CELLULOSE	40.0%
DB2143			FIBER GLASS	20.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
3-S-12		3rd Floor Settled Dust	CELLULOSE	30.0%
DB2144			FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
4-N-01 DB2258	WS 4-148A FILE CABINET	CELLULOSE	10.0%
		FIBER GLASS	50.0%
		CEMENT DUST	40.0%
		TOTAL	100.0%
4-N-02 DB2259	WS 4-155A DESK	CELLULOSE	25.0%
		FIBER GLASS	25.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulb, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
4-N-03 DB2260	ROOM 4-199 INDUCTION UNIT COVER	CELLULOSE FIBER GLASS CEMENT DUST TOTAL	20.0% 50.0% 30.0% 100.0%
4-N-04 DB2261	FILE CABINET 2 COL. E, 2 COL. S. OF NW CORNER	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	30.0% 20.0% 40.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulb, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
4-N-05 DB2262	ROOM 4-205 DESK	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	10.0% 30.0% 40.0% 20.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, MA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*4-1		4th Floor Settled Dust		
DB2145			CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
*4-2		4th Floor Settled Dust		
DB4146			CELLULOSE	30.0%
			COTTON	10.0%
			FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*4-3		4th Floor Settled Dust	CELLULOSE	20.0%
DB2147			FIBER GLASS	10.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	80.0%
*4-4		4th Floor Settled Dust	CELLULOSE	40.0%
DB2148			FIBER GLASS	40.0%
			CEMENT DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci
COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*4-5		4th Floor Settled Dust	CELLULOSE	40.0%
DB2149			COTTON	10.0%
			SYNTHETIC FIBERS	10.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
*4-6		4th Floor Settled Dust	CELLULOSE	10.0%
DB2150			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*4-7		4th Floor Settled Dust		
	D82151		CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
*4-8		4th Floor Settled Dust		
	D82152		CELLULOSE	10.0%
			FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	30.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*4-9	DB2153	4th Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			CHYSOTILE	Trace
			TOTAL	100.0%
*4-10	DB2154	4th Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,



TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
*4-11	4th Floor Settled Dust	CELLULOSE	10.0%
DB2155		FIBER GLASS	50.0%
		CEMENT DUST	40.0%
		TOTAL	100.0%
*4-12	4th Floor Settled Dust	CELLULOSE	10.0%
DB2156		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
*4-13	4th Floor Settled Dust	CELLULOSE	20.0%
DB2157		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
*4-14	4th Floor Settled Dust	CELLULOSE	10.0%
DB2158		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
5-N-01 D82089	ROOM 5-307 (EQOT RM) SHELF	CELLULOSE	40.0%
		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES TOTAL	10.0% 100.0%
5-N-02 D82090	ROOM 5-210 SHELF	CELLULOSE	40.0%
		FIBER GLASS	10.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
5-N-03	ROOM 5-220 DESK	CELLULOSE	40.0%
		FIBER GLASS	10.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
5-N-04 DB2092	ROOM 5-250 DESK	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by *Tarek Fata*

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk. Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
5-N-05 DB2093	WEST INTERCONNECTING STAIR LANDING	CELLULOSE	20.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk. Airborne = Samples submitted in Air-O-Cell Cassette. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*5-1	DB2159	5th Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			CHRYOTILE	Trace
			TOTAL	100.0%
*5-2	DB2160	5th Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*5-3		5th Floor Settled Dust	CELLULOSE	10.0%
DB2161			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	30.0%
			TOTAL	100.0%
*5-4		5th Floor Settled Dust	CELLULOSE	30.0%
DB2162			FIBER GLASS	10.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
*5-5	5th Floor Settled Dust	CELLULOSE	30.0%
DB2163		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
*5-6	5th Floor Settled Dust	FIBER GLASS	60.0%
DB2164		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Ciandi	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*5-7		5th Floor Settled Dust	CELLULOSE	50.0%
DB2165			FIBER GLASS	40.0%
			CEMENT DUST	10.0%
			TOTAL	100.0%
*5-8		5th Floor Settled Dust	CELLULOSE	20.0%
DB2166			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Ciandri	ANALYZED:	9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
*5-9	5th Floor Settled Dust	FIBER GLASS	60.0%
DB2167		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
*5-9	5th Floor Settled Dust	CELLULOSE	20.0%
DB2168		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,



TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tap/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*5-11	DB2169	5th Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
*5-12	DB2170	5th Floor Settled Dust	CELLULOSE	20.0%
			FIBER GLASS	60.0%
			CEMENT DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Joe Cianci	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
*5-13	DB2171	5th Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
*5-14	DB2172	5th Floor Settled Dust	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
6-N-01 DB2181	ROOM 6-246 CREDENEA	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
6-N-02 DB2182	ROOM 6-242 DESK	CELLULOSE	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Casettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
6-N-03 DB2183	WS 6-167A OH CABINET	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	40.0% 20.0% 20.0% 10.0% 100.0%
6-N-04 DB2184	ROOM 6-167 DESK	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES CHRYSOITILE TOTAL	10.0% 40.0% 30.0% 10.0% 10.0% TRACE 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulb, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542


DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
6-N-05 DB2185	LAW LIBRARY, SHELF 'CCH'	CELLULOSE	20.0%
		COTTON	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-1	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST CHRYSOITILE TOTAL	20.0% 40.0% 40.0% TRACE 100.0%
211334-6-2 D82211	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 30.0% 20.0% 20.0% 100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassette. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-3 DB2212	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	10.0% 50.0% 20.0% 20.0% 100.0%
211334-6-4 DB2213	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 15.0% 25.0% 25.0% 25.0% 100.0%

Signed for Ambient Group Inc. by,
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/brush, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-5 DB2214	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 10.0% 10.0% 30.0% 20.0% 100.0%
211334-6-6 DB2215	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 10.0% 25.0% 30.0% 25.0% 100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebult, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-7 DB2216	6TH FLOOR: SETTLED DUST	CELLULOSE	40.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
211334-6-7A DB2217	6TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-8 DB2218	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 30.0% 30.0% 20.0% 10.0% 100.0%
211334-6-9 DB2219	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	20.0% 20.0% 20.0% 20.0% 20.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapehuff, Airborne = Samples submitted in Air-O-Cel Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-10 DB2220	6TH FLOOR: SETTLED DUST	CELLULOSE	50.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
211334-6-11 DB2221	6TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff, Airborne = Samples submitted in Air-Q-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCHI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-12 DB2222	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	20.0% 25.0% 35.0% 10.0% 100.0%
211334-6-13 DB2223	6TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST DECAYED ORGANIC MATTER TOTAL	10.0% 40.0% 40.0% 10.0% 100.0%

Signed for Ambient Group Inc. by: 

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebuck, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-6-14 DB2224	6TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
211334-7-1 DB2225	7TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	TRACE
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/hust, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-7-2 DB2226	7TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES CHRYSOITILE TOTAL	20.0% 20.0% 20.0% 30.0% 10.0% TRACE 100.0%
211334-7-3 DB2227	7TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES CHRYSOITILE TOTAL	10.0% 30.0% 20.0% 30.0% 10.0% TRACE 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
7-MER-N-01 DB2083	NORTH MER, OA PLENUM OPP. FAN 2	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	33.0%
		RUST	5.0%
		CARBON PARTICLES	10.0%
		CHRYSLITOLE	2.0%
		TOTAL	100.0%
7-MER-N-02 DB2084	NORTH MER, FAN 2 OA INTAKE (PRE-FILTER)	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebult, Airborne = Samples submitted in Air-O-Cell Casettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
7-MER-N-03 DB2085	NORTH MER, FAN 2 CHAMBER (POST-FILTER)	FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
7-MER-N-04 DB2086	NORTH MER, TOP OF FAN 2 MOTOR HOUSING	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
7-MER-N-05 DB2087	NORTH MER, HOUSING OF RA FAN 6 NEAR AXIAL	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
7-MER-N-06 DB2088	NORTH MER, RA FAN 6 EXHAUST PLENUM	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebuck, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Bryan Brown	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
7-N-07		7th Floor, NE Corner Room 702 Desk	CELLULOSE	10.0%
DB2103			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%
7-N-08		7th Floor, NE Corner File Cabinet	CELLULOSE	10.0%
DB2104			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Bryan Brown	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
8-N-01	DB2105	Room 809 Conference Table	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			CHYSOTILE	Trace
			TOTAL	100.0%

8-N-02
 DB2106
 Not Sampled

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
8-N-03	8th Floor NW Corner File Cabinet (2 Col.N,4 Col.E)	CELLULOSE	10.0%
DB2107		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
8-N-04	8th Floor NW Corner File Cabinet (6 Col.E, 2 Col.S)	CELLULOSE	10.0%
DB2108		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown
COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
8-N-05		8th Floor NE Corner File Cabinet At Window	CELLULOSE	25.0%
DB2109			FIBER GLASS	40.0%
			CEMENT DUST	23.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	2.0%
			TOTAL	100.0%
8-N-07		8th Floor NE Corner Room 824 File Cabinet	CELLULOSE	10.0%
DB2110			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-1 DB2228	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
211334-8-2 DB2229	8TH FLOOR: SETTLED DUST	CELLULOSE	15.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	25.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-3 DB2230	8TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
211334-8-4 DB2231	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by: *Tarek Fata*

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-5 DB2232	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	25.0%
		TOTAL	100.0%
211334-8-6 DB2233	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-7 DB2234	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	50.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
211334-8-8 DB2235	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebuds, Airborne = Samples submitted in Air-O-Cal Casettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples tested in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-9 DB2236	8TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER TOTAL	20.0% 100.0%
211334-8-10 DB2237	8TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER TOTAL	10.0% 100.0%

Signed for Ambient Group Inc. by,
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/film, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-8-11 DB2237	8TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES TOTAL	10.0% 40.0% 40.0% 10.0% 100.0%
211334-8-12 DB2238	8TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 40.0% 10.0% 20.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown
COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
8-N-07		8th Floor NE Corner Desk At 1 Col. W, 1 Col.S.	CELLULOSE	10.0%
DB2111			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
9-N-01		Room 904 Conference Table	CELLULOSE	10.0%
DB2112			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.


AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/23/01
CLIENT:	Zar Realty	DATE REC'D:	9/23/01
LOCATION:	100 Church Street	TIME REC'D:	10:00 PM
TECHNICIAN:	Bryan Brown	ANALYZED:	9/23/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9-N-02		9th Floor NW Corner Desk Opposite Room 910	CELLULOSE	10.0%
DB2113			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
9-N-03		9th Floor North Window, 7 Col. W From NE Corner	CELLULOSE	20.0%
DB2114			FIBER GLASS	50.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Bryan Brown

COLLECTED: 9/23/01
DATE REC'D: 9/23/01
TIME REC'D: 10:00 PM
ANALYZED: 9/23/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9-N-04	9TH Floor Desk Opposite room 916	CELLULOSE	10.0%
DB2115		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
9-N-05	Room 919 Credenza	CELLULOSE	10.0%
DB2116		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-1 DB2240	9TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES TOTAL	10.0% 30.0% 40.0% 20.0% 100.0%
211334-9-2 DB2241	9TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	10.0% 50.0% 30.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebush, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-3 DB2242	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	50.0%
		CEMENT DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
211334-9-4 DB2243	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-5 DB2244	9TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER TOTAL	20.0% 100.0%
211334-9-6 DB2245	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES TOTAL	20.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-7 DB2246	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
211334-9-8 DB2247	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	25.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebuck, Airborne = Samples submitted in Air-O-Cel Cassette. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCHI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-9 DB2248	9TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 20.0% 30.0% 20.0% 100.0%
211334-9-10 DB2249	9TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	5.0% 20.0% 10.0% 30.0% 25.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/substrate, Airborne = Samples submitted in Air-O-Cell Casettes. All results disclosed in this report relate only to the items listed. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples tested in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCHI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-11 DB2250	9TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		FIBER GLASS	5.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
211334-9-12 DB2251	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/hut, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCHI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-13 D82252	9TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 10.0% 20.0% 20.0% 40.0% 100.0%
211334-18-1 D82253	18TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS GRAVEL ROAD DUST CARBON PARTICLES TOTAL	10.0% 40.0% 20.0% 30.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-10-01	10th Floor	CELLULOSE	10.0%
DB2340		WOOD FIBER	7.0%
		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	3.0%
		TOTAL	100.0%
9126-10-02	10th Floor	CELLULOSE	20.0%
DB2341		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis. Settled = Samples submitted on tape/bulk. Airborne = Samples submitted in Air-Q-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-10-03	10th Floor	CELLULOSE	20.0%
DB2342		FIBER GLASS	60.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	130.0%
9126-10-04	10th Floor	CELLULOSE	10.0%
DB2343		FIBER GLASS	50.0%
		CEMENT DUST	29.2%
		CARBON PARTICLES	10.0%
		CHRYSTOTILE	0.8%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
65 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/26/01
CLIENT:	Zar Realty	DATE REC'D:	9/26/01
LOCATION:	100 Church Street	ANALYZED:	9/26/01
TECHNICIAN:	Pete Schork		

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9126-10-05 DB2344		10th Floor	CELLULOSE	10.0%
			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
9126-10-06 DB2345		10th Floor	CELLULOSE	5.0%
			FIBER GLASS	50.0%
			CEMENT DUST	35.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
9126-10-07 DB2346		10th Floor	CELLULOSE	5.0%
			FIBER GLASS	50.0%
			CEMENT DUST	35.0%
			CARBON PARTICLES	10.0%
			CHRYSOTILE	Trace
TOTAL				100.0%

Signed for Ambient Group Inc. by,

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335 COLLECTED: 9/26/01
CLIENT: Zar Realty DATE REC'D: 9/26/01
LOCATION: 100 Church Street ANALYZED: 9/26/01
TECHNICIAN: Pete Schork

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-10-08	10th Floor	CELLULOSE	40.0%
DB2347		FIBER GLASS	10.0%
		HAIR (Animal)	5.0%
		CEMENT DUST	25.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
9126-10-09	10th Floor	CELLULOSE	25.0%
DB2348		FIBER GLASS	20.0%
		CEMENT DUST	25.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9126-10-10 DB2349		10th Floor	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	20.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
9126-11-01 DB2350		11th Floor	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9126-11-02	DB2351	11th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
9126-11-03	DB2352	11th Floor	CELLULOSE	15.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	15.0%
			TOTAL	100.0%
9126-11-04	DB2353	11th Floor	CELLULOSE	10.0%
			FIBER GLASS	20.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	30.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335 COLLECTED: 9/28/01
CLIENT: Zar Realty DATE REC'D: 9/28/01
LOCATION: 100 Church Street ANALYZED: 9/28/01
TECHNICIAN: Pete Schork

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9126-11-05 DB2354		11th Floor	FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
9126-11-06 DB2355		11th Floor	CELLULOSE	5.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	25.0%
			TOTAL	100.0%
9126-11-07 DB2356		11th Floor	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	30.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
9126-11-08 DB2357		11th Floor	FIBER GLASS	10.0%
			CEMENT DUST	20.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	30.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
9126-11-09 DB2358		11th Floor	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
9126-11-10 DB2359		11th Floor	CELLULOSE	30.0%
			FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
			Signed for Ambient Group Inc. by,	

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/28/01
CLIENT:	Zar Realty	DATE REC'D:	9/28/01
LOCATION:	100 Church Street	ANALYZED:	9/28/01
TECHNICIAN:	Pete Schork		

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-12-01	12th Floor	CELLULOSE	6.0%
DB2360		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		CHRYSLER	4.0%
		TOTAL	100.0%
9126-12-02	12th Floor	CELLULOSE	10.0%
DB2361		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-12-03	12th Floor	CELLULOSE	10.0%
DB2362		FIBER GLASS	30.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
9126-12-04	12th Floor	CELLULOSE	20.0%
DB2363		FIBER GLASS	30.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/26/01
CLIENT:	Zar Realty	DATE REC'D:	9/26/01
LOCATION:	100 Church Street	ANALYZED:	9/26/01
TECHNICIAN:	Pete Schork		

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-12-05	12th Floor	CELLULOSE	10.0%
DB2364		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
9126-12-06	12th Floor	CELLULOSE	10.0%
DB2365		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork
COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-12-07	12th Floor	CELLULOSE	20.0%
DB2366		SYNTHETIC FIBERS	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%
9126-12-08	12th Floor	CELLULOSE	10.0%
DB2367		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Pete Schork

COLLECTED: 9/26/01
DATE REC'D: 9/26/01
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
9126-12-09	12th Floor	CELLULOSE	30.0%
DB2368		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
9126-12-10	12th Floor	CELLULOSE	20.0%
DB2369		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
14-N-01 DB2094	14TH FLOOR: SETBACK INDUCTION UNIT COVER	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	20.0% 50.0% 20.0% 10.0% 100.0%
14-N-02 DB2095	ROOM 1411 OUTSIDE DESK	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	25.0% 50.0% 15.0% 10.0% 100.0%

Signed for Ambient Group Inc. by,
Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/hull, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
14-S-01 DB2096	14TH FLOOR: SW CORNER (GEORGE SHARP)	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	20.0% 50.0% 20.0% 10.0% 100.0%
14-S-02 DB2097	ROOM 1524 CONF. TABLE (SW CORNER)	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES TOTAL	10.0% 50.0% 35.0% 5.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cel Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-14-01		14th Floor	CELLULOSE	10.0%
DB2274			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
925-14-02		14th Floor	CELLULOSE	20.0%
DB2275			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-14-03		14th Floor	CELLULOSE	20.0%
DB2276			FIBER GLASS	30.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-14-04 DB2277		14th Floor	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	5.0%
			CARBON PARTICLES	5.0%
			TOTAL	100.0%
925-17-05 DB2278		14th Floor	CEMENT DUST	50.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	30.0%
			AMOSITE	10.0%
			TOTAL	100.0%
925-17-06 DB2279		14th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapelbulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-14-07 DB2280		14th Floor	CELLULOSE	25.0%
			COTTON	5.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-14-08 DB2281		14th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-14-09 DB2282		14th Floor	CELLULOSE	30.0%
			FIBER GLASS	20.0%
			CEMENT DUST	30.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-16-10	16th Floor	CELLULOSE	10.0%
DB2297		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		DECAYED ORGANIC MATT	20.0%
		TOTAL	100.0%
925-15-01	15th Floor -void		
DB2298		CELLULOSE	10.0%
		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
925-15-02	15th Floor	GRAVEL ROAD DUST	10.0%
DB2299		CARBON PARTICLES	10.0%
		CHRYSOITILE	Trace
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-15-03	15th Floor	CELLULOSE	10.0%
DB2300		FIBER GLASS	25.0%
		CEMENT DUST	25.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
925-15-04	15th Floor	CELLULOSE	10.0%
DB2283		FIBER GLASS	10.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-15-05	15th Floor	CELLULOSE	10.0%
DB2284		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-15-06	15th Floor	CELLULOSE	10.0%
DB2285		FIBER GLASS	25.0%
		CEMENT DUST	15.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-15-07	15th Floor	CELLULOSE	30.0%
DB2286		COTTON	10.0%
		FIBER GLASS	25.0%
		HAIR (animal)	5.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-15-08	15th Floor	CELLULOSE	10.0%
DB2287		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-15-09 DB2288		15th Floor	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%
925-15-10 DB2289		15th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%
925-15-11 DB2290		15th Floor	CELLULOSE	30.0%
			FIBER GLASS	30.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
15-N-01 DB2098	ROOM 1502 CONF. TABLE (NORTH CENTER)	CELLULOSE	10.0%
		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018


DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-16-01	16th Floor	CELLULOSE	20.0%
DB2308		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-16-02	16th Floor	CELLULOSE	30.0%
DB2309		COTTON	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-16-03	16th Floor	CELLULOSE	10.0%
DB2310		SYNTHETIC FIBERS	10.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-16-04	16th Floor	CELLULOSE	10.0%
DB2291		SILICA	10.0%
		QUARTZ	10.0%
		CALCITE	10.0%
		CEMENT DUST	20.0%
		AMOSITE	40.0%
		TOTAL	100.0%
925-16-05	16th Floor	CELLULOSE	25.0%
DB2292		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,



TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-16-07 DB2293		16th Floor	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			TOTAL	100.0%
925-16-07 DB2294		16th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			GRAVEL ROAD DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-16-08	16th Floor	CELLULOSE	40.0%
DB2295		COTTON	10.0%
		WOOL	5.0%
		SYNTHETIC FIBERS	10.0%
		GRAVEL ROAD DUST	5.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
925-16-09	16th Floor	CELLULOSE	20.0%
DB2296		FIBER GLASS	30.0%
		CEMENT DUST	10.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	90.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork
COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-17-01 DB2317		17th Floor	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	10.0%
			GRAVEL ROAD DUST	30.0%
			CARBON PARTICLES	20.0%
			TOTAL	100.0%
925-17-02 DB2318		17th Floor	CELLULOSE	10.0%
			FIBER GLASS	40.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%
925-17-03 DB2319		17th Floor	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	40.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-17-04	17th Floor	CELLULOSE	10.0%
DB2320		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-17-05	17th Floor	CELLULOSE	20.0%
DB2301		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%
925-17-06	17th Floor	CELLULOSE	25.0%
DB2302		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	25.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork
COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-17-07	17th Floor	CELLULOSE	20.0%
DB2303		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-17-08	17th Floor	CELLULOSE	15.0%
DB2304		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	5.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
925-17-09	17th Floor	CELLULOSE	20.0%
DB2305		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211334	COLLECTED:	9/25/01
CLIENT:	Zar Realty	DATE REC'D:	9/25/01
LOCATION:	100 Church Street	TIME REC'D:	8:51 PM
TECHNICIAN:	Peter Schork	ANALYZED:	9/26/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
925-17-10	17th Floor	CELLULOSE	20.0%
DB2306		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		TOTAL	100.0%
925-17-11	17th Floor	CELLULOSE	20.0%
DB2307		SYNTHETIC FIBERS	10.0%
		FIBER GLASS	20.0%
		HAIR (animal)	5.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	5.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/24/01

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: JOSEPH CIANCI

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-18-2 D82254	18TH FLOOR: SETTLED DUST	FIBER GLASS	40.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
211334-18-3 D82255	18TH FLOOR: SETTLED DUST	CELLULOSE	20.0%
		COTTON	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
 TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542


DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: JOSEPH CIANCI

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/24/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-18-4 DB2256	18TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%
211334-18-5 DB2257	18TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/but, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork
COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-18-01 DB2311		18th Floor	CELLULOSE	10.0%
			FIBER GLASS	30.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	40.0%
			TOTAL	100.0%
925-18-02 DB2312		18th Floor	CELLULOSE	20.0%
			FIBER GLASS	20.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	40.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334 **COLLECTED:** 9/25/01
CLIENT: Zar Realty **DATE REC'D:** 9/25/01
LOCATION: 100 Church Street **TIME REC'D:** 8:51 PM
TECHNICIAN: Peter Schork **ANALYZED:** 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
925-18-03		18th Floor	CELLULOSE	20.0%
DB2313			COTTON	10.0%
			FIBER GLASS	10.0%
			GRAVEL ROAD DUST	25.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	25.0%
			TOTAL	100.0%
925-18-04		18th Floor	CELLULOSE	20.0%
DB2314			FIBER GLASS	20.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211334
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Peter Schork

COLLECTED: 9/25/01
DATE REC'D: 9/25/01
TIME REC'D: 8:51 PM
ANALYZED: 9/26/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **			
925-18-05 DB2315	18th Floor		CELLULOSE	10.0%			
			COTTON	10.0%			
			FIBER GLASS	40.0%			
			CEMENT DUST	20.0%			
			GRAVEL ROAD DUST	10.0%			
			CARBON PARTICLES	10.0%			
			TOTAL	100.0%			
925-18-06 DB2316	18th Floor		CELLULOSE	30.0%			
			FIBER GLASS	30.0%			
			CEMENT DUST	20.0%			
			CARBON PARTICLES	20.0%			
						TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-19-01 D82193	19TH FLOOR: SETTLED DUST	CELLULOSE SYNTHETIC FIBER FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES TOTAL	5.0% 10.0% 25.0% 10.0% 20.0% 30.0% 100.0%
211334-19-02 D82194	19TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES CHRYOSOTILE TOTAL	20.0% 30.0% 30.0% 10.0% 10.0% TRACE 100.0%

Signed for Ambient Group Inc. by,
Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: SETTLED & Airborne = Samples submitted on tape/bulk. Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-19-03 DB2195	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
211334-19-04 DB2196	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by:

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334

CLIENT: ZAR REALTY

LOCATION: 100 CHURCH STREET

TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01

DATE RECEIVED: 9/22/01

DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-19-05 DB2197	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
211334-19-06 DB2198	19TH FLOOR: SETTLED DUST	FIBER GLASS	30.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,



TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-19-07 DB2199	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	20.0%
		TOTAL	100.0%
211334-19-08 DB2200	19TH FLOOR: SETTLED DUST	GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tapebuck, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-19-09 DB2201	19TH FLOOR: SETTLED DUST	GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%
211334-19-10 DB2202	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

MD = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-11 DB2203	19TH FLOOR: SETTLED DUST	GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	40.0%
		TOTAL	100.0%
211334-9-12 DB2204	19TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-13 DB2205	9TH FLOOR: SETTLED DUST	CELLULOSE GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 30.0% 40.0% 100.0%
211334-9-14 DB2206	9TH FLOOR: SETTLED DUST	CELLULOSE GRAVEL ROAD DUST CARBON PARTICLES DECAYED ORGANIC MATTER TOTAL	10.0% 20.0% 20.0% 50.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk. Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
 DATE RECEIVED: 9/22/01
 DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-15 DB2207	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTER	50.0%
		TOTAL	100.0%
211334-9-16 DB2208	9TH FLOOR: SETTLED DUST	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	TRACE
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: RAYMOND ACKER

DATE COLLECTED: 9/22/01
DATE RECEIVED: 9/22/01
DATE ANALYZED: 9/23/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211334-9-17 DB2209	8TH FLOOR: SETTLED DUST	CELLULOSE FIBER GLASS CEMENT DUST GRAVEL ROAD DUST CARBON PARTICLES TOTAL	5.0% 40.0% 30.0% 20.0% 5.0% 100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: SETTLED = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Ciandi

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-20-S-1	20th Floor South Dust Settled	CELLULOSE	15.0%
DB2036		FIBER GLASS	45.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	7.0%
		CHRYSHOTILE	3.0%
		TOTAL	100.0%
211335-20-S-Bulk-1	20th Floor South Dust	CELLULOSE	20.0%
DB2037		FIBER GLASS	40.0%
		CEMENT DUST	27.0%
		RUST	10.0%
		CHRYSHOTILE	3.0%
		TOTAL	100.0%
211335-20-S-2	20th Floor South	FIBER GLASS	60.0%
DB2038		CEMENT DUST	30.0%
		RUST	5.0%
		CARBON PARTICLES	5.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-Q-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Ciardi
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-20-S-Bulk-2	20th Floor South	CELLULOSE	10.0%
DB2039		FIBER GLASS	47.0%
		CEMENT DUST	30.0%
		RUST	5.0%
		CARBON PARTICLES	5.0%
		CHRYSOITILE	3.0%
		TOTAL	100.0%
211335-20-S-3	20th Floor South	CELLULOSE	5.0%
DB2040		FIBER GLASS	60.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	5.0%
		TOTAL	100.0%
211335-20-S-Bulk-3	20th Floor South	CELLULOSE	10.0%
DB2041		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	Trace
		TOTAL	90.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-20-S-Bulk-4	20th Floor South	CELLULOSE	10.0%
DB2042		FIBER GLASS	40.0%
		CEMENT DUST	40.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	Trace
		TOTAL	100.0%
211335-20-N-1	20th Floor Northwest Corner M. Carpinello's Desk	CELLULOSE	10.0%
DB2043		WOOD FIBER	5.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTE	35.0%
		TOTAL	100.0%
211335-20-N-2	20th Floor Northwest Corner M. Carpinello's Credenza	CELLULOSE	10.0%
DB2044		WOOD FIBER	5.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	20.0%
		DECAYED ORGANIC MATTE	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-20-N-3	20th Floor North Center T. Weren File Cabinet	CELLULOSE	20.0%
DB2045		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTE	20.0%
		TOTAL	100.0%
211335-20-N-4	20th Floor Northeast Corner File Cabinet	CELLULOSE	10.0%
DB2046		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	15.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTE	25.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Ciampi
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-20-N-5	20th Floor North Center E. Gov't Admin Ass't Desk	CELLULOSE	10.0%
DB2047		FIBER GLASS	20.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	15.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTE	25.0%
		TOTAL	100.0%
211335-20-N-5	20th Floor East Center K. Kapadia's Desk Open Window	CELLULOSE	20.0%
DB2048		FIBER GLASS	40.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSOITILE	Trace
		TOTAL	100.0%
211335-22-MER-1	By Window in Meter Room	CELLULOSE	20.0%
DB2049		FIBER GLASS	40.0%
		GRAVEL ROAD DUST	40.0%
		CHRYSOITILE	Trace
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/21/01
CLIENT:	Zar Realty	DATE REC'D:	9/22/01
LOCATION:	100 Church Street	ANALYZED:	9/22/01
TECHNICIAN:	Joe Cianci		

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-23-MER-1 DB2050		North Ft. MER Microcom Panel	CELLULOSE	20.0%
			FIBER GLASS	40.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	9.2%
			CHRYSOITILE	0.8%
			TOTAL	100.0%
211335-23-MER-2 DB2051		West Ft. MER Control Panel Shelf	CELLULOSE	20.0%
			FIBER GLASS	30.0%
			CEMENT DUST	20.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-21-PH-6	North East Private Office Cabinet	CELLULOSE	25.0%
DB2052		FIBER GLASS	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	35.0%
		TOTAL	100.0%
211335-21-PH-7	North Center File Cabinet	CELLULOSE	25.0%
DB2053		FIBER GLASS	5.0%
		CEMENT DUST	25.0%
		CARBON PARTICLES	10.0%
		DECAYED ORGANIC MATTER	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-21-PH-8 DB2054		North Center Desk @ T-Stat	CELLULOSE	30.0%
			FIBER GLASS	10.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	30.0%
			TOTAL	100.0%
211335-22-RF-1 DB2055		Roof Of 22nd Floor Debris @ Southwest Corner	CELLULOSE	10.0%
			FIBER GLASS	15.0%
			CEMENT DUST	10.0%
			GRAVEL ROAD DUST	55.0%
			CARBON PARTICLES	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-22-RF-2 DB2056		Roof of 22nd Floor Debris on Lovers East Side	CELLULOSE	30.0%
			FIBER GLASS	40.0%
			CEMENT DUST	13.0%
			RUST	5.0%
			CARBON PARTICLES	10.0%
			CHRYSOITILE	2.0%
			TOTAL	100.0%
211335-22-RF-3 DB2057		Area Outside Motor Room Facing Barclay Street	CELLULOSE	10.0%
			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			RUST	5.0%
			CARBON PARTICLES	5.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/21/01
CLIENT:	Zar Realty	DATE REC'D:	9/22/01
LOCATION:	100 Church Street	ANALYZED:	9/22/01
TECHNICIAN:	Joe Ciandi		

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-20-MER-1 DB2058		Roof of 22nd Floor Debris on Lovers East Side	CELLULOSE	10.0%
			FIBER GLASS	50.0%
			CEMENT DUST	30.0%
			RUST	5.0%
			CARBON PARTICLES	5.0%
			CHRYSOITILE	Trace
			TOTAL	100.0%
211335-21-PH-1 DB2059		On Top Of File Cabinets	CELLULOSE	40.0%
			COTTON	10.0%
			CEMENT DUST	30.0%
			CARBON PARTICLES	10.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci
COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-21-PH-2 DB2060		On Top Of File Cabinets	CELLULOSE	40.0%
			COTTON	10.0%
			GRAVEL ROAD DUST	20.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	10.0%
			TOTAL	100.0%
211335-21-PH-3 DB2061		Front Of Fireplace	CELLULOSE	40.0%
			COTTON	5.0%
			SYNTHETIC FIBERS	5.0%
			GRAVEL ROAD DUST	10.0%
			CARBON PARTICLES	20.0%
			DECAYED ORGANIC MATTER	20.0%
			TOTAL	100.0%

Signed for Ambient Group Inc. by,


TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-21-PH-4	Private Rest Room	CELLULOSE	10.0%
DB2062		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSHOTILE	Trace
		TOTAL	100.0%
211335-21-PH-5	Exit To Roof By 2 House Tanks SW By Expansion Tanks	CELLULOSE	20.0%
DB2063		SYNTHETIC FIBERS	28.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		RUST	5.0%
		CARBON PARTICLES	5.0%
		CHRYSHOTILE	2.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-C-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-E-02 DB2074	EAST MER, FAN 10	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
21-MER-E-03 DB2075	EAST MER, FAN 11 OA DAMPER	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	35.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by: *Tarek Fata*

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff, Airborne = Samples submitted in Air-O-Cal Cassette. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-E-04 D82076	EAST MER, FAN 11	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%
21-MER-E-05 D82077	EAST MER, TOP OF BELT GUARD ON FAN 12	CELLULOSE	20.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	15.0%
		CARBON PARTICLES	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-E-06 DB2078	EAST MER, FAN 15 OA DAMPER	CELLULOSE	15.0%
		FIBER GLASS	25.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	35.0%
		TOTAL	100.0%
21-MER-E-07 DB2079	EAST MER, FAN 15	CELLULOSE	20.0%
		FIBER GLASS	25.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebult, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-E-08 DB2080	EAST MER, OA LOWER OPP. FAN 15	CELLULOSE	15.0%
		FIBER GLASS	25.0%
		CEMENT DUST	30.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%
21-MER-E-09 DB2081	EAST MER, EXHAUST FAN 23 OA DAMPER	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	25.0%
		CARBON PARTICLES	35.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/buff. Airborne = Samples submitted in Air-O-Cell Cassette. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-E-10 SDB2082	EAST MER, PC-2 OA INTAKE	CELLULOSE	10.0%
		FIBER GLASS	10.0%
		CEMENT DUST	20.0%
		GRAVEL ROAD DUST	35.0%
		CARBON PARTICLES	25.0%
		CHRYSOITILE	TRACE
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/substrate, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-W-01 DB2064	WEST MER, FAN 7	CELLULOSE	40.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	10.0%
		CARBON PARTICLES	25.0%
		DECAYED ORGANIC MATTER	5.0%
		TOTAL	100.0%
21-MER-W-02 DB2065	WEST MER, FAN 7 OA PLENUM	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	30.0%
		CARBON PARTICLES	40.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by, *Ta*

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/fault, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-W-03 DB2066	WEST MER, FAN 8	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
21-MER-W-04 DB2067	WEST MER, FAN 8 OA PLENUM	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	15.0%
		CARBON PARTICLES	35.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Ta

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulb, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-W-05 DB2068	WEST MER, FAN 9 RETURN	CELLULOSE	10.0%
		FIBER GLASS	20.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	35.0%
		DECAYED ORGANIC MATTER	15.0%
		TOTAL	100.0%
21-MER-W-06 DB2069	WEST MER, FAN 14	CELLULOSE	20.0%
		FIBER GLASS	20.0%
		STELLATE HAIR	TRACE
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by 
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
 CLIENT: ZAR REALTY
 LOCATION: 100 CHURCH STREET
 TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
 DATE RECEIVED: 9/21/01
 DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-W-07 DB2070	WEST MER, FAN 14 OA PLENUM	CELLULOSE	10.0%
		FIBER GLASS	30.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	10.0%
		TOTAL	100.0%
21-MER-W-08 DB2071	WEST MER, FAN 18	CELLULOSE	20.0%
		FIBER GLASS	25.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		DECAYED ORGANIC MATTER	5.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebait, Airborne = Samples submitted in Air-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
10 MORRIS AVENUE
GLEN COVE, NY 11542

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT ID: 211334
CLIENT: ZAR REALTY
LOCATION: 100 CHURCH STREET
TECHNICIAN: BRYAN BROWN

DATE COLLECTED: 9/21/01
DATE RECEIVED: 9/21/01
DATE ANALYZED: 9/22/01

FIELD ID LABORATORY ID	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
21-MER-W-09 DB2072	WEST MER, FAN 21	CELLULOSE	25.0%
		FIBER GLASS	25.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	30.0%
		TOTAL	100.0%
21-MER-E-01 DB2073	EAST MER, OA PLENUM FLOOR OPP. FAN 10	CELLULOSE	30.0%
		FIBER GLASS	20.0%
		CEMENT DUST	10.0%
		GRAVEL ROAD DUST	20.0%
		CARBON PARTICLES	20.0%
		TOTAL	100.0%

Signed for Ambient Group Inc. by,

Tarek Fata

TAREK FATA

ND = None Detected, NA = Not Analyzed. There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tapebuck, Airborne = Samples submitted in Air-O-Cal Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT: 211335
CLIENT: Zar Realty
LOCATION: 100 Church Street
TECHNICIAN: Joe Cianci

COLLECTED: 9/21/01
DATE REC'D: 9/22/01
ANALYZED: 9/22/01

FIELD ID #	LABORATORY ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
211335-3	DB2028	Settled Dust Sample Not Submitted		
211335-4	DB2029	Settled Dust	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES CHRYSOITILE TOTAL	10.0% 47.0% 30.00% 10.00% 3.0% 100.0%
211335-5	DB2030	Settled Dust	CELLULOSE FIBER GLASS CEMENT DUST CARBON PARTICLES CHRYSOITILE TOTAL	15.0% 45.0% 30.0% 8.0% 2.0% 100.0%

Signed for Ambient Group Inc. by,

Tarek Fata
TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.

AMBIENT GROUP, INC.
55 WEST 39TH STREET
NEW YORK, NY 10018

DUST CHARACTERIZATION LABORATORY DATA REPORT

PROJECT:	211335	COLLECTED:	9/21/01
CLIENT:	Zar Realty	DATE REC'D:	9/22/01
LOCATION:	100 Church Street	ANALYZED:	9/22/01
TECHNICIAN:	Joe Cianci		

FIELD ID #	DESCRIPTION	SAMPLE CONSTITUENTS	PERCENT OF SAMPLE **
LABORATORY ID #			
211335-6	Settled Dust	CELLULOSE	8.0%
DB2031		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	10.0%
		CHRYSHOTILE	2.0%
		TOTAL	100.0%
211335-7	Settled Dust	CELLULOSE	15.00%
DB2032		FIBER GLASS	50.0%
		CEMENT DUST	30.0%
		CARBON PARTICLES	5.0%
		CHRYSHOTILE	Trace
		TOTAL	100.0%

Signed for Ambient Group Inc. by,


 TAREK FATA

ND = None Detected, NA = Not Analyzed, There are two (2) types of dust sample submitted for analysis: Settled = Samples submitted on tape/bulk, Airborne = Samples submitted in Air-O-Cell Cassettes. All results disclosed in this report relate only to the items tested. No reproduction of all or any portion of this report shall occur without written approval of Ambient Group Inc. Unless otherwise directed by the Client, Ambient Group Inc. will retain the samples listed in this report for five (5) days, after which time they may be disposed of in accordance with applicable regulations.