



WASTE MANAGEMENT

LOGANO

P.O. Box 144 • Portland, CT 06480
(860) 342-0667 • Fax: (860) 342-4866
Out of State 1-800-272-3867

E.P.A. AGENCY

CT, MA, RI, VT, NH, ME
GENERATORS

EPA New England
1 Congress Street
Boston, MA 02114-2023
(617) 918-1111

NY GENERATORS

EPA Region 2
290 Broadway, 26th Floor
New York, NY 10007-1866
(212) 264-6770

#99 48713

EMERGENCY RESPONSE
TELEPHONE
#1-800-272-3867

FB# 6024

ASBESTOS DISPOSAL & DOCUMENTATION FORM

Job Number _____ P.O. # _____
Contractor **FIBER CONTROL INC.**
Address **3010 BURNS AVENUE**
City **WANTAGH** State **NY** Zip **11793**
Telephone Number **(516) 781-3000**
Date Container Del. **05/23/02** Date of Pickup **06/20/02**
Type of Container **100 YARD**
VOLUME **1/16** CY Friable ☒ Non-Friable ☐
Bag ☒ Drum ☐ Wrapped ☐ Other ☐
EPA ID: NA2212 FCB

GENERATOR/BUILDING OWNER**HERBERT MOSKOWITZ**

Address

City

Phone Number

PII**GENERATING LOCATION**

Address

City

Phone Number

156 CHAMBERS STREET
State **NY** Zip **10007**

I certify the above named material does not contain free liquid as defined by 40 CFR part 260.10 or any applicable state law, is not a hazardous waste as defined by 40 CFR part 261 or any applicable state law, has been properly described, classified and packaged, and is in proper condition for transportation according to NESHAP standards for asbestos waste disposal found in 40 CFR part 61.150.

Shipper's Certification: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national government regulations.

AUTHORIZED SIGNATURE

Transporter 1: **FIBER CONTROL INC.** **3010 BURNS AVENUE WANTAGH, NY 11793** **516-781-3000**

Driver: **Anthony Costa** **NY / 151 859 AL** **06/19/02**
Signature _____ State / # _____
Acknowledgement of receipt of materials.

Transporter 2: **Waste Management N.E.E.T., Inc., PO Box 144, Portland, CT 06480 1-800-272-3867**

Driver: _____ **0930154** **6/20/02**
Signature _____ State / # _____
Acknowledgement of receipt of materials.

TEMPORARY STORAGE / TRANSFER FACILITY: WASTE MANAGEMENT N.E.E.T., INC. • 203 PICKERING STREET • PORTLAND, CT 0648
PHONE: (800) 272-3867 PERMIT # SW 1130223

Received By: **N/A** Date: _____
Certification of receipt of materials covered by this manifest.

Transporter 3: _____

Driver: _____ **N/A** _____
Signature _____ State / # _____
Acknowledgement of receipt of materials.

Landfill Name: _____ Phone No: **824 479 2537**

Location: **Landfill Site 1525** Permit # **10008712 for 100016845**

Approximate Volume of Asbestos Received: **1/16** CY

Discrepancy If Any: _____

Received by: **Asuband huan** Date: **6-21-02**

Certification of receipt of materials covered by this manifest.

COPY 1 - GENERATOR

ASBESTOS INSPECTION REPORT

PAGE 1 OF

PREMISE NO. 156		STREET CHAMBERS ST				INSPECTION DATE 6/16/02	
FLOOR FACADE	ZIP	BORO CODE 1	BLOCK 137	LOT 28	SQUAD # 1	BADGE # A010	
INSPECTOR ALPHONSO PLUMPTRE		BLDG TYPE	BASIS OF INSPECT TU0855MNO2			PHOTOS TAKEN YES / NO	
CONTRACTORS NAME FIBER CONTROL					SAMPLE NO.		
ADDRESS 3010 BURNS AVE					CITY WANTAGH		
STATE N.Y.					ZIP 11793		
PHONE (516) 781-3000					SAMPLE NO.		
LABORATORY NAME WARREN & PANZER ENGINEERS, PC					OWNERS NAME Mr. Herbert Moskowitz		
ADDRESS 228 E. 45TH ST					CITY N.Y.		
STATE N.Y.					ZIP 10017		
PHONE (212) 922-0077					STATE		
CONTACT PERSON: Tony Costa					TIME OF INSPECTION FROM: 5:00 am TO: 9:00 pm		
INSPECTION DISCLOSED:							
Checked all the handlers and the supervisor and were in order. The Cleanup started early in the morning due to a store on Main floor which opens at 8:00 Am. All the entire facade was quickly completed and cleaned without visible debris observed.							

NOV #	INFRACTIONS	RESULT CODE
		5
NOV #		SUPERVISORS INITIALS
		Ca

BORO 1 - MANHATTAN 2 - BRONX 3 - BROOKLYN 4 - QUEENS 5 - RICHMOND

BLDG TYPE A > 6 Stories B < 6 Stories C Single Family
D School E Hospital F Public Owned Property

RESULT CODES 1 - Violation Issued 2 - No Violations Issued 3 - No Access
4 - Project not Started (No NOV) 5 - Project Completed (No NOV)

ACP 30/93

FILE

**New York City
Department of Transportation**

BOROUGH : MANHATTAN

PERMIT # : M02-2002164-134

INSPECT DIST: 6

RECORDED # : NONE
PREVIOUS # : NONEBUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002FEES (NON-REFUNDABLE):
ADMIN \$**50.00
REISSUEPERMIT TYPE 0215
PAVEMENT TYPE
SIDEWALK TYPE CONCRETE
ISSUE DATE 06/13/2002

TOTAL FEE \$****50.00 FEE WAIVED

PERMISSION HEREBY GRANTED TO :

NAME : ACTION REMEDIATION CO INC
CONTACT NAME : ANTHONY COSTA
PHONE : (516) 781 - 3000
ADDRESS : 3010 BURNS AVENUE WANTASH NY 11793
GENERAL CONTRACTORLICENSE # :
PERMITTEE # : 11578
CONTRACT # : R0F-REN

TO OCCUPY THE SIDEWALK IN FRONT OF :

HOUSE # : 156
ON STREET : CHAMBERS STREET
FROM STREET : GREENWICH STREET
TO STREET : HUDSON STREET


FOR THE PURPOSE OF : TEMPORARY SIDEWALK CLOSING

*** SEE PAGE 2 FOR STIPULATIONS ***

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:17 BY HENRY BER

PAGE 1 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS,
RULES AND SPECIFICATIONS OF THE NEW YORK CITY
DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS
AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY
MAY RESULT IN REVOCATION OF THE PERMIT BY THE COM-
MISSIONER.


COMMISSIONER

PER _____



New York City Department of Transportation

BOROUGH : MANHATTAN

PERMIT # : M02-2002164-134

INSPECT DIST: 6


RECORDED # : NONE
PREVIOUS # : NONEBUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002ALL WORK MUST ADHERE TO THE FOLLOWING STIPULATIONS : 410 011 016 037 038 091 103 107 113
SPECIFIC STIPULATIONS : DO NOT WORK ON BOTH SIDES OF THE ST SIMULTANEOUSLY


- | | | |
|-----|------------|---|
| 410 | SPECIAL EV | VARIANCE GRANTED TO WORK DURING THE CONSTRUCTION EMBARGO AS STIPULATED BY THE D.C.M.C. OFFICE. |
| 011 | OCNC-STREE | POST SIGNS MEETING NYCDOT SPECIFICATIONS FOR DIRECTING PEDESTRIANS TO OPPOSITE SIDEWALK |
| 016 | OCNC-STREE | FULL WIDTH OF SIDEWALK SHALL BE OPENED TO PEDESTRIANS WHEN SITE IS UNATTENDED. |
| 037 | OCNC-STREE | SECTION 24-224 ADMINISTRATIVE CODE VARIANCE GRANTED FOR HOURS AND DAYS STIPULATED HEREIN |
| 038 | OCNC-STREE | WARNING SIGNS AND TRAFFIC SAFETY DEVICES SHALL BE PROVIDED, INSTALLED, MAINTAINED AND REMOVED BY THE PERMITTEE IN ACCORDANCE WITH THE "NEW YORK STATE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES". |
| 091 | HIGHWAYS S | THIS PERMIT ACTIVITY MAY NOT START UNTIL THE PERMITTEE COORDINATES ALL WORK AND RESTORATION REQUIREMENTS WITH THE RESIDENT ENGINEER. |
| 103 | OCNC-STREE | PARKING OF PRIVATE VEHICLES ON THE STREET (ROADWAY AND SIDEWALK) WORK AREAS IS PROHIBITED. |
| 107 | OCNC-STREE | LOADING AND UNLOADING, STANDING OR PARKING IN A LANE ADJACENT TO THE WORK ZONE IN THE ROADWAY IS PROHIBITED. THIS APPLIES TO PERMITTEES AND ALL OF THEIR SUBCONTRACTORS. |
| 113 | OCNC-STREE | WORK 9AM TO 7PM SATURDAY AND 10AM TO 7PM SUNDAY. |

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:17 BY HENRY IER

PAGE 2 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS, RULES AND SPECIFICATIONS OF THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY MAY RESULT IN REVOCATION OF THE PERMIT BY THE COMMISSIONER.


PEA COMMISSIONER

New York City
Department of Transportation

BOROUGH : MANHATTAN

INSPECT DIST: 6

PERMIT # : M02-2002164-130

RECORDED # : NONE
PREVIOUS # : NONEBUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002FEES (NON-REFUNDABLE):
ADMIN \$**50.00
REISSUEPERMIT TYPE 0214
PAVEMENT TYPE ASPHALT
SIDEWALK TYPE
ISSUE DATE 06/13/2002

TOTAL FEE \$****50.00 FEE WAIVED

PERMISSION HEREBY GRANTED TO :

NAME : ACTION REMEDIATION CO INC
CONTACT NAME : ANTHONY COSTA
PHONE : (516) 781 - 3000
ADDRESS : 3010 BURNS AVENUE WANTAGH NY 11793
GENERAL CONTRACTORLICENSE # :
PERMITTEE # : 11578
CONTRACT # : ROF-REM

TO OCCUPY THE ROADWAY IN FRONT OF :

HOUSE # : 156
ON STREET : CHAMBERS STREET
FROM STREET : GREENWICH STREET
TO STREET : HUDSON STREET

FOR THE PURPOSE OF : PLACE CONTAINER ON THE STREET


*** SEE PAGE 2 FOR STIMULATIONS ***

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:12 BY HENRY DER

PAGE 1 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS,
RULES AND SPECIFICATIONS OF THE NEW YORK CITY
DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS
AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY
MAY RESULT IN REVOCATION OF THE PERMIT BY THE COM-
MISSIONER.

PER


COMMISSIONER



New York City Department of Transportation

BOROUGH : MANHATTAN

INSPECT DIST: 6

PERMIT # : M02-2002164-130


RECORDED # : NONE
PREVIOUS # : NONEBUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002ALL WORK MUST ADHERE TO THE FOLLOWING STIPULATIONS : 410 011 016 037 038 091 103 107 113
SPECIFIC STIPULATIONS : DO NOT WORK ON BOTH SIDES OF THE ST SIMULTANEOUSLY

410	SPECIAL EV	VARIANCE GRANTED TO WORK DURING THE CONSTRUCTION EMBARGO AS STIPULATED BY THE O.C.M.C. OFFICE.
011	OCNC-STREE	POST SIGNS MEETING NYCDOT SPECIFICATIONS FOR DIRECTING PEDESTRIANS TO OPPOSITE SIDEWALK
016	OCNC-STREE	FULL WIDTH OF SIDEWALK SHALL BE OPENED TO PEDESTRIANS WHEN SITE IS UNATTENDED.
037	OCNC-STREE	SECTION 24-224 ADMINISTRATIVE CODE VARIANCE GRANTED FOR HOURS AND DAYS STIPULATED HEREIN
038	OCNC-STREE	WARNING SIGNS AND TRAFFIC SAFETY DEVICES SHALL BE PROVIDED, INSTALLED, MAINTAINED AND REMOVED BY THE PERMITTEE IN ACCORDANCE WITH THE "NEW YORK STATE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES".
091	HIGHWAYS S	THIS PERMIT ACTIVITY MAY NOT START UNTIL THE PERMITTEE COORDINATES ALL WORK AND RESTORATION REQUIREMENTS WITH THE RESIDENT ENGINEER.
103	OCNC-STREE	PARKING OF PRIVATE VEHICLES ON THE STREET (ROADWAY AND SIDEWALK) WORK AREAS IS PROHIBITED.
107	OCNC-STREE	LOADING AND UNLOADING, STANDING OR PARKING IN A LANE ADJACENT TO THE WORK ZONE IN THE ROADWAY IS PROHIBITED. THIS APPLIES TO PERMITTEES AND ALL OF THEIR SUBCONTRACTORS.
113	OCNC-STREE	WORK 9AM TO 7PM SATURDAY AND 10AM TO 7PM SUNDAY.

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:12 BY HENRY DER

PAGE 2 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS, RULES AND SPECIFICATIONS OF THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY MAY RESULT IN REVOCATION OF THE PERMIT BY THE COMMISSIONER.



COMMISSIONER

PER _____



**New York City
Department of Transportation**

BOROUGH : MANHATTAN

INSPECT DIST: 6

PERMIT # : N02-2002164-128

RECORDED # : NONE
PREVIOUS # : NONE

BUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002

FEEES (NON-REFUNDABLE):

ADMIN REISSUE \$\$\$50.00

PERMIT TYPE	0204
PAVEMENT TYPE	
SIDEWALK TYPE	CONCRETE
ISSUE DATE	06/13/2002

TOTAL FEE \$++++50.00 FEE WAIVED

PERMISSION HEREBY GRANTED TO :

NAME : ACTION REMEDIATION CO INC
CONTACT NAME : ANTHONY COSTA
PHONE : (516) 781 - 3000
ADDRESS : 3010 BURNS AVENUE WANTAGH NY 11793
GENERAL CONTRACTOR

LICENSE # :
PERMITTEE # : 11578
CONTRACT # : ROF-REM

TO OCCUPY THE SIDEWALK IN FRONT OF :

HOUSE # : 156
ON STREET : CHAMBERS STREET
FROM STREET : GREENWICH STREET
TO STREET : HUDSON STREET

FOR THE PURPOSE OF : PLACE EQUIPMENT OTHER THAN CRANE OR SHOVL
CLEAN-UP OF WTC DEBRIS ON FACADES OF 155 & 156
CHAMBERS ST

*** SEE PAGE 2 FOR STIPULATIONS ***

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:06 BY HENRY DER

PAGE 1 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS, RULES AND SPECIFICATIONS OF THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY MAY RESULT IN REVOCATION OF THE PERMIT BY THE COMMISSIONER.

T. Wm Stace

COMMISSIONER

PER _____



New York City Department of Transportation

BOROUGH : MANHATTAN

PERMIT # : M02-2002164-128

INSPECT DIST: 6

RECORDED # : NONE
PREVIOUS # : NONEBUILDING OPERATION PERMIT
PERMIT VALID FROM 06/15/2002 TO 06/30/2002ALL WORK MUST ADHERE TO THE FOLLOWING STIPULATIONS : 410 011 016 037 038 091 103 107 113
SPECIFIC STIPULATIONS : DO NOT WORK ON BOTH SIDES OF THE ST SIMULTANEOUSLY

410	SPECIAL EV	VARIANCE GRANTED TO WORK DURING THE CONSTRUCTION EMBARGO AS STIPULATED BY THE O.C.M.C. OFFICE.
011	OCMC-STREE	POST SIGNS MEETING NYCDOT SPECIFICATIONS FOR DIRECTING PEDESTRIANS TO OPPOSITE SIDEWALK
016	OCMC-STREE	FULL WIDTH OF SIDEWALK SHALL BE OPENED TO PEDESTRIANS WHEN SITE IS UNATTENDED.
037	OCMC-STREE	SECTION 24-224 ADMINISTRATIVE CODE VARIANCE GRANTED FOR HOURS AND DAYS STIPULATED HEREIN
038	OCMC-STREE	WARNING SIGNS AND TRAFFIC SAFETY DEVICES SHALL BE PROVIDED, INSTALLED, MAINTAINED AND REMOVED BY THE PERMITTEE IN ACCORDANCE WITH THE "NEW YORK STATE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES".
091	HIGHWAYS S	THIS PERMIT ACTIVITY MAY NOT START UNTIL THE PERMITTEE COORDINATES ALL WORK AND RESTORATION REQUIREMENTS WITH THE RESIDENT ENGINEER.
103	OCMC-STREE	PARKING OF PRIVATE VEHICLES ON THE STREET (ROADWAY AND SIDEWALK) WORK AREAS IS PROHIBITED.
107	OCMC-STREE	LOADING AND UNLOADING, STANDING OR PARKING IN A LANE ADJACENT TO THE WORK ZONE IN THE ROADWAY IS PROHIBITED. THIS APPLIES TO PERMITTEES AND ALL OF THEIR SUBCONTRACTORS.
113	OCMC-STREE	WORK 9AM TO 7PM SATURDAY AND 10AM TO 7PM SUNDAY.

PERMIT ORIGINALLY PRINTED ON 06/13/2002 AT 15:06 BY HENRY DER

PAGE 2 OF 2

PERMITTEES SHALL COMPLY WITH ALL APPLICABLE LAWS, RULES AND SPECIFICATIONS OF THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION AND WITH THE TERMS AND CONDITIONS OF THE PERMIT. FAILURE TO COMPLY MAY RESULT IN REVOCATION OF THE PERMIT BY THE COMMISSIONER.

COMMISSIONER

PER

WTC Visual Survey Form

Premise Address:

156 CHAMBERS

Block:

Residential ☐ Commercial ☐

Name of Building:

Lot:

Mix Use ☐ Other ☐

of Stories: 6

AKA's:

Telephone Number: ()

Building Owner/Management:

FAX: ()

Name:

Address:

On Site Contact:

Telephone Number: ()

Name:

Building Owner Management Activities

Interior Survey Performed ☐ Yes ☐ No

Exterior Survey Performed ☐ Yes ☐ No

General Clean Up ☐ Yes ☐ No Locations: _____

ACM Clean Up ☐ Yes ☐ No Locations: _____

Air Monitoring ☐ Yes ☐ No Locations: _____

Copies of All Reports and Data Requested ☐ Yes

Visual Inspection Results:

Facade:

North ☐ N/A

South ☐ N/A

East ☐ N/A

West ☐ N/A

Inspected

☐ Yes ☐ No

☒ Yes ☐ No

☐ Yes ☐ No

☐ Yes ☐ No

Debris

☐ No Visible/Fine Layer

☐ No Visible/Fine Layer

☐ No Visible/Fine Layer

☐ No Visible/Fine Layer

☐ 1/2 to 1"

☐ 1/2 to 1"

☐ 1/2 to 1"

☐ 1/2 to 1"

☐ > 1"

☐ > 1"

☐ > 1"

☐ > 1"

Facade Description:

DIRTY ON WINDOWS 1ST FLOOR FIRST FLOOR AIR VENTS
STREET INSPECTION

Roof

Debris: ☒ No Visible /Fine Layer ☐ 1/2 to 1" ☐ > 1"

Description: INSPECTED FROM 147 CHAMBERS

Setbacks N/A ☒

Floor: _____

Floor: _____

Floor: _____

Floor: _____

Floor: _____

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1"

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1"

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1"

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1"

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1"

☐ > 1"

☐ > 1"

☐ > 1"

☐ > 1"

☐ > 1"

Comments

Date: ____/____/2002

Inspection Team: Name: AL

Name: HENRICK

Agency: _____

Agency: _____

ARH 21



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 23, 2002

Herbert Moskowitz

PII

**Subject: 156 CHAMBERS STREET
Second Notice**

Dear Sir/ Madam:

This is a follow-up to the NYC DEP request for copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. To date, our office has not received the requested documents and information. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,

**R. Radhakrishnan, P.E.
Director
Asbestos Control Program**



www.nyc.gov/dep

(718) DEP-HELP

01/30/02 N.Y.C. DEPARTMENT OF BUILDINGS BISPIQ31
 MULTI-AGENCY COMPOSITE PROPERTY & OWNER INFORMATION QUERY
 156..... CHAMBERS STREET..... 1 MANHATTAN 10007 BIN# 1001493

DCP GEOGRAPHICAL INFORMATION:

CHAMBERS STREET 156 - 156 HEALTH AREA : 77 TAX BLK: 137..
 CENSUS TRACT: 2002 TAX LOT: 28...
 COMMUNITY BD: 101 CONDO :
 MULTI STRUCT: 1 CUI NO :

DOF OWNER NAME & ADDRESS FROM BILLING FILE: DOF OWNER NAME FROM PROPERTY FILE

OWNER NAME : HERBERT MOSKOWITZ

HERBERT MOSKOWITZ

CORP. NAME

LPC LANDMARK STATUS: NO

ADDRESS

PII

DOB LOCAL LAW STATUS: YES

DOF BUILDING INFORMATION:

BLDG SIZE; 0024.00 X 0075.00

TRANS LAND VALUE: 502,000

LOT SIZE: 0023.67 X 0075.00

TAX EXEMPT FLAG : NO

BLDG CLASS : D2 ELEVATOR APT

TAX EXEMPT CLASS:

STORIES : 6

CITY OWNERSHIP : NO

UPDATE DATE : 01/12/02

FOR CITY } MGMT TYPE: MGMT CODE:

MGMT CODE NAME:

OWNERSHIP } MGMT HOLDER CODE:

MGMT HOLDER CODE NAME:

 PF1 =PREV PF2 =MAIN PF7 = NEW ADDRESS PF8 = NEW BLK/LOT PF9 = NEW BIN

WTC Visual Survey Form

Premise Address:

156 CHAMBERS

Block:

Residential ☐ Commercial ☐

Name of Building:

Lot:

Mix Use ☐ Other ☐

of Stories: 6

AKA's:

Telephone Number: ()

Building Owner/Management:

FAX: ()

Name:

Address:

On Site Contact:

Telephone Number: ()

Name:

Building Owner Management Activities

Interior Survey Performed ☐ Yes ☐ No

Exterior Survey Performed ☐ Yes ☐ No

General Clean Up ☐ Yes ☐ No Locations: _____

ACM Clean Up ☐ Yes ☐ No Locations: _____

Air Monitoring ☐ Yes ☐ No Locations: _____

Copies of All Reports and Data Requested ☐ Yes

Visual Inspection Results:

Facade:

North ☐ N/A
South ☐ N/A
East ☐ N/A
West ☐ N/A

Inspected

☐ Yes ☐ No
☒ Yes ☐ No
☐ Yes ☐ No
☐ Yes ☐ No

Debris

☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"

Facade Description:

DISTON WINDOWS 1ST FLOOR FIRST FLOOR AIR VENTS
STAIR INSPECTION

Roof

Debris:

☒ No Visible /Fine Layer ☐ 1/2 to 1" ☐ > 1"

Description:

INSPECTED FROM 147 CHAMBERS

Setbacks N/A ☒

Floor: _____
Floor: _____
Floor: _____
Floor: _____
Floor: _____

Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"
Debris: ☐ No Visible/Fine Layer ☐ 1/2 to 1" ☐ > 1"

Comments

Date: ____/____/2002

Inspection Team: Name: AL

Agency: _____

Name: HENRIK

Agency: _____

ARH 21



**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 12, 2002

Herbert Moskowitz

PII

Subject: 156 CHAMBERS STREET

Dear Sir/ Madam:

In September 2001, the New York City Department and Environmental Protection (NYC DEP) and the Department of Health (NYC DOH) advised building owners regarding building maintenance and re-occupancy issues following the collapse of the World Trade Center. The steps included the professional assessment of building contamination for possible hazardous components, including asbestos, and a retrospective filing, as required, if applicable.

The NYC DEP is hereby requesting copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. Please forward the requested documents to our offices within FIVE BUSINESS DAYS. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,

**R. Radhakrishnan, P.E.
Director**

Asbestos Control Program





**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

February 12, 2002

Herbert Moskowitz

PII

Subject: 156 CHAMBERS STREET

Dear Sir/ Madam:

In September 2001, the New York City Department and Environmental Protection (NYC DEP) and the Department of Health (NYC DOH) advised building owners regarding building maintenance and re-occupancy issues following the collapse of the World Trade Center. The steps included the professional assessment of building contamination for possible hazardous components, including asbestos, and a retrospective filing, as required, if applicable.

The NYC DEP is hereby requesting copies of the environmental hazard assessments including bulk sample results and air monitoring results and a summary of clean-up activities at the above referenced site. Please forward the requested documents to our offices within FIVE BUSINESS DAYS. They may be faxed to (718) 595-3744 or sent to the NYC DEP Asbestos Control Program at 59-17 Junction Boulevard, 8th floor, Corona, New York 11373-5108.

Please be advised building owners are responsible for the cleaning of building exteriors, grounds, and common areas. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment. DEP inspectors will be following up on this matter.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP. DEP staff is available to provide guidance and technical assistance.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Radhakrishnan".

R. Radhakrishnan, P.E.

Director

Asbestos Control Program





**Department of
Environmental
Protection**

59-17 Junction Boulevard
Corona, New York
11368-5107

February 8, 2002

HERBERT MOSKOWITZ

PII

**Joel A. Miele Sr., P.E.
Commissioner**

**Robert C. Avaltroni
Deputy Commissioner**

**Bureau of
Environmental Compliance**
Tel (718) 595-4418
Fax (718) 595-4422

Subject: 156 CHAMBERS STREET, MANHATTAN

Dear Sir/ Madam:

The New York City Department of Environmental Protection in cooperation with the New York State Department of Labor and the United States Environmental Protection Agency has continued inspections/surveys of buildings in the vicinity of the World Trade Center.

During the recent inspections/surveys, visible debris from the collapse of the Towers was observed on the ~~roof, setbacks, and/or~~ facades of the above referenced building. In accordance with previously issued guidelines, copies of which are enclosed, these accumulations must be assessed by a NYC DEP certified investigator to determine whether the material is asbestos-containing material and then cleaned up appropriately.

Building owners are responsible for the cleaning of building exteriors, grounds, and common area. Due to changing conditions and continued activity at Ground Zero, building owners should periodically assess the condition of building exteriors and air conditioning systems for cleanliness and may have to periodically re-clean areas. Adherence to proper cleaning methods is important for the protection of public health and the environment.

If you have any questions, you may reach the Department at (718) 595-3682 during office hours or the 24-hour Help Center at (718) DEP-HELP.

Sincerely,

R. Radhakrishnan, P.E.

Director

Asbestos Control Program



(718) DEP-HELP