

FIBER CONTROL, INC.
 3010 BURNS AVENUE
 WANTAGH, NY 11793
 (516) 781-3000
 FAX (516) 781-3085

INVOICE

Date: **09/06/02** Inv. No.: **F1137**
 Due Date: **1** Page No.:

**BILL TO: New York City Dept of
 Environmental Protection
 Asbestos Control Program
 59-17 Junction Blvd
 Flushing, NY 11373-5108
 Att: Alphonso Plumtre
 Deputy Lab Director Supervising I.H.**

JOB SITE: job sites listed below

REFERENCE	TERMS	YOUR #	OUR #	SALES REP
TEL: 718-595-3671	Upon Completion	CONTRACT ROF-REM1	F1137	PG

DESCRIPTION REFERENCE	UNIT MEASURE	QUANTITY	UNIT PRICE ITEM DISCOUNT	EXTENDED PRICE
Exterior Cleanup				
<u>Address</u>	<u>Asphalt Roof Unit Price</u>	<u>facade Unit Price</u>	<u>Gravel Roof Unit Price</u>	<u>Total</u>
49 Murray Street ACP-8 rear setback	650 sq ft @ \$1.48			962.00
47 Murray Street	2375 sq ft @ \$1.48	1875 sq ft @ \$2.50		3,515.00 ✓ 4,687.50 ✓
200 Church Street ACP-8 south facade	8750 sq ft @ \$1.48	13125 sq ft @ \$2.50 4500 sq ft @ \$2.50		12,950.00 32,812.50 11,250.00
85 West Broadway C128 chambers st)	7904 sq ft @ \$1.48	5610 sq ft @ \$2.50		11,697.92 14,025.00 \$ 91,899.92

WWW.ACTIONHAZMAT.COM

SUB TOTAL	\$ 91,899.92
TAX	0.00
TOTAL	\$ 91,899.92
NET TO PAY	

EMERGENCY
ONLY
TYPEWRITTEN
FORMS WILL BE
ACCEPTED




NYC DEPARTMENT OF ENVIRONMENTAL PROTECTION

Asbestos Control Program

59-17 Junction Boulevard, 8th Floor, Corona, NY 11368-5107

ASBESTOS PROJECT NOTIFICATION (ASBESTOS INSPECTION REPORT)



1. NYC DEP
(See fee schedule)

When submitting this form at the NYC Department of Buildings, the original form and three (3) copies with original signatures are required. Submittal at the NYCDEP requires one copy of the form with original signatures. This form must be submitted to the NYC DEP not less than one week in advance of the start of abatement activities.

I. FACILITY

2. Address 128-132 CHAMBERS STREET Borough N.Y. Zip 10007
AKA 85 WEST BROADWAY 3. Block 136 4. Lot 16
5. Type of Facility _____ 6. Name of Building _____

II. BUILDING OWNER

7. Name DADOURIAN EXPORT CORP. 8. Contact Person Mr. Esposito
9. Tel. # (212) 941-1483 Fax # _____
10. Address 128 Chambers St City N.Y. State N.Y. Zip 10007

III. GENERAL CONTRACTOR

11. Name _____ Tel. # _____

IV. ASBESTOS ABATEMENT CONTRACTOR

12. Name FIBER CONTROL 13. Contact Person TONY COSTA
14. Federal Employer ID. # PII 15. Tel. # 516-781-3000 Fax # 516-781-3085
16. Address 3010 BURNS AVE City WANTAGH State NY Zip 11793

V. THIRD PARTY AIR MONITOR

17. Name WARREN & PANZER ENGINEERS, PC 18. Contact Person MICHAEL NOLAN
19. Federal Employer ID. # _____ 20. Tel. # 212-922-0077 Fax # 212-922-0630
21. Address 228 EAST 45th STREET City NEW YORK State NY Zip 10017
22. Sample Analysis Laboratory SCIENTIFIC LABORATORIES, INC 23. NYS DOH ELAP # 11480

VI. PROJECT INFORMATION

24. Starting date for this portion of work 8/28/02 Projected completion date 9/28/02

Asbestos work schedule ☐ Monday ☐ Tuesday ☐ Wednesday ☐ Thursday ☐ Friday ☐ Saturday ☐ Sunday

Shift from: _____ ☐ am ☐ pm to _____ ☐ am ☐ pm

If other,
specify _____

Access to inspect the premises must be provided during the work schedule indicated in this item.

25. Total amount of asbestos-containing material to be abated during this work

13,514 Square Feet, and/or _____ Linear Feet



DEP
BUREAU OF ENVIRONMENTAL
RESTORATION & ENFORCEMENT
ASBESTOS CONTROL
PROGRAM
20112

ACP 7
2/2001

ASBESTOS INSPECTION REPORT (continued)

26. Asbestos Hauler LOGANO NYS DEC Permit # CT-098 Tel.# 800-272-3867
 Disposal Site(s) Southern Alleghenies, Valley Landfill

27. This asbestos abatement is part of a (Item a through e requires filing of this form with NYC Department of Buildings)

- a) ☐ Demolition b) ☐ Boiler Replacement c) ☐ Sprinkler Replacement d) ☐ Renovation/Alteration
 e) ☐ Fireproofing Replacement f) ☐ Other (Describe) _____

28. TYPE OF ABATEMENT (Check all appropriate boxes)

- ☐ Removal ☐ Enclosure ☐ Encapsulation ☐ Repair ☐ Clean up



29. ABATEMENT PROCEDURE (Check all appropriate boxes)

- ☐ Full Containment ☐ Glovebag ☐ Tent ☐ DEP Variance Application


30. LOCATIONS OF ABATEMENT

Floor(s)	DESCRIBE SECTION OF FLOOR (e.g. entire, east wing, room #, boiler room, lobby, etc.)	AFFECTED SURFACES CONTAINING ACM (e.g. Pipe lagging, ceiling, plenum ducts, storage tanks, decking, etc.)	AMOUNT OF ACM		DESCRIPTION OF WORK BEING PERFORMED (e.g. running cable, installing fire sprinklers, removing and replacing boilers, etc.)
			SQUARE FEET	LINEAR FEET	
Roof	(ASPHALT)		7904		
Facade			5610		

31. I hereby declare that the information provided herein is true and complete to the best of my knowledge. I am familiar with Federal, State and NYC laws and regulations applicable to asbestos related work.

<u>BOSUN OGUINAKI</u> Print Name of Air Monitor  Signature <u>06-03-02</u> Date	<u>ANTHONY COSTA</u> Print Name of Asbestos Contractor  Signature <u>6-3-02</u> Date	<u>ANTHONY COSTA</u> Print Name of Applicant (If other than Owner)  Signature <u>6-3-02</u> Date
--	---	---

32. I understand that as the owner of a building where asbestos abatement activity occurs, I am responsible for the performance of the asbestos abatement activities in accordance with the Asbestos Control Program Rules. I have contracted the third party air monitor who is completely independent of all parties involved in the asbestos project. I hereby declare that I have authorized the filing of this notification for the work specified herein.

Alfonso Plimpton  8/27/02
Print Name of Owner Signature Date

A STAMPED COPY OF THIS FORM INCLUDING AMENDMENTS MUST BE AVAILABLE AT THE WORK SITE.

* Any modification of information provided on this form must be reported immediately in writing directly to the NYC DEP ACP.

The requirements of the Asbestos Control Program Rules may not be lawfully avoided or lessened through the performance of work in incremental or piecemeal fashion.

85 West Broadway

AKA .

128 Chambers St



ATHENICA

ENVIRONMENTAL SERVICES INC.
Tel. (718) 784-7400
Fax. (718) 784-4085

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-08-153
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.012422

PROJECT: NYC DEP, 35 West Broadway
DATE OF REPORT: 08/30/02
DATE OF ANALYSIS: 08/30/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (ft ³)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ³)	TOTAL ASBESTOS AIR CONC. (struct./cm ³)	TOTAL ASBESTUS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.558-5.0µm	AIR CONC. FOR STRUCT. 5.25-10µm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
01	T02-08-153-2007	Floor below the roof	1350	5	0.0621	0.0046	<0.0046	<16.10	NA	NA	NA	NA
02	T02-08-153-2008	By the roof entrance	1300	5	0.0621	0.0046	<0.0046	<16.10	NA	NA	NA	NA
03	T02-08-153-2009	East side of the roof	1300	5	0.0621	0.0046	<0.0046	<16.10	NA	NA	NA	NA
04	T02-08-153-2010	Center of the roof	1300	5	0.0621	0.0046	<0.0046	<16.10	NA	NA	NA	NA
05	T02-08-153-2011	West side of the roof	1300	5	0.0621	0.0046	<0.0046	<16.10	NA	NA	NA	NA

E. Sioutaki

ANALYST
E. Sioutaki

En. Spiro Dougaris

LABORATORY DIRECTOR
Spiro Dougaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a less duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to tests listed. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

220 East 45th Street
New York, NY 10017
(212) 922-0077
Fax (212) 922-0530

WARREN & PANZER ENGINEERS, P. C.

AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 1

24 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: NYC DEP
PROJECT: Roof
LOCATION: 85 W. Broadway

W&P FILE #: 1079-01-02
LABORATORY: ATHENICA
ANALYSIS METHOD: PCM TEM TEM
circle one 7400 AHERA EPA LEVEL II
TECHNICIAN: Festly Osemwiegie/Greg Boron

CONTACT: Mike Nolan

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START	FLOWRATE STOP	TIME ON	TIME OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
01	Floor below the roof	3		5.0	5.0	07:00	11:30	470	1350	
02	By the roof entrance	3		5.0	5.0	07:02	11:32	470	1350	
03	East side of the roof	3		5.0	5.0	07:04	11:34	470	1350	
04	Center of the roof	3		5.0	5.0	07:06	11:36	470	1350	
05	West side of the roof	3		5.0	5.0	07:08	11:38	470	1350	
06	Field Blank	1								
07	" - "	1								
08	" - "	1								

COMMENTS:

T02-08-153

SAMPLE BY: Greg Boron / Festly Osemwiegie DATE: 08/28/02
SIGNATURE: Boron
RELEASED BY: Festly Osemwiegie DATE: 08/28/02
SIGNATURE: [Signature]
RECEIVED BY: ACATICA DATE: 8/28/02
SIGNATURE: [Signature]

SAMPLE TYPE CODES	
1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

08/30/2002 17:14 FAX 718 764 4085

017




AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

CLIENT: Warren & Panzer Engineers, P.C.
LABORATORY ID #: T02-09-025
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.013771

PROJECT: NYC DEP, 85 West Broadway
DATE OF REPORT: 09/09/02
DATE OF ANALYSIS: 09/08/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID #	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIV. (struct./cm ²)	TOTAL ASBESTOS AIR CONC. (struct./cm ³)	TOTAL ASBESTOS FILTER CONC. (str./mm ²)	AIR CONC. FOR STRUCT. 0.5 < S < 5 μm	AIR CONC. FOR STRUCT. S > 5.0 μm	ASBEST. TYPE CHRYS.	AMPHIB. ASBEST. TYPE SPECIFY
01	T02-09-025-2189	Adjacent to light pole	1785	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
02	T02-09-025-2190	Center by Subway	1785	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
03	T02-09-025-2191	Adjacent to building in street	1785	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA
04	T02-09-025-2192	Center area adjacent to building	1480	4	0.0551	0.0047	<0.0047	<18.15	NA	NA	NA	NA
05	T02-09-025-2193	Adjacent to entrance of building	1785	4	0.0551	0.0039	<0.0039	<18.15	NA	NA	NA	NA


ANALYST
E. Sionkri


LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVE AP 101852 BY AP 101853

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

228 East 45th Street
New York, NY 10017
(212) 922-8077
Fax (212) 922-0630

WARREN & PANZER ENGINEERS, P. C.
AIR MONITORING LOG SHEET/CHAIN-OF-CUSTODY FORM

PAGE 1 OF 1

24 hr⁺/a 12 hr⁺/a 6 hr⁺/a 3 hr⁺/a Immediate ⁺/a

P.O. _____

CLIENT: NYC-DEP
PROJECT: FACADE Cleaning
LOCATION: 85 W. Broadway

W&P FILE #: 1079-01-02
LABORATORY: ATC
ANALYSIS METHOD: PCM TEM TEM
circle one 7400 NIHNA EPA LEVEL II
TECHNICIAN: N. Velis

CONTACT: Mike Nolan
LLW#: _____
SCA JOB#: _____

SAMPLE NUMBER	SAMPLE DESCRIPTION/LOCATION	SAMPLE TYPE	PUMP #	FLOWRATE START STOP	TIME ON OFF	TOTAL TIME	VOLUME (liters)	CONCENTR. (fib./cc.)
001A	Adj to light pole	3		7 7	19:00 23:15	255	1785	
002A	Clear by subway	3		7 7	19:01 23:16	255	1785	
003A	Adj to blind in street	3		7 7	19:02 23:17	255	1785	
004A	Center area adj to Bldg	3		10 10	20:50 23:18	148	1480	
005A	Adj to entrance of bldg	3		7 7	19:04 23:19	255	1785	
006	Field	1						
007	Field	1						
008	Sealed	1						

COMMENTS: Recheck lab

T02-09-025

SAMPLE BY: <u>N. Velis</u>	DATE: <u>9/4</u>
SIGNATURE: <u>[Signature]</u>	
RELEASED BY: <u>N. Velis</u>	DATE: <u>9/4</u>
SIGNATURE: <u>[Signature]</u>	
RECEIVED BY: <u>A. CAJAL</u>	DATE: <u>9/7/02</u>
SIGNATURE: <u>[Signature]</u>	

SAMPLE TYPE CODES	
1 - Blank	5 - Final Clearance (inside)
2 - Pre-Abatement	6 - Final Clearance (outside)
3 - During Abatement	7 - Personal
4 - During Glove Bag Removal	8 - Background

SEE REVERSE SIDE FOR ANALYSIS INFORMATION

09/09/2002 19:24 FAX 718 784 4035

008

