



ATHENICA
ENVIRONMENTAL SERVICES INC.

Tel. (704) 704-7499
Fax. (718) 704-4985

CLIENT: Warren & Paezer Engineers, P.C.
LABORATORY ID #: T02-09-113
ANALYT. METHODOLOGY: AHERA
FILTER TYPE: M.C.E.
AVERAGE G.O. AREA (mm²): 0.013838

AIRBORNE ASBESTOS ANALYSIS BY TRANSMISSION ELECTRON MICROSCOPY

PROJECT: NYC DEP, 92 Fulton Street
DATE OF REPORT: 09/30/02
DATE OF ANALYSIS: 09/30/02
EFFECTIVE FILTER AREA (mm²): 385

LABORATORY RESULTS

CLIENT #	LAB. ID	LOCATION	VOLUME (l)	G.O.'s ANALYZED	AREA ANALYZED (mm ²)	ANALYT. SENSITIVITY (dstruct/cm ³)	TOTAL ASBESTOS AIR CONC. (stres./cm ³)	TOTAL ASBESTOS FILTER CONC. (stres./mm ²)	AIR CONC. FOR STRUCT. 0.55K-5mm	AIR CONC. FOR STRUCT. S>5.0um	ASBESTOS TYPE CHRYS.	ASBESTOS TYPE SPECIFY
ID01	T02-09-113-2655	Exit to the roof	1800	4	0.0554	0.0039	<0.0039	<18.07	NA	NA	NA	NA
ID02	T02-09-113-2656	IWA right side of WA	1800	4	0.0554	0.0039	<0.0039	<18.07	NA	NA	NA	NA
ID03	T02-09-113-2657	IWA middle of WA	1800	4	0.0554	0.0039	<0.0039	<18.07	NA	NA	NA	NA
ID04	T02-09-113-2658	IWA 2 nd middle of WA	1800	4	0.0554	0.0039	<0.0039	<18.07	NA	NA	NA	NA
ID05	T02-09-113-2659	IWA left side of WA	1800	4	0.0554	0.0039	<0.0039	<18.07	NA	NA	NA	NA

E. S. Skoultri

ANALYST
E. Skoultri

[Signature]

LABORATORY DIRECTOR
Spiro Dongaris

LABORATORY CERTIFICATION NUMBERS: NVLAP 101958, ELAP 10955

- Athenica Environmental Services Inc. (AES), is responsible only for information pertaining to samples taken by its employees.
- Air sampling cassettes will be stored for sixty (60) days. AES Inc., should be notified within this time frame for a true duplicate analysis.
- If AES Inc., did not conduct the sampling, the reported airborne concentration was derived based on information provided by the client. Under these circumstances, the air concentration data is supplied solely for the convenience of the client.
- The report relates only to items tested. This report must not be used to claim product endorsement by NVLAP or any other agency of the U.S. Government. Test reports may not be reproduced except in full and with prior approval of AES Inc.
- The liability of Athenica Environmental Services Inc. with respect to the services charged, shall in no event exceed the amount of the invoice.

