

APPENDIX G - POST SILICA AIR SAMPLING



INDUSTRIAL HYGIENE

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

October 14, 2002

Ben Sallemi
ATC Associates
104 East 25th Street
10th Floor
New York, NY 10010-2917

TEL: (212) 353-8280
FAX (212) 353-8306

RE: DEP Cleanup, 15-22906-0002

Order No.: R02100360

Dear Ben Sallemi:

PSC Analytical Services received 25 samples on 10/10/02 9:50:00 AM for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,


Michael J Salum
General Manager

4418 Pottsville Pike, Reading, PA 19605 610-921-8833 FAX 610-921-8407



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

REMIT TO: PSC Analytical Services
Accounts Receivable
P.O. Box 3069-Department 3
Houston, TX 772533069
TEL: (610) 921-8833

INVOICE

INV DATE: October 14, 2002

Print DATE: October 14, 2002

Invoice No: 11187

Invoice TO: ATC Associates
104 East 25th Street
10th Floor
New York, NY 100102917

Attn: Accounts Payable
Phone: (212) 353-8280

Work Order: R02100360

Order Name DEP Cleanup, 15-22906-0002

PO Number: 15-22906-0002

Date Received 10/10/02

Item	Remarks	Matrix	Qty	Unit Price	Mult	Quoted	Test Total
AIRBORNE SILICA	sub to WOHL	Air	25	\$100.00	1	\$85.00	\$2,125.00
TOTAL PARTICULATE MATTER	pre-paid filters	Air	25	\$25.00	1	\$0.00	\$0.00

Subtotal: \$2,125.00

Discount: 0.00%

Surcharge: 50.00%

Misc Charges: \$0.00

Payment Received: \$0.00

INVOICE Total: \$3,187.50

All Invoices are due and Payable net 30 days from date invoiced.



AIR MONITORING DATA

AND

CHAIN OF CUSTODY FORM R02100360

Page 1 of 4

PROJECT INFORMATION

1. Client: DEP	2. Project Name: DEP CLEANUP	3. Project # 15-22902	4. Project Monitor: R. FISHMAN	4c. Rotameter Number: PCMHARY
5. Date: 10-07-02	2a. Project Address: 125 BEDFORD ST, NY, NY	3a. Task # 0002	4a. Air Sampler: R. FISHMAN	6. Abatement Location: SILICA
	7. PCM (0.45 micron MCE) Cassette/Filter Manufacture Lot # 03352	8. TCM (0.45 micron MCE) Cassette/Filter Manufacture Lot #	9. Type: a. ☐ Background b. ☐ Pre-Abate c. ☐ Abatement d. ☒ Post-Abate e. ☐ OSHA	1. ☐ Environmental g. ☒ Ambient h. ☐ Other

DAILY AIR SAMPLE RECORD

10. Sample I.D. Number	11. Pump Number	12. Sample Location		13. Time (24 hrs clock)			14. Flow Rate (L/min.)		15. Total Air Vol. (liters)	16. # Fibers/Fields Minus Blank	17. Fiber Conc. FCC
		12a. IWA	12b. OWA	13a. Start	13b. End	13c. Total	14a. Start	14b. End			
S12504-25											
SP-C1	389543			1658	2315	377	2507	2491	2499	942.1	
S12N-02	389978			1702	2320	378	2512	2500	2506	947.3	
S12SW-03	389976			1711	2322	371	1710	1697	1705	632.0	
S12SE-04	389972			1712	2324	372	2508	2473	2490	926.5	
S11N-05	389588			1729	2326	357	1705	1704	1704	608.5	
S11S-06	389972			1741	2327	346	2499	2473	2486	860.2	

CHAIN OF CUSTODY

18. Relinquished By: I R. FISHMAN	19. Received By: TRAP	20. Date: 10-09-02	21. Time: 0950
II F214		10-10-02	0950
III			

26. ATC Project Manager: B. SALLEMI	27. Result To: FAX (212) 353 8306
--	--

LAB INFORMATION (ATC ELAP # 10879, ATC NVLAP # 1187)

22. Lab Name:	23. Date:	24. Time:
a. Analyzed By:		
b. QC By:		
c. Lab Batch #:		
28. Comments:		

25. Microscope Make/Serial #:	Analysis Methodology:
☐ Nikon Labophot 238913	PCM - NIOSH 7400A
☐ Nikon Labophot 238917	TEM - AHERA
☐ Nikon Labophot 239079	

NY-1 (1/01)



AIR MONITORING DATA AND CHAIN OF CUSTODY FORM

Ro2100360

Page 2 of 4

TURNAROUND TIME

☐ 2 hrs ☐ 6 hrs ☐ 48 hrs ☐ Standard
☐ 4 hrs ☒ 24 hrs ☐ 72 hrs ☐ Other _____

PROJECT INFORMATION

1. Client: DEP		2. Project Name DEP CLEANUP		3. Project # 15-2206 0002		4. Project Monitor: R. FISHMAN / E. LEHNOVIC		4c. Rotameter Number: SEE PAGE 1	
		2a. Project Address 125 CEDAR ST, NY, NY		3a. Task # 0002		4a. Air Sampler: R. FISHMAN / E. LEHNOVIC			
5. Date: 10-07-02 10-08-02		6. Abatement Location:		7. ☒ PCM (0.8 micron MCE) Cassette/Filter Manufacture SILICA Lot # 03352		8. ☐ TEM (0.45 micron MCE) Cassette/Filter Manufacture _____ Lot # _____		9. Type: a. ☐ Background b. ☐ Pre-Abate	
						c. ☐ Abatement d. ☒ Post-Abate e. ☐ OSHA		f. ☐ Environmental g. ☒ Ambient h. ☐ Other	

DAILY AIR SAMPLE RECORD

10. Sample I.D. Number	11. Pump Number	12. Sample Location		12c. Sample Coordinates	13. Time (24 hrs clock)			14. Flow Rate (L/min.)			15. Total Air Vol. (liters)	16. # Fibers/Fields Minus Blank	17. Fiber Conc. F/CC
		12a. IWA	12b. OWA		13a. Start	13b. End	13c. Total	14a. Start	14b. End	14b. Avg			
				Field Blank									
				Field Blank									
S105-07	389771			PII - Living Room	1738	2330	352	1711	1705	1708	601.2		
S10N-08	389983			PII - Living Room	1735	2329	354	1718	1702	1710	605.3		
3 S9N-09	814871			PII - Living Room	0450	1102	372	2501	2463	2482	923.5		
S9S-10	389586			PII - Living Room	0502	1110	368	1696	1684	1690	621.4		
S8N-11	389998			PII - within kitchen space	0520	1128	368	2507	2479	2493	917.4		
S8S-12	389915			PII - Living Room	0540	1146	366	2509	2477	2493	912.4		

CHAIN OF CUSTODY

18. Relinquished By:	19. Received By:	20. Date:	21. Time:
I R. FISHMAN		100902	
II Frd Sp	Tha3	101002	0950
III			

LAB INFORMATION (ATC ELAP # 10879, ATC NVLAP # 1187)

22. Lab Name:		23. Date:	24. Time:	25. Microscope Make/Serial #: ☐ Nikon Labophot 238913 ☐ Nikon Labophot 238917 ☐ Nikon Labophot 239079
a. Analyzed By:				
b. QC By:				
c. Lab Batch #:				28. Comments:
26. ATC Project Manager: B. SALLENH		27. Result To: See page 1 Beep/Phone #'s _____		Analysis Methodology PCM - NIOSH 7400A TEM - AHERA

WHITE - File

YELLOW - Client/Report

PINK - Lab

GOLDENROD - Field

NY-1 (1/01)



AIR MONITORING DATA AND CHAIN OF CUSTODY FORM

202100360

Page 3 of 7

TURNAROUND TIME

☐ 2 hrs ☐ 4 hrs ☒ 6 hrs ☐ 24 hrs ☐ 48 hrs ☐ 72 hrs ☐ Standard ☐ Other _____

PROJECT INFORMATION

1. Client DEP	2. Project Name DEP CLEAN LIP	3. Project # 15-22906	4. Project Monitor: DEP	4c. Rotameter Number: See page 1
	2a. Project Address 125 CEDAR ST, NY, NY	3a. Task # 0002	4a. Air Sampler: 7, AN575SLAVSKIY	
5. Date: 10-03-02	6. Abatement Location:		7. ☒ PCM (0.3 micron-MCE) Cassette/Filter Manufacture Lot # 03352	8. ☐ TEM (0.45 micron MCE) Cassette/Filter Manufacture Lot #
		9. Type: a. ☐ Background b. ☐ Pre-Abate		c. ☐ Abatement d. ☒ Post-Abate e. ☐ OSHA
				1. ☐ Environmental g. ☒ Ambient h. ☐ Other

DAILY AIR SAMPLE RECORD

10. Sample I.D. Number	11. Pump Number	12. Sample Location			13. Time (24 hrs clock)			14. Flow Rate (L/min.)			15. Total Air Vol. (liters)	16. # Fibers/Fields Minus Blank	17. Fiber Conc. F/C
		12a. IWA	12b. OWA	12c. Sample Coordinates	13a. Start	13b. End	13c. Total	14a. Start	14b. End	14b. Avg			
				Field Blank									
				Field Blank									
S7N-13	389497 ✓			P II Living Room	0600	1206	366	1715	1690	1701.5	623.1		
S7S-14	389498 ✓			P II Bathroom	0620	1224	364	1709	1707	1708	621.7		
S6N-15	389464 ✓			P II Living Room	0638	1245	367	1702	1701	1701.5	624.4		
S6S-16	389516 ✓			P II Living Room	0642	1248	366	2504	2481	2442.5	912.3		
S5S-17	389472 ✓			P II Living Room	1633	2233	360	2499	2492	2445.5	518.4		
S5N-18	389493 ✓			P II Living Room	1649	2250	361	2494	2502	2448	901.8		

CHAIN OF CUSTODY

CHAIN OF CUSTODY		19. Received By:	20. Date:	21. Time:
18. Relinquished By:				
I	R. FISHERMAN		10-09-02	
II	Wetzel		10-09-02	0950
III				

LAB INFORMATION (ATC ELAP # 10879, ATC NVLAP # 1187)

22. Lab Name:	23. Date:	24. Time:
a. Analyzed By:		
b. QC By:		
c. Lab Batch #:		

25. Microscope Make/Senal #:	☐ Nikon Labophot 238913 ☐ Nikon Labophot 238917 ☐ Nikon Labophot 239079
Analysis Methodology	PCM - NIOSH 7400A TEM - AHERA

28. Comments:

NY-1 (1/01)

PSC Analytical Services

Sample Receipt Checklist

Client Name ATC ASSOCIATES


Date and Time Receive 10/10/2002 9:50:00 AM

Work Order Number R02100360

Received by NAG

Checklist completed by 
Signature

10/10/02
Date

Reviewed by 
Initials

10/10/02
Date

Matrix:

Carrier name FedEx

Shipping container/cooler in good condition?	Yes ☒	No ☐	Not Present ☐
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☒
Custody seals intact on sample bottles?	Yes ☐	No ☐	Not Present ☒
Chain of custody present?	Yes ☒	No ☐	
Chain of custody signed when relinquished and received?	Yes ☒	No ☐	
Chain of custody agrees with sample labels?	Yes ☒	No ☐	
Samples in proper container/bottle?	Yes ☒	No ☐	
Sample containers intact?	Yes ☒	No ☐	
Sufficient sample volume for indicated test?	Yes ☒	No ☐	
All samples received within holding time?	Yes ☒	No ☐	
Container/Temp Blank temperature in compliance?	Yes ☒	No ☐	
Water - VOA vials have zero headspace?	No VOA vials submitted ☒	Yes ☐	No ☐
Water - pH acceptable upon receipt?	Yes ☐	No ☒	

Adjusted? _____ Checked by _____

Any No and/or NA (not applicable) response must be detailed in the comments section below

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____

Corrective Action _____



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPANVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOHMH 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02100360

Client Reference: DEP Cleanup, 15-22906-0002

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: S 125 CED-25 Blank	Lab ID: -01A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): NA	
Total Particulate Matter	<50.0	--	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	--	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: SP-01	Lab ID: -02A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): 942.1	
Total Particulate Matter	<50.0	<0.0531	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0106	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S 12N-02	Lab ID: -03A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): 947.3	
Total Particulate Matter	<50.0	<0.0528	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0106	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S12SW-03	Lab ID: -04A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): 632	
Total Particulate Matter	<50.0	<0.0791	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0158	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S12SE-04	Lab ID: -05A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): 926.5	
Total Particulate Matter	<50.0	<0.0540	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0108	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S11N-05	Lab ID: -06A	Date Sampled: 10/7/02		Matrix: Filter		Air Vol.(L): 608.5	
Total Particulate Matter	<50.0	<0.0822	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0164	--	10	AIRBORNE SILICA	10/11/2002	ADM



INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
 • AIHA ACCREDITATION NO. 100439
 • NC DENR 599

ENVIRONMENTAL TESTING

• NY DOH/NELAC 10903
 • PA DEP 06-353
 • NJ DEP PA020
 • CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02100360

Client Reference: DEP Cleanup, 15-22906-0002

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: S11S-06	Lab ID: -07A	Date Sampled: 10/7/02	Matrix: Filter		Air Vol.(L): 860.2		
Total Particulate Matter	<50.0	<0.0581	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0116	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S10S-07	Lab ID: -08A	Date Sampled: 10/7/02	Matrix: Filter		Air Vol.(L): 601.2		
Total Particulate Matter	<50.0	<0.0832	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0166	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S10N-08	Lab ID: -09A	Date Sampled: 10/7/02	Matrix: Filter		Air Vol.(L): 605.3		
Total Particulate Matter	<50.0	<0.0826	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0165	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S9N-09	Lab ID: -10A	Date Sampled: 10/8/02	Matrix: Filter		Air Vol.(L): 923.3		
Total Particulate Matter	<50.0	<0.0542	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0108	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S9S-10	Lab ID: -11A	Date Sampled: 10/8/02	Matrix: Filter		Air Vol.(L): 621.9		
Total Particulate Matter	<50.0	<0.0804	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0161	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S8N-11	Lab ID: -12A	Date Sampled: 10/8/02	Matrix: Filter		Air Vol.(L): 917.4		
Total Particulate Matter	<50.0	<0.0545	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0109	--	10	AIRBORNE SILICA	10/11/2002	ADM



INDUSTRIAL HYGIENE

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

ENVIRONMENTAL TESTING

• NY DOHMH 10903
• PA DEP 06-353
• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02100360

Client Reference: DEP Cleanup, 15-22906-0002

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Analyzed /Analyst	
	(ug)	(mg/m³)	(ppm)				
Client ID: S8S-12	Lab ID: -13A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 912.4	
Total Particulate Matter	<50.0	<0.0548	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0110	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S7N-13	Lab ID: -14A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 623.1	
Total Particulate Matter	<50.0	<0.0802	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0160	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S7S-14	Lab ID: -15A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 621.7	
Total Particulate Matter	<50.0	<0.0804	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0161	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S6N-15	Lab ID: -16A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 624.4	
Total Particulate Matter	<50.0	<0.0801	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0160	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S6S-16	Lab ID: -17A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 912.3	
Total Particulate Matter	<50.0	<0.0548	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0110	--	10	AIRBORNE SILICA	10/11/2002	ADM
Client ID: S5S-17	Lab ID: -18A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 898.4	
Total Particulate Matter	<50.0	<0.0557	--	50	N0500	10/11/2002	ADM
Silica (Quartz Total)	<10.0	<0.0111	--	10	AIRBORNE SILICA	10/11/2002	ADM



INDUSTRIAL HYGIENE

ENVIRONMENTAL TESTING

• EPA NVLAP 101262-0
• AIHA ACCREDITATION NO. 100439
• NC DENR 599

• NY DOH/NELAC 10903
• PA DEP 06-353

• NJ DEP PA020
• CT DPH PH-0238

**Analytical Results
for**

ATC Associates

WorkOrder: R02100360

Client Reference: DEP Cleanup, 15-22906-0002

Analyte	Concentration			Limit of Detection (ug)	Test Method	Date Anal /Analy
	(ug)	(mg/m³)	(ppm)			
Client ID: S2S-24						
	Lab ID: -25A	Date Sampled: 10/8/02		Matrix: Filter		Air Vol.(L): 618.
Total Particulate Matter	<50.0	<0.0808	--	50	N0500	10/11/2002
Silica (Quartz Total)	<10.0	<0.0162	--	10	AIRBORNE SILICA	10/11/2002

(a) Analysis indicates possible breakthrough; back section result is greater than 0% of the front section result.

General Notes:

<: Less than the indicated limit of detection (LOD).

--: Information not available or not applicable.

Back sections were checked and showed no significant breakthrough.